

Take Off

Benching



USA
price list

Effective January 23rd, 2023

updated – January 20th, 2025
update summary – p.66



LAZER EDGE

artopex®

Interactive buttons

-  Table of contents
-  Visual index
-  General information
-  Back to the last page viewed



interactive links

index, page tabs & page references

→ document optimized for single page view

Visual index	04
General information	24
A - Open shared benching tables	A01
B - Shared benching tables with door	B01
C - Closed shared benching tables	C01
D - Extensions	D01
E - Pedestals	E01
F - Caps & accessories	F01
G - Electricity	G01
H - Reconfiguration surfaces	H01
I - Support panels	i01
J - Modesty panels	J01
K - Privacy screens	K01






Visual index



Visual index

Open shared benching tables	06
Shared benching tables with door	09
Closed shared benching tables	12
Extensions	13
Pedestals	14
Caps et accessories	15
Electricity	16
Reconfiguration surfaces	18
Legs / Support panels	19
Modesty panels	20
Privacy screens	21

Open shared benching table - full laminate end panels


Open shared benching table - 1 side full laminate end panels	A02	Open shared benching table - 2 sides full laminate end panels	A05
BO1i2872 BO1i2866 BO1i2860 BO1i2854 BO1i2848 BO1i2842 BO1i2836		BO6i2872 BO6i2866 BO6i2860 BO6i2854 BO6i2848 BO6i2842 BO6i2836	
BO1i2272 BO1i2266 BO1i2260 BO1i2254 BO1i2248 BO1i2242 BO1i2236		BO6i2272 BO6i2266 BO6i2260 BO6i2254 BO6i2248 BO6i2242 BO6i2236	
Open shared benching table - 2 sides full laminate end panels	A03	Open shared benching table - 2 sides full laminate end panels	A06
BO2i2872 BO2i2866 BO2i2860 BO2i2854 BO2i2848 BO2i2842 BO2i2836		BO8i2872 BO8i2866 BO8i2860 BO8i2854 BO8i2848 BO8i2842 BO8i2836	
BO2i2272 BO2i2266 BO2i2260 BO2i2254 BO2i2248 BO2i2242 BO2i2236		BO8i2272 BO8i2266 BO8i2260 BO8i2254 BO8i2248 BO8i2242 BO8i2236	
Open shared benching table - 2 sides full laminate end panels	A04		
BO4i2872 BO4i2866 BO4i2860 BO4i2854 BO4i2848 BO4i2842 BO4i2836			
BO4i2272 BO4i2266 BO4i2260 BO4i2254 BO4i2248 BO4i2242 BO4i2236			

Open shared benching table - combined material end panels

Open shared benching table - 1 side
combined material end panels

A07

BO1iX2872
BO1iX2866
BO1iX2860
BO1iX2854
BO1iX2848
BO1iX2842
BO1iX2836




BO1iX2272
BO1iX2266
BO1iX2260
BO1iX2254
BO1iX2248
BO1iX2242
BO1iX2236

Open shared benching table - 2 sides
combined material end panels

A10

BO6iX2872
BO6iX2866
BO6iX2860
BO6iX2854
BO6iX2848
BO6iX2842
BO6iX2836




BO6iX2272
BO6iX2266
BO6iX2260
BO6iX2254
BO6iX2248
BO6iX2242
BO6iX2236

Open shared benching table - 2 sides
combined material end panels

A08

BO2iX2872
BO2iX2866
BO2iX2860
BO2iX2854
BO2iX2848
BO2iX2842
BO2iX2836




BO2iX2272
BO2iX2266
BO2iX2260
BO2iX2254
BO2iX2248
BO2iX2242
BO2iX2236

Open shared benching table - 2 sides
combined material end panels

A11

BO8iX2872
BO8iX2866
BO8iX2860
BO8iX2854
BO8iX2848
BO8iX2842
BO8iX2836




BO8iX2272
BO8iX2266
BO8iX2260
BO8iX2254
BO8iX2248
BO8iX2242
BO8iX2236

Open shared benching table - 2 sides
combined material end panels

A09

BO4iX2872
BO4iX2866
BO4iX2860
BO4iX2854
BO4iX2848
BO4iX2842
BO4iX2836



BO4iX2272
BO4iX2266
BO4iX2260
BO4iX2254
BO4iX2248
BO4iX2242
BO4iX2236

Open shared benching table - open metal end panels


Open shared benching table - 1 side
open metal end panels

A12


Open shared benching table - 2 sides
open metal end panels

A15

BO1iO2872
BO1iO2866
BO1iO2860
BO1iO2854
BO1iO2848
BO1iO2842
BO1iO2836



BO6iO2872
BO6iO2866
BO6iO2860
BO6iO2854
BO6iO2848
BO6iO2842
BO6iO2836




BO1iO2272
BO1iO2266
BO1iO2260
BO1iO2254
BO1iO2248
BO1iO2242
BO1iO2236

BO6iO2272
BO6iO2266
BO6iO2260
BO6iO2254
BO6iO2248
BO6iO2242
BO6iO2236


Open shared benching table - 2 sides
open metal end panels

A13

BO2iO2872
BO2iO2866
BO2iO2860
BO2iO2854
BO2iO2848
BO2iO2842
BO2iO2836



BO8iO2872
BO8iO2866
BO8iO2860
BO8iO2854
BO8iO2848
BO8iO2842
BO8iO2836




BO2iO2272
BO2iO2266
BO2iO2260
BO2iO2254
BO2iO2248
BO2iO2242
BO2iO2236

BO8iO2272
BO8iO2266
BO8iO2260
BO8iO2254
BO8iO2248
BO8iO2242
BO8iO2236

Open shared benching table - 2 sides
open metal end panels

A14

BO4iO2872
BO4iO2866
BO4iO2860
BO4iO2854
BO4iO2848
BO4iO2842
BO4iO2836




BO4iO2272
BO4iO2266
BO4iO2260
BO4iO2254
BO4iO2248
BO4iO2242
BO4iO2236

Shared benching table with door - full laminate end panels

Shared benching table with door - 1 side
full laminate end panels

B02

BD1i2672
BD1i2666
BD1i2660
BD1i2654
BD1i2648
BD1i2642
BD1i2636




BD1i2072
BD1i2066
BD1i2060
BD1i2054
BD1i2048
BD1i2042
BD1i2036

Shared benching table with door - 2 sides
full laminate end panels

B05

BD6i2672
BD6i2666
BD6i2660
BD6i2654
BD6i2648
BD6i2642
BD6i2636




BD6i2072
BD6i2066
BD6i2060
BD6i2054
BD6i2048
BD6i2042
BD6i2036

Shared benching table with door - 2 sides
full laminate end panels

B03

BD2i2672
BD2i2666
BD2i2660
BD2i2654
BD2i2648
BD2i2642
BD2i2636




BD2i2072
BD2i2066
BD2i2060
BD2i2054
BD2i2048
BD2i2042
BD2i2036

Shared benching table with door - 2 sides
full laminate end panels

B06

BD8i2672
BD8i2666
BD8i2660
BD8i2654
BD8i2648
BD8i2642
BD8i2636




BD8i2072
BD8i2066
BD8i2060
BD8i2054
BD8i2048
BD8i2042
BD8i2036

Shared benching table with door - 2 sides
full laminate end panels

B04

BD4i2672
BD4i2666
BD4i2660
BD4i2654
BD4i2648
BD4i2642
BD4i2636



BD4i2072
BD4i2066
BD4i2060
BD4i2054
BD4i2048
BD4i2042
BD4i2036


Shared benching table with door - combined material end panels

Shared benching table with door - 1 side
combined material end panels

B07

BD1iX2672
BD1iX2666
BD1iX2660
BD1iX2654
BD1iX2648
BD1iX2642
BD1iX2636

BD1iX2072
BD1iX2066
BD1iX2060
BD1iX2054
BD1iX2048
BD1iX2042
BD1iX2036




Shared benching table with door - 2 sides
combined material end panels

B10

BD6iX2672
BD6iX2666
BD6iX2660
BD6iX2654
BD6iX2648
BD6iX2642
BD6iX2636

BD6iX2072
BD6iX2066
BD6iX2060
BD6iX2054
BD6iX2048
BD6iX2042
BD6iX2036




Shared benching table with door - 2 sides
combined material end panels

B08

BD2iX2672
BD2iX2666
BD2iX2660
BD2iX2654
BD2iX2648
BD2iX2642
BD2iX2636

BD2iX2072
BD2iX2066
BD2iX2060
BD2iX2054
BD2iX2048
BD2iX2042
BD2iX2036




Shared benching table with door - 2 sides
combined material end panels

B11

BD8iX2672
BD8iX2666
BD8iX2660
BD8iX2654
BD8iX2648
BD8iX2642
BD8iX2636

BD8iX2072
BD8iX2066
BD8iX2060
BD8iX2054
BD8iX2048
BD8iX2042
BD8iX2036




Shared benching table with door - 2 sides
combined material end panels

B09

BD4iX2672
BD4iX2666
BD4iX2660
BD4iX2654
BD4iX2648
BD4iX2642
BD4iX2636

BD4iX2072
BD4iX2066
BD4iX2060
BD4iX2054
BD4iX2048
BD4iX2042
BD4iX2036



Shared benching table with door - open metal end panels

Shared benching table with door - 1 side
open metal end panels

B12

BD1iO2672
BD1iO2666
BD1iO2660
BD1iO2654
BD1iO2648
BD1iO2642
BD1iO2636




BD1iO2072
BD1iO2066
BD1iO2060
BD1iO2054
BD1iO2048
BD1iO2042
BD1iO2036

Shared benching table with door - 2 sides
open metal end panels

B15

BD6iO2672
BD6iO2666
BD6iO2660
BD6iO2654
BD6iO2648
BD6iO2642
BD6iO2636




BD6iO2072
BD6iO2066
BD6iO2060
BD6iO2054
BD6iO2048
BD6iO2042
BD6iO2036

Shared benching table with door - 2 sides
open metal end panels

B13

BD2iO2672
BD2iO2666
BD2iO2660
BD2iO2654
BD2iO2648
BD2iO2642
BD2iO2636




BD2iO2072
BD2iO2066
BD2iO2060
BD2iO2054
BD2iO2048
BD2iO2042
BD2iO2036

Shared benching table with door - 2 sides
open metal end panels

B16

BD8iO2672
BD8iO2666
BD8iO2660
BD8iO2654
BD8iO2648
BD8iO2642
BD8iO2636




BD8iO2072
BD8iO2066
BD8iO2060
BD8iO2054
BD8iO2048
BD8iO2042
BD8iO2036

Shared benching table with door - 2 sides
open metal end panels

B14

BD4iO2672
BD4iO2666
BD4iO2660
BD4iO2654
BD4iO2648
BD4iO2642
BD4iO2636




BD4iO2072
BD4iO2066
BD4iO2060
BD4iO2054
BD4iO2048
BD4iO2042
BD4iO2036

120° closed shared benching tables

120° closed shared benching table -
full laminate end panels

C02




BC3V3048
BC3V3042
BC3V3036

BC3V2448
BC3V2442
BC3V2436

120° closed shared benching table - combined materials
end panels

C03




BC3VX3048
BC3VX3042
BC3VX3036

BC3VX2448
BC3VX2442
BC3VX2436

120° closed shared benching table – open metal panels

C04



BC3VO3048
BC3VO3042
BC3VO3036


BC3VO2448
BC3VO2442
BC3VO2436

Extensions

Collaborative extension surface D02

BCES3060
BCES3048


BCES2460
BCES2448



Collaborative extension table with « U » metal leg D03


BCETU3060
BCETU3048

BCETU2460
BCETU2448




Extension surface D04

BES1460
BES1448



Extension storage unit D05

BEHO146015
BEHO144815




Pedestals

UUF freestanding pedestal - 25" high
for shared tables 24" deep

E02


FPBUUF181625



FF freestanding pedestal - 25" high
for shared tables 24" deep

E04

FPBFF181625



Center caps & accessories

Center cap for single sided shared benching tables
(open or with door)

F02


PCBOD1C67
PCBOD1C61
PCBOD1C55
PCBOD1C49
PCBOD1C43
PCBOD1C37
PCBOD1C31



Removable center cap for open shared benching tables

F03


PCBO2C67
PCBO2C61
PCBO2C55
PCBO2C49
PCBO2C43
PCBO2C37
PCBO2C31



Center cap for shared benching tables with doors

F04


PCBD2C67
PCBD2C61
PCBD2C55
PCBD2C49
PCBD2C43
PCBD2C37
PCBD2C31



Stationery container for shared benching tables
(open or with door)

F05

BCPAP




Electricity

Electrical distribution system – 2-sided

G02

WCMB1603



Coupling

G06


HR



Cabling tray for shared benching tables

G03


WCMBC66
WCMBC60
WCMBC54
WCMBC48
WCMBC42
WCMBC36
WCMBC30



Junction box cover

G06


ECWD



Outlet

G04


DO1
DO2
DO3
DO4



Power feed cable

G07


EC216
EC180
EC72



Double USB outlet

G05

USB1
USB2
USB3
USB4



Jumper fastener

G07


EJB5



Jumper

G06


EJS216
EJS96
EJS82
EJS72
EJS66
EJS60
EJS54
EJS48
EJS42
EJS36
EJS30
EJS24



Outlet support bracket for shared benching tables

G07

EDS



Electricity


Cable pole for 2-sided shared benching tables G08

CPB13120




Cable pole wire dividers G11

CPD33




CPD13




Cable pole for single sided shared benching tables (full laminate end panels) G09

CPC33120
CPC13120



Cable pole for single sided shared benching tables (open metal end panels) G10


CPSBM33120
CPSBM13120



Reconfiguration surfaces

Reconfiguration surfaces for 2-sided open shared benching tables

H02




KSBO2i2872
KSBO2i2866
KSBO2i2860
KSBO2i2854
KSBO2i2848
KSBO2i2842
KSBO2i2836

KSBO2i2272
KSBO2i2266
KSBO2i2260
KSBO2i2254
KSBO2i2248
KSBO2i2242
KSBO2i2236

Reconfiguration surfaces for 2-sided shared benching tables with door

H03



KSBD2i2672
KSBD2i2666
KSBD2i2660
KSBD2i2654
KSBD2i2648
KSBD2i2642
KSBD2i2636


KSBD2i2072
KSBD2i2066
KSBD2i2060
KSBD2i2054
KSBD2i2048
KSBD2i2042
KSBD2i2036

End panels

Laminate end panel for reconfiguration
of 2-sided open shared benching tables

102


KBOLEP6028
KBOLEP4828



Open metal end panel for reconfiguration
of 2-sided shared benching tables with door

106


KBDOEP6028
KBDOEP4828



Laminate end panel for reconfiguration
of 2-sided shared benching tables with door

103


KBDLEP6028
KBDLEP4828



Adjoining open metal panel for reconfiguration
of 2-sided shared benching tables

107


KBOiP6028
KBOiP4828
KBOiP2428



Adjoining laminate panel for reconfiguration
of 2-sided shared benching tables

104


KBLiP6028
KBLiP4828
KBLiP3228



Combined end panel for reconfiguration
of 2-sided open shared benching tables

108


KBOXEP6028
KBOXEP4828



Open metal end panel for reconfiguration
of 2-sided open shared benching tables

105


KBOOEP6028
KBOOEP4828



Laminate end panel for reconfiguration
of 2-sided shared benching tables with door

109

KBDXEP6028
KBDXEP4828



Modesty panels

Modesty panel for reconfiguration of 2-sided
shared benching tables (lamine end panels)J02

- KBMLA7213


KBMLA6613

KBMLA6013

KBMLA5413

KBMLA4813

KBMLA4213

KBMLA3613
- 

- KBMLB7213

KBMLB6613

KBMLB6013

KBMLB5413

KBMLB4813

KBMLB4213

KBMLB3613

- KBMLC7213

KBMLC6613

KBMLC6013

KBMLC5413

KBMLC4813

KBMLC4213

KBMLC3613

Modesty panel for reconfiguration of 2-sided
shared benching tables
(open metal or combined material end panels)J04

- KBMMA7213


KBMMA6613

KBMMA6013

KBMMA5413

KBMMA4813

KBMMA4213

KBMMA3613
- 

- KBMMB7213

KBMMB6613

KBMMB6013

KBMMB5413

KBMMB4813

KBMMB4213

KBMMB3613

- KBMMC7213

KBMMC6613

KBMMC6013

KBMMC5413

KBMMC4813

KBMMC4213


KBMMC3613

Privacy screens

Laminate privacy screen

K02

BPPL6725
BPPL6125
BPPL5525
BPPL4925
BPPL4325
BPPL3725
BPPL3125




BPPL6715
BPPL6115
BPPL5515
BPPL4915
BPPL4315
BPPL3715
BPPL3115

BPPL6713
BPPL6113
BPPL5513
BPPL4913
BPPL4313
BPPL3713
BPPL3113

Acrylic privacy screen

K04

BPPA6725
BPPA6125
BPPA5525
BPPA4925
BPPA4325
BPPA3725
BPPA3125




BPPA6715
BPPA6115
BPPA5515
BPPA4915
BPPA4315
BPPA3715
BPPA3115

BPPA6713
BPPA6113
BPPA5513
BPPA4913
BPPA4313
BPPA3713
BPPA3113

Glass privacy screen

K03


BPPG6715
BPPG6115
BPPG5515
BPPG4915
BPPG4315



Felt privacy screen with rounded corners

K05

BPPFA6725
BPPFA6125
BPPFA5525
BPPFA4925
BPPFA4325
BPPFA3725
BPPFA3125




BPPFA6715
BPPFA6115
BPPFA5515
BPPFA4915
BPPFA4315
BPPFA3715
BPPFA3115

BPPFA6713
BPPFA6113
BPPFA5513
BPPFA4913
BPPFA4313
BPPFA3713
BPPFA3113

Privacy screens

Felt privacy screen with rounded corners (tackable)

K06



BPPTA6725

BPPTA6125

BPPTA5525

BPPTA4925

BPPTA4325

BPPTA3725

BPPTA3125

BPPTA6715

BPPTA6115

BPPTA5515

BPPTA4915

BPPTA4315

BPPTA3715

BPPTA3115

BPPTA6713

BPPTA6113

BPPTA5513

BPPTA4913


BPPTA4313

BPPTA3713

BPPTA3113

Metal lateral screen (flush to surface front)

K07



LPML2615


LPML2015

LPMR2615

LPMR2015

Metal lateral screen
(exceeding 6" in front of the surface)

K08



LPMEL3215

LPMEL2615

LPMER3215

LPMER2615





A
B
C
D
E
F
G
H
I
J
K

General information



General information

General specifications	28
Grommets	33
Multi-outlets	34
Electrical components	36
Finishing caps and cable poles	40
Accessories	42
Extensions	43
Pedestals	44
Privacy screens	45
Lateral screens	47
Reconfiguration of shared tables	48
Finish choices	56

Whether you want to accommodate your employees in in-person, hybrid, assigned or unassigned mode, Take Off benching tables optimize the use of your space while encouraging collaboration within your team.





Perfect cooperation

Take Off benching tables have been designed to maximize the use of open spaces and encourage collaboration without compromising the privacy of users. They offer a choice of configurations, including smart power management, flexible storage options and practical work tools. Bring back the distinguished Take Off look with Take Off benching tables, now optimized for shared work surfaces.

Embracing Change


Take Off benching tables can vary from a simple two-person work configuration to a shared area for eight users. They evolve with your business by adapting to your team's size, needs and work habits.

General specifications

2-sided shared tables

The 2-sided shared tables are available in open or door versions. They allow configurations for 2, 4, 6 or 8 users. They are available in 48" and 60" depths with 1" thick rectangular surfaces in widths of 36", 42", 48", 54", 60", 66" and 72".

The surfaces rest on a structure composed of panels, metal crossbeams and, depending on the configuration chosen, one or more 18" high central modesty panels. The types of end panels offered are full laminate, combined material and open metal.



Laminate panels


Combined material panels

Open metal panels

Open shared tables

Open shared tables have a 3" gap between surfaces, and finishing caps are installed at the center and ends of the configuration. This space is used for wire management and privacy screen installation. A central multi-outlet option is available.


If no privacy screen is installed, a removable center cap can be ordered separately to fill the space between surfaces while maintaining access to the wire channel.



Shared tables with door

Shared tables with door have a 8 1/2" space between surfaces, and caps are installed at the center and ends of the configuration. This space includes a door adjacent to each surface to allow the passage of wires and facilitate access to the electrical system installed under the workstations. There is therefore no option for grommets or multi-outlets on the surface of these tables. However, a space remains between the two doors to allow the installation of privacy screens.

If no privacy screen is installed, a center cap can be ordered separately to fill the space between the doors.




General specifications

120° shared benching tables


120° shared benching tables are available in 48" and 60" depths and 36", 42" and 48" widths with full laminate end panels, combined material panels and open metal panels. They have a ¼" space between the surfaces. This space is for the installation of a privacy screen, see Take Off Price List. Grommet and multi-outlet options are available on the surfaces.

The structure of these shared tables has a round tubular support in the center.


Privacy screens can be installed between the surfaces or at the ends.



Laminate panels



Comb. material panels




Open metal panels

Single sided shared tables


Single sided shared tables are ideal when there is an obstacle that prevents regular shared tables (a column, a low wall, plumbing pipes, etc.). They are also useful to make a row of single tables along a wall while keeping a consistent look with the other shared tables in the room. Available in Open or Door versions.

If no privacy screen is installed, a cap can be ordered separately to fill the space while maintaining access to wire channel.


Open



Laminate panels






Comb. material panels




Open metal panels

With door




General specifications



IMPORTANT:

Single sided shared tables (open or with door) are 25 5/8" or 31 5/8" deep to allow for the installation of a privacy screen.

Single sided shared tables - Modesty panels



General specifications

Materials

Surfaces are made of 1" (25 mm) thick particleboard in T.F.L. or H.P.L. finish.

The H.P.L. adds $\frac{1}{16}$ " (1.6 mm) to the thickness of the surface. The contour (edge banding) of the surfaces is made of $\frac{1}{16}$ " (1.5mm) thick ABS in matching or contrasting colors.

Floor supports (end and adjoining panels) for tables are made of metal or 1" (25mm) particleboard. The edge band is made of $\frac{1}{16}$ " (1.5mm) thick ABS in a color matching the support's finish.

As a general rule, the storage unit body, modesty panels and drawer fronts are made of $\frac{1}{4}$ " (17.5mm) particleboard panels. The edge of these panels is made of $\frac{1}{16}$ " (1.5mm) thick ABS in a color matching the panel's finish.

Table surfaces and drawer fronts for storage are also offered in "FENIX" H.P.L.

Laminate finishes

The finishes offered fall into 4 categories:


- The "Surface" finish (applied to the top of tables, surfaces or storage).
- The "Edgeband" type (surface contour).
- "Base" finish (applied to the sides and back of tables or storage units).
- The "Front" finish (applied to the front of the storage units).

Metal finishes

As a general rule, interior structural or mechanical components have a black finish, while certain metal components (legs, structure, etc.) are available with several finish choices. Please refer to the product description and the finish choices table for more details, [see p.61](#).

Woodgrain direction

The woodgrain is generally positioned parallel to the longest edge of the surface.



General specifications

Assembly and hardware

Assembled products such as storage units and pedestals do not require any assembly at delivery except for the pulls.

Unassembled shared tables are delivered with the necessary hardware and, in some cases, these are pre-assembled to the parts.

Drawers

The drawers are equipped with progressive glide ball bearing slides with a total extension of 16". The load capacity is 100 lbs for the 6" and 12" drawers. The slides meet the BIFMA standard.

Drawer accessories

Storage units with at least one 6" utility drawer have a pencil tray included that can be installed in two positions.

File drawers have PVC profiles around the edges to accommodate letter or legal size files.

File bars (letter size) must be ordered separately. Refer to the Accessories price list for more details.

Pulls


Pulls are not included on the pedestals. They can be added as an option. For the complete offer of different types of pulls [see p.62](#).

NOKI electronic locks / Chrome finish key locks



The pedestals have the option of adding a lock. The option of keyed locks, keyed alike locks and Noki electronic locks are available for these products. It is also possible to specify no lock. To be specified under the "Lock" column of the code line.

The Noki electronic lock is easy to use and offers increased security.

- A unique combination per user, per department or per filing cabinet according to your choice (more than 9000 possible combinations).
- A forgotten code, an absent user... use the master key or an authorized person can obtain a master code from Artopex.
- After four attempts to open the door with a wrong code, a short alarm signal is triggered.
- Battery powered (included), easy access for battery replacement.



Pencil tray installed in two positions





Grommets

Rectangular grommets are optional on the surfaces of the 120° closed shared tables and on the full laminate panels of the single sided and 2-sided shared tables.

The grommet (featuring the Artopex logo) has a cover with two openings.

The grommet is available in four plastic finishes: White (G1), Charcoal (G2), Sandstone (G3) and Black (G4). The finish must be specified in the product specification.




Dimensions of the interior space when the cover is removed


Position of the grommets on the surfaces

For the top of the surface, the grommet positions must be specified in the product specification. For example, for White (G1) grommets positioned on the left (L) and right (R), under the "Grommets" section, add the code: **G1LR**.


Shared tables closed 120°.



36" surfaces




42" & 48" surfaces




Position of the grommets on the full laminate end panels


This option adds a grommet on each end panel. No position to determine. Only the color must be specified.




Open shared table - single sided - full laminate end panels



Shared table with door - single sided - full laminate end panels



Open shared table - 2-sided - full laminate end panels



120° shared table - full laminate end panels


Multi-outlets

A recessed multi-outlet can be specified on closed 120° shared tables and open shared tables only.

The surface has a pre-drilled hole but the multi-outlet must be installed on site.


Recessed multi-outlet (UN) 1-circuit with conventional wall outlet connection - Black

- 6 3/8" x 3 1/4" on the surface.
- 2 grounded electrical outlets with 12A breakers.
- 2 cutouts for telecom adapter.
- 1 retractable cover that allows it to be closed when not in use.
- Power cord: 108" (9').
- Electrical component(s) certified to U.S. and Canadian electrical standards.
- Black finish.




Dean multi-outlet with conventional wall outlet connection (WB) white, (WN) black

- 6 3/8" x 2 3/4" on the surface.
- 2 x 15A electrical outlets.
- 1 USB-A 18W, 5V, 1.5 amp. for recharging.
- 1 USB-C 25W, 20V, 1.25 amp. for recharging.
- Power cord: 120" (10').
- Electrical component(s) certified to applicable U.S. and Canadian electrical standards.




Dean single circuit multi-outlet with interlink connection (QB) white, (QN) black

- 6 5/8" x 2 1/4" on the surface.
- 2 x 15A electrical outlets.
- 1 USB-A 18W, 5V, 1.5 amp. for recharging.
- 1 USB-C 25W, 20V, 1.25 amp. for recharging.
- Power cord: 60" (5').
- Electrical component(s) certified to applicable U.S. and Canadian electrical standards.




Multi-outlet with conventional wall outlet connection (XB) white, (XN) black

- 6 5/8" x 2 3/4" on the surface.
- 2 120V AC, 12A electrical outlets.
- 1 USB-A 18W, 5V, 1.5 amp. for recharging.
- 1 USB-C 25W, 20V, 1.25 amp. for recharging.
- Power cord: 118" (9'10").
- Electrical component(s) certified to U.S. and Canadian



IMPORTANT:

The QB and QN option requires the use of the Interlink Dean 1 circuit system components including the AC-PFiQ120 power module, please refer to the current Artopex Accessories Price List.



Multi-outlets

Multi-outlet position


Multi-outlets are optional on 120° closed, single- and 2-sided open shared tables only. Multi-outlet model must be specified at the time of product specification. The only possible position is in the center. For example, for a Dean white wall outlet (**WB**) in the center (**C**) position, under the "Outlet Options" section, add the code: **WBC**.



IMPORTANT:

It will not be possible to specify the position of a multi-outlet at the same position as an already specified grommet.

Position of multi-outlets on open shared tables, 2-sides and single sided



Position of multi-outlets on closed shared tables 120°




Electrical components


Electrical distribution system 4 circuits - 2 sides

The 4-circuit electrical distribution system is installed on top of the modesty panel of all types of shared tables. It includes 1 electrical harness with support and 2 metal fronts (finish to be specified).




The system is designed to receive the components of the 4 circuit electrical system such as: power outlets and double USB outlets, jumpers to link the harnesses together, cables for power supply, etc. The power outlets and dual USB outlets must be ordered separately.



Single sided shared table
up to 2 duplex outlets



2-sided shared table up to
4 duplex outlets



Connections (female) for jumpers

Electrical components

Electrical system

The electrical system is  certified and conforms to the National Building Code. (REF. UL183).

4-circuit electrical system with 8 wires.


The power conductors (12 AWG) share a ground (12 AWG) and a neutral (10 AWG).

The fourth circuit is dedicated and isolated and is served by: its power conductor, ground and isolated neutral.

Power rating for a single-phase grounded circuit: 120/240 Volt, 20 Amp.

Power rating for a three-phase grounded circuit: 120/208 Volt, 20 Amp.

Wiring diagram 3+D 120/208 Volt:



Dual outlet capacity: 15 Amp (U.S. and CAN)


Maximum use of dual outlets: 13 (U.S.) and 12 (CAN) per circuit.

Each power supply cluster can therefore receive a maximum of 52 (U.S.) and 48 (CAN) duplex outlets.


Electrical components

Duplex outlets

The duplex and dual USB outlets attach to the harness. For protection against induced voltage variations, circuit #4 is an isolated circuit with dedicated neutral and ground. The outlets are available in either black or white.




Duplex outlet



USB outlet

Jumpers

FT-EJS jumper allow the harnesses to be connected to each other. When calculating the length of jumpers required, assume that the length of the electrical harness is 10".



Dimensions

Lengths:


24", 30", 36", 42", 48", 54", 60", 66", 72", 82", 96", 216".

Example of a configuration comprised of rectangular shared tables

For 72" wide tables, the minimum cable length required is 72".


Take the jumper closest (equal or longer) to the required length:

FT-EJS72.



Example of a configuration comprised of 120° shared tables


For 48" wide tables, the required cable length can be at least 6" shorter than the width. Therefore the required length must be a minimum of 42". **FT-EJS42.**



Electrical components

Coupling

The coupling (female) is available to connect 2 to 4 jumpers end to end.



Junction box cover


The 4" x 4" junction box cover contains a "plug and play" receptacle (female) that allows the electrical system to be connected with a **FT-EJS** jumper.

The junction box (NOT INCLUDED) can be mounted on the wall at the height prescribed by the current building code or on the ceiling near the top end of the cable pole.



IMPORTANT:


Must be connected on site by an electrician in accordance with the current building code.



Power feed cable

The power feed cable often used with a cable pole allows "plug and play" connection to the electrical harness and is connected to the source with the electrical hardware (NOT INCLUDED) prescribed by the current building code.

The flexible metal sheath is oval and contains the 8 wires for the 4 circuits of the electrical system.



IMPORTANT:

Must be connected on site by an electrician in accordance with the current building code.



Dimensions

Lengths: 72", 180", 216".

Finishing caps and cable poles for shared tables, open or with doors

Finishing caps



The caps installed in the center and at the ends of the shared tables serve both as a finishing product and as a receptacle for the installation of a cable pole. In the price list, it is therefore necessary to specify the color of the caps, but especially the model, indicating the position of a possible cable pole:



Cable pole for 2-sided shared tables

The cable pole serves as a power connection from the surface to the ceiling (10' H.). A metal divider can be added to keep the power and communication cables separate.

1 1/2" x 3" cable pole




Cable poles

Cable pole for single sided tables with full laminate end panels


It is possible to install a cable pole for the single sided shared table with full laminate end panels.

The cable pole is attached to the table's end panel (featuring an optional grommet) for a ceiling supply connection. It includes a snap-together cover. Available in (1 1/2" x 3") and (3" x 3") sizes with a length of 120". For more details, see the Take Off Product Guide in the Cable pole section.



Cable pole for single sided tables with open metal end panels

The cable pole attaches to the metal bracket with included fasteners. It includes a snap together cover. Available in (1 1/2" x 3") and (3" x 3") sizes with a length of 120".




Cable pole divider

The metal cable pole dividers allow the separation of power and communication cables as needed.


They come in 2 lengths of 48". Recycled paint finish.

For more details, see the Take Off Product Guide in the Cable pole section.

1 1/2" x 3" cable pole divider





3" x 3" cable pole divider



Accessories

Channel for shared tables, open or with doors


The channel allows for the management of electrical and communication wiring. It hooks onto the top of the modesty panel of shared tables and provides easy access to the wiring. Once installed, the channel also serves as a stiffener and reinforces the modesty panel when a screen is installed. Its asymmetrical shape allows for the installation of a channel on each side of the modesty panel. Metal finish to be specified.



Outlet support

The outlet support is designed to accommodate a movable outlet (AC-ECM) or a telecommunication plate (E2-ERD). It is installed on top of the modesty of open or door shared tables. Black finish.



Opening dimension: 2 1/2" x 1 3/8".



Stationery container for shared tables, open or with doors

The stationery container is a metal accessory for small stationery items (pencils, erasers, scissors etc.).

It is designed to be installed under shared tables (open or with door), and is attached to the desired location on the underside and front of the surface. When installed under shared tables with door, the container is concealed by the door. Interior dimension of container is 9" x 3" x 3/4" high. Metal finish to be specified.



Open table
(BCO)





Table with door
(BCD)

Extensions

Extension surfaces for shared tables

Extension surfaces fit on the end of rectangular shared tables (open or with doors) and 120° shared tables, specified with any type of end panels. They are made of 1" thick laminate panel and are offered in two lengths (48 ¼" and 60 ¼"). The surface includes a central support, metal finish to be specified. Does not require a base or legs.


Surfaces are offered with the FENIX H.P.L. option.



Collaborative extension surfaces for shared tables

Collaborative extension surfaces fit on the end of rectangular shared tables (open or with doors) and 120° shared tables, specified with any type of end panels. They are made of 1" thick laminate panel and are offered in two lengths (48 ¼" and 60 ¼") and two depths (24" and 30"). **Legs must be ordered separately.**


Surfaces is offered with the FENIX H.P.L. option.



Collaborative extension tables for shared tables

Collaborative extension tables fit on the end of rectangular shared tables (open or with doors) and 120° shared tables, specified with any type of end panels. They are made of 1" thick laminate panel and are offered in two lengths (48 ¼" and 60 ¼") and two depths (24" and 30"). The surface includes a U-shaped metal leg made of 1" x 3" tube, metal finish to be specified.


Surface is offered with the FENIX H.P.L. option.



Extension storage unit for shared tables

Extension storage units fit on the end of rectangular shared tables (open or with doors) and 120° shared tables, specified with any type of end panels. They are made of 1" thick laminate panel and are offered in two lengths (48 ¼" and 60 ¼").

The storage top is offered with the FENIX H.P.L. option.




Pedestals


Freestanding pedestals 25" H. for shared tables 24" D. (FPBUUF & FPBFF)

The 25" H. freestanding pedestals are 16" wide and 18" deep. They fit under a shared table without interfering with the table structure. Pencil tray included in top utility drawer.

Fronts are available with FENIX H.P.L. option.



FPBUUF




FPBFF

Privacy screens for shared tables, open or with doors

The privacy screens below can only be installed on shared tables (open or with doors), as the space provided between the surface and the door allows them to be installed. The screens are available in 7 lengths and 3 heights. They are attached to the modesty of the shared tables with 2 brackets included, and these brackets are equipped with a fastener that allows the screens to be adjusted vertically.


Materials



Laminate screen 1/16" thick

The contour (edgeband) is made 1/16" (1,5mm) thick ABS with a color matching the panel.

The FENIX option is available on both sides of the panel.




1/4" (6mm) thick glass panel

Clear or frost finish.





ATTENTION:
Available only at 15 1/4" H. over the surface.




1/4" (6mm) translucent acrylic panel

Clear or frost finish.



Tackable 3/4" thick felt panel

Acoustic and tackable on both sides. Radius of 1 3/8" on corners.



Tackable 3/4" thick upholstered panel

Acoustic and tackable on both sides. Radius of 1 3/8" on corners.


Please refer to the current Artopex panel fabric card.

Privacy screens for shared tables, open or with doors

Dimensions - Privacy screens

The privacy screens are 5" shorter than the width of the table.

The available heights match perfectly with the dimensions of the Take Off series privacy screens.




Lateral screens for shared tables

Lateral screens fit on all types of shared tables, either at the end or in the $\frac{1}{4}$ " space between each surface. They are available in 2 models (flush to or exceeding the surface) and have a height of $15\frac{1}{4}$ " visible above the surface. To fit properly under the surfaces, the screens must be ordered in the correct direction; right or left.


Take Off Series privacy screens can also be installed either at the end or in the $\frac{1}{4}$ " space between each surface.

Screen are offered in two models:

Screen flush to the front of the surface




Screen 6" exceeding the surface



Materials


Metal screen

$\frac{1}{8}$ " thick metal structure with optional grooves for hanging accessories.




Position of lateral screens on shared tables

Open shared tables



Shared tables with door



Reconfiguration of shared tables

Description

Shared tables from the Take Off collection can be reconfigured to fit a new layout.


It is possible to add or remove a workstation from a set of shared tables.

Steps to add a workstation to a shared table configuration.

1. Specify a shared tables set:

Open shared table configuration


- 1 set of 2 surfaces, also includes:
- 2 metal crossbeams
 - 2 modesty panel supports
 - 1 metal finishing cap



OR

Shared table configuration, with doors


- 1 set of 2 surfaces with doors, also includes:
- 2 metal crossbeams
 - 2 modesty panel supports
 - 1 metal finishing cap



2. Specify the adjoining panel(s):

Shared tables with laminate panel


Full- or half-width



OR


Shared tables with open metal panel

Full- or half-width



Example

Add a section to a shared table configuration:



ATTENTION:

Never have more than 2 half-width panels next to each other. Alternate half- and full-width panels as much as possible.

Reconfiguration of shared tables


3. Specify the modesty panel(s):

- Determine on which type of leg the modesty panel will be installed: laminate or metal.
- Specify the position of the modesty panel by referring to the image below:

Position A: Modesty panel for 1-section shared tables (2 workstations)

Position B: Modesty panel at the end of shared tables


Position C: Modesty panel in the center of shared tables




End-of-run end panels

For a reconfiguration with the same number of surfaces (e.g. from a single cluster of 8 tables to two clusters of 4 tables) it will be necessary to specify two new end panels. The type of end cap must be specified to potentially accomodate a cable pole.

Laminate end panel




For open shared table
(left or right grommet option)




For shared table with door
(left or right grommet option)

Combined material end panel




For open shared table




For shared table with door

Open metal end panel



For open shared table




For shared table with door

Reconfiguration of shared tables

Reconfiguration example

Addition of a section, from 2 to 4 workstations:

2 tables become 4 tables




1. Specify a surface set
2. Specify a half-width adjoining panel
3. Specify two modesty panels ("B" position)
4. Remove the existing modesty panel ("A" position)

Reconfiguration of shared tables

Reconfiguration example

Addition of a section, from 4 to 6 workstations:

4 tables become 6 tables




1. Specify a surface set
2. Specify a half-width adjoining panel
3. Specify s modesty panel ("C" position)

Reconfiguration of shared tables

Reconfiguration example

Addition of a section, from 4 to 8 workstations:

4 tables become 8 tables





1. Specify two surface sets
2. Specify a half-width adjoining panel and a full-width adjoining panel
3. Specify two modesty panels ("C" position)

Reconfiguration of shared tables

Reconfiguration example

Removal of a section, from 4 to 2 workstations:

4 tables become 2 tables



ATTENTION:
This configuration requires the replacement of the modesty panel.


1. Remove a surface set
2. Remove a half-width adjoining panel
3. Remove two modesty panels ("B" position)
4. Specify a modesty panel ("A" position)

Reconfiguration of shared tables

Reconfiguration example

Removal of a section, from 6 to 4 workstations:

6 tables become 4 tables



ATTENTION:

This example does not require the purchase of parts.


1. Remove a surface set

2. Remove a half-width adjoining panel

3. Remove a modesty panel ("C" position)

Reconfiguration of shared tables

From an single 8-workstation cluster to two 4-workstation clusters



1. Remove two modesty panels ("C" position)
2. Remove the central full-width adjoining panel
3. Specify two modesty panels ("B" position)
4. Specify two end-panels

Finishes



Finish choices

Surfaces	58
Edges	58
Bases	59
Fronts	59
Felt	60
Acrylic	60
Fabric	60
Metal	61
Pulls	62

The different types of finishes

Surfaces

T.F.L. and H.P.L.

DOLOMITE FINISH

 White **BW**

 Charcoal **F**

 Frost **A**

FINI SUEDE

 Cherry **CH**

 Cayenne Maple **CM**

 Honey **HO** **

SUPERMAT FINISH

 Chestnut **CG**

 Tobacco Cherry **TC**

 Maritime Maple **EM**

 Willow Grey **WG**

 Lago **LA**

 Moka **PM**

AURA FINISH

 Carbon **CB**

 Dalia **DA**

 Galaxy **GX**

 Ginger Root **GG**

 Sea Salt **SM**

 Sesame **SE**

KARISMA FINISH

 Sheer Beauty **BN** *

 Free Spirit **EL** *

 First Class **ST** *

* Finishes not available on H.P.L. surfaces 108" and over.

** Suede finish for T.F.L. and Dolomite finish for the H.P.L.

FENIX H.P.L.

 Bianco Kos **BK**

 Grigio Londra **GL**

 Grigio Bromo **GB**

 Nero Ingo **FN**

Edges

Regular

 White **BW**

 Sheer Beauty **BN**

 Carbon **CB**

 Cherry **CH**

 Tobacco Cherry **TC**

 Chestnut **CG**

 Dalia **DA**

 Cayenne Maple **CM**

 Maritime Maple **EM**

 Free Spirit **EL**

 Charcoal **F**

 Galaxy **GX**

 Ginger Root **GG**

 Frost **A**

 Willow Grey **WG**

 Moka **PM**

 First Class **ST**

 Sea Salt **SM**

 Sesame **SE**

 Honey **HO**

 Lago **LA**

 Black **N**

 Baltic Birch Plywood **MR**

FENIX

 Bianco kos **BK**

 Grigio Londra **GL**

 Grigio bromo **GB**

 Nero ingo **FN**

The different types of finishes

Bases

T.F.L.

DOLOMITE FINISH

-  White **BW**
-  Charcoal **F**
-  Frost **A**
-  Black **N**

SUEDE FINISH

-  Cherry **CH**
-  Cayenne Maple **CM**
-  Honey **HO**

SUPERMAT FINISH

-  Chestnut **CG**
-  Tobacco Cherry **TC**
-  Maritime Maple **EM**
-  Willow Grey **WG**
-  Lago **LA**
-  Moka **PM**

AURA FINISH

-  Carbon **CB**
-  Dalia **DA**
-  Galaxy **GX**
-  Ginger Root **GG**
-  Sea Salt **SM**
-  Sesame **SE**

KARISMA FINISH

-  Sheer Beauty **BN**
-  Free Spirit **EL**
-  First Class **ST**

Fronts

T.F.L.

DOLOMITE FINISH

-  White **BW**
-  Charcoal **F**
-  Frost **A**
-  Black **N**

SUEDE FINISH

-  Cherry **CH**
-  Cayenne Maple **CM**
-  Honey **HO**

SUPERMAT FINISH

-  Chestnut **CG**
-  Tobacco Cherry **TC**
-  Maritime Maple **EM**
-  Willow Grey **WG**
-  Lago **LA**
-  Moka **PM**

AURA FINISH

-  Carbon **CB**
-  Dalia **DA**
-  Galaxy **GX**
-  Ginger Root **GG**
-  Sea Salt **SM**
-  Sesame **SE**

KARISMA FINISH

-  Sheer Beauty **BN**
-  Free Spirit **EL**
-  First Class **ST**

FENIX H.P.L.

-  Bianco Kos **BK**
-  Grigio Londra **GL**
-  Grigio Bromo **GB**
-  Nero Ingo **FN**

The different types of finishes

Felt



Acrylic

Acrylic

☐

Frost Gi

☐

Clear CL

Fabric

Existing panel fabric chart (privacy panels).

The different types of finishes

Metal

4 neutrals

-  Silver **3090**
-  Polar White **3002**
-  Charcoal **3064**
-  Black **3067**

34 colors

- | | | | |
|---|---|---|---|
|  Abyss 3113 |  Cherry 3111 |  Frost 3065 |  Black 3067 |
|  Amber 3108 |  Champagne 3311 |  Grigio Bromo 3485 * |  Shadow 3101 |
|  Silver 3090 |  Lemon 3104 |  Grigio Londra 3486 * |  Sand 3009 |
|  Bianco Kos 3488 * |  Poppy 3110 |  Grey 3063 |  Smoothie 3109 |
|  Antique White 3004 |  Eggshell 3005 |  Warm Grey 3061 |  Source 3106 |
|  Polar White 3002 |  Espresso 3076 |  Navy 3050 |  Suede 3023 |
|  China Blue 3048 |  Fossil 3102 |  Mimosa 3114 |  Tangerine 3020 |
|  Cactus 310 5 |  Charcoal 3064 |  Moka 3075 | |
|  Ashen 3370 |  Grenadine 3044 |  Nero Ingo 3487 * | |

* Hypermat metallic colors

The different styles of pulls

Pulls



J - Satin Chrome



X - Aluminum



DN - Nickel DECO



YN - Brushed Nickel



YA - Antique Nickel



YB - Brushed Bronze



TN - Nickel TECHNO



MB - Matte Black TECHNO



WT - White TECHNO



ML - "L" Matte Black



WL - "L" White





A
B
C
D
E
F
G
H
I
J
K

Open shared benching tables







A
B
C
D
E
F
G
H
I
J
K

Open shared benching table

Open shared benching table - 1-sided - full laminate end panels	A02
open shared benching tables - 2-sided - full laminate end panels	A03
open shared benching table - 1-sided - combined materials end panels	A04
Open shared benching table - 2 sided - combined materials end panels	A05
Open shared benching table - 1 sided - open metal end panels	A06
Open shared benching table - 2 sided - open metal end panels	A07

Open shared benching table - 1-sided - full laminate end panels

Open shared benching 1-sided table with full laminate end panels.

18" high laminate modesty panel, with a full modesty available as an option.

There is a 2" opening on the surface on the visitor side. A center cap is available to reduce the opening, [see p.F02](#).


Metal finishing caps are installed on each end of the surface.

The metal finishing back allows for the installation of a privacy screen and electrical system, on the laminate modesty.


Optional grommets available, one on each end panel.

Optional multi-outlets on the center of the surface.

[See p.E02](#) for freestanding pedestals for 25 1/2" deep shared benching tables.



Dimensions				Code	L1	S1	Spec.		
A	B	C	D		T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb
31 1/2" DEEP									
28 1/2	72	31 1/2	28 7/8	BO1i2872	1675	2205	3295	9.0	165
28 1/2	66	31 1/2	28 7/8	BO1i2866	1631	2129	3128	8.4	155
28 1/2	60	31 1/2	28 7/8	BO1i2860	1575	2034	2942	7.8	145
28 1/2	54	31 1/2	28 7/8	BO1i2854	1454	1871	2689	7.2	135
28 1/2	48	31 1/2	28 7/8	BO1i2848	1412	1794	2521	6.6	126
28 1/2	42	31 1/2	28 7/8	BO1i2842	1360	1709	2346	5.9	116
28 1/2	36	31 1/2	28 7/8	BO1i2836	1258	1563	2108	5.3	106
25 1/2" DEEP									
22 1/2	72	25 1/2	28 7/8	BO1i2272	1604	2050	2924	8.2	146
22 1/2	66	25 1/2	28 7/8	BO1i2266	1536	1954	2755	7.6	137
22 1/2	60	25 1/2	28 7/8	BO1i2260	1508	1898	2627	7.1	128
22 1/2	54	25 1/2	28 7/8	BO1i2254	1460	1823	2480	6.5	119
22 1/2	48	25 1/2	28 7/8	BO1i2248	1343	1668	2252	5.9	110
22 1/2	42	25 1/2	28 7/8	BO1i2242	1305	1602	2113	5.3	101
22 1/2	36	25 1/2	28 7/8	BO1i2236	1235	1504	1941	4.8	92



SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model Grommet M-outlet Modesty

TZ- - - / - - - - NP - - - -

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (Structure & Finishing back) & Metal 2 (Caps): Specify the metal finish, [see p.61](#). (34 colors).

Grommets: Add grommets on end panels & specify color: White (G12), Charcoal (G22), Frost (G32) or Black (G42), add \$84.

No Grommet, choose the NG Option. [See p.33](#).

Multi-outlet: Multi-outlet choice: UN (+\$395 ea.), WB / WN (+\$744 ea.), QB / QN (+\$744 ea.) or XB / XN (+\$480 ea.).

Position: Left (L), Center (C) and/or Right (R). *Example: WBLR*, [see p.34](#).

Modesty: Option of full height modesty (FM), add \$50.

OPTIONS

Open shared benching table - 2-sided - full laminate end panels

Open shared benching 2-sided table with 2 rectangular surfaces, with full laminate end panels.

18" high laminate modesty panel.

There is a 3" opening between the surfaces. A center cap is available to reduce the opening, [see p.F03](#).


Metal finishing caps are installed on each end of the surfaces. The model of caps must be specified.

The laminate modesty allows for the installation of a privacy screen and electrical system.


Optional grommets available, one on each end panel.

Optional multi-outlets on the center of each surface.

[See p.E02](#) for freestanding pedestals for 22 1/2" deep shared benching tables.



Dimensions				Code	L1	S1	Spec.		
A	B	C	D		T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb
28 1/2" DEEP									
28 1/2	72	60 1/4	28 7/8	BO2i2872	2507	3221	4311	13.3	247
28 1/2	66	60 1/4	28 7/8	BO2i2866	2410	3099	4100	12.9	234
28 1/2	60	60 1/4	28 7/8	BO2i2860	2306	2959	3867	12.3	222
28 1/2	54	60 1/4	28 7/8	BO2i2854	2225	2853	3670	11.7	210
28 1/2	48	60 1/4	28 7/8	BO2i2848	2138	2735	3462	11.3	198
28 1/2	42	60 1/4	28 7/8	BO2i2842	2037	2608	3242	10.7	185
28 1/2	36	60 1/4	28 7/8	BO2i2836	1936	2469	3015	10.1	173
22 1/2" DEEP									
22 1/2	72	48 1/4	28 7/8	BO2i2272	2295	2948	3823	11.1	208
22 1/2	66	48 1/4	28 7/8	BO2i2266	2230	2820	3623	10.7	197
22 1/2	60	48 1/4	28 7/8	BO2i2260	2095	2699	3428	10.3	186
22 1/2	54	48 1/4	28 7/8	BO2i2254	2022	2599	3255	9.7	176
22 1/2	48	48 1/4	28 7/8	BO2i2248	1968	2519	3102	9.3	165
22 1/2	42	48 1/4	28 7/8	BO2i2242	1869	2388	2898	8.9	155
22 1/2	36	48 1/4	28 7/8	BO2i2236	1765	2253	2691	8.5	144



■ Grommets
■ Multi-outlets

SPECIFY

OPTION

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model Grommet M-outlet
TZ- - - / - - - - - - - -

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (Structure) & Metal 2 (Caps): Specify the metal finish, [see p.61](#). (34 colors).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP) or cable pole on both ends (EEP).

Grommets: Add grommets on end panels & specify color: White (G12), Charcoal (G22), Frost (G32) or Black (G42), add \$84.

No Grommet, choose the NG Option. [See p.33](#).

Multi-outlet: Multi-outlet choice: UN (+\$395 ea.), WB / WN (+\$744 ea.), QB / QN (+\$744 ea.) or XB / XN (+\$480 ea.).

Position: Left (L), Center (C) and/or Right (R). **Example:** WBLR, [see p.34](#).

Open shared benching table - 2 sided - full laminate end panels

Open shared benching 2-sided table with 4 rectangular surfaces, with full laminate end panels on the ends and recessed panel in the center. 18" high laminate modesty panels.

There is a 3" opening between the surfaces. A center cap is available to reduce the opening, [see p.F03](#).


Metal finishing caps are installed on each end and in the center of the surfaces. The model of caps must be specified.

The laminate modesty allows for the installation of a privacy screen and electrical system.


Optional grommets available, one on each end panel.

Optional multi-outlets on the center of each surface.

[See p.E02](#) for freestanding pedestals for 22 1/2" deep shared benching tables.



Dimensions					Code	L1	S1	Spec.		
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb
28 1/2" DEEP										
28 1/2	72	60 1/4	144	28 7/8	BO4i2872	4622	6011	7100	23.6	429
28 1/2	66	60 1/4	132	28 7/8	BO4i2866	4427	5769	6768	22.8	405
28 1/2	60	60 1/4	120	28 7/8	BO4i2860	4218	5486	6396	21.6	380
28 1/2	54	60 1/4	108	28 7/8	BO4i2854	4058	5274	6091	20.4	356
28 1/2	48	60 1/4	96	28 7/8	BO4i2848	3885	5038	5765	19.6	331
28 1/2	42	60 1/4	84	28 7/8	BO4i2842	3680	4785	5420	18.4	306
28 1/2	36	60 1/4	72	28 7/8	BO4i2836	3477	4503	5049	17.2	282
22 1/2" DEEP										
22 1/2	72	48 1/4	144	28 7/8	BO4i2272	4292	5570	6445	20.2	368
22 1/2	66	48 1/4	132	28 7/8	BO4i2266	4161	5317	6118	19.4	347
22 1/2	60	48 1/4	120	28 7/8	BO4i2260	3895	5068	5797	18.6	326
22 1/2	54	48 1/4	108	28 7/8	BO4i2254	3747	4870	5527	17.4	305
22 1/2	48	48 1/4	96	28 7/8	BO4i2248	3643	4713	5297	16.6	283
22 1/2	42	48 1/4	84	28 7/8	BO4i2242	3440	4447	4957	15.8	262
22 1/2	36	48 1/4	72	28 7/8	BO4i2236	3230	4178	4615	15.0	241



SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model Grommet M-outlet

TZ- - - / - - - - - -

OPTION

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (Structure) & Metal 2 (Caps): Specify the metal finish, [see p.61](#). (34 colors).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP), cable pole on both ends (EEP), at the centre (CP) or on one end and in the center (ECP).

Grommets: Add grommets on end panels & specify color: White (G12), Charcoal (G22), Frost (G32) or Black (G42), add \$84.

No Grommet, choose the NG Option. [See p.33](#).

Multi-outlet: Multi-outlet choice: UN (+\$395 ea.), WB / WN (+\$744 ea.), QB / QN (+\$744 ea.) or XB / XN (+\$480 ea.).

Position: Left (L), Center (C) and/or Right (R). *Example: WBLR*, [see p.34](#).

Open shared benching table - 2 sided - full laminate end panels

Open shared benching 2-sided table with 6 rectangular surfaces, with full laminate end panels on the ends and recessed panels in the center. 18" high laminate modesty panels.

There is a 3" opening between the surfaces. A center cap is available to reduce the opening, [see p.F03](#).


Metal finishing caps are installed on each end and in the center of the surfaces. The model of caps must be specified.

The laminate modesty allows for the installation of a privacy screen and electrical system.


Optional grommets available, one on each end panel.

Optional multi-outlets on the center of each surface.

[See p.E02](#) for freestanding pedestals for 22 1/2" deep shared benching tables.



Dimensions					Code	L1	S1	Spec.	
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
28 1/2" DEEP									
28 1/2	72	60 1/4	216	28 7/8	BO6i2872	6735	8799	9889	33.9 612
28 1/2	66	60 1/4	198	28 7/8	BO6i2866	6445	8436	9435	32.7 575
28 1/2	60	60 1/4	180	28 7/8	BO6i2860	6134	8012	8921	30.9 538
28 1/2	54	60 1/4	162	28 7/8	BO6i2854	5886	7693	8510	29.1 501
28 1/2	48	60 1/4	144	28 7/8	BO6i2848	5626	7341	8067	27.9 465
28 1/2	42	60 1/4	126	28 7/8	BO6i2842	5326	6959	7596	26.1 428
28 1/2	36	60 1/4	108	28 7/8	BO6i2836	5021	6539	7084	24.3 391
22 1/2" DEEP									
22 1/2	72	48 1/4	216	28 7/8	BO6i2272	6288	8195	9070	29.3 529
22 1/2	66	48 1/4	198	28 7/8	BO6i2266	6094	7812	8614	28.1 497
22 1/2	60	48 1/4	180	28 7/8	BO6i2260	5695	7440	8168	26.9 465
22 1/2	54	48 1/4	162	28 7/8	BO6i2254	5472	7142	7799	25.1 433
22 1/2	48	48 1/4	144	28 7/8	BO6i2248	5313	6904	7487	23.9 402
22 1/2	42	48 1/4	126	28 7/8	BO6i2242	5013	6510	7020	22.7 370
22 1/2	36	48 1/4	108	28 7/8	BO6i2236	4697	6104	6541	21.5 338



SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model Grommet M-outlet

TZ- - - / - - - - - - - - - -

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (Structure) & Metal 2 (Caps): Specify the metal finish, [see p.61](#). (34 colors).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP), cable pole on both ends (EEP), at the centre (CP), two on center (CCP) or on one end and in the center (ECP).

Grommets: Add grommets on end panels and specify color: White (G12), Charcoal (G22), Frost (G32) or Black (G42), add \$84.

No Grommet, choose the NG Option. [See p.33](#).

Multi-outlet: Multi-outlet choice: UN (+\$395 ea.), WB / WN (+\$744 ea.), QB / QN (+\$744 ea.) or XB / XN (+\$480 ea.).

Position: Left (L), Center (C) and/or Right (R). **Example:** WBLR, [see p.34](#).

Open shared benching table - 2 sided - full laminate end panels

Open shared benching 2-sided table with 8 rectangular surfaces,
with full laminate end panels on the ends and center, and recessed panels in the center.
18" high laminate modesty panels.

There is a 3" opening between the surfaces. A center cap is available to reduce the opening, [see p.F03](#).



Metal finishing caps are installed on each end and in the center of the surfaces. The model of caps must be specified.

The laminate modesty allows for the installation of a privacy screen and electrical system.

Optional grommets available, one on each end panel.

Optional multi-outlets on the center of each surface.

[See p.E02](#) for freestanding pedestals for 22 1/2" deep shared benching tables.



Dimensions					Code	L1	S1	Spec.	
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
28 1/2" DEEP									
28 1/2	72	60 1/4	288	28 7/8	BO8i2872	9204	11981	13071	44.6 814
28 1/2	66	60 1/4	264	28 7/8	BO8i2866	8817	11498	12497	43.0 766
28 1/2	60	60 1/4	240	28 7/8	BO8i2860	8405	10933	11842	40.6 716
28 1/2	54	60 1/4	216	28 7/8	BO8i2854	8078	10504	11321	38.2 667
28 1/2	48	60 1/4	192	28 7/8	BO8i2848	7727	10036	10763	36.6 618
28 1/2	42	60 1/4	168	28 7/8	BO8i2842	7326	9527	10162	34.2 569
28 1/2	36	60 1/4	144	28 7/8	BO8i2836	6918	8967	9512	31.8 520
22 1/2" DEEP									
22 1/2	72	48 1/4	288	28 7/8	BO8i2272	8548	11104	11979	38.3 709
22 1/2	66	48 1/4	264	28 7/8	BO8i2266	8287	10593	11395	36.7 667
22 1/2	60	48 1/4	240	28 7/8	BO8i2260	7758	10097	10826	35.1 625
22 1/2	54	48 1/4	216	28 7/8	BO8i2254	7459	9699	10355	32.7 582
22 1/2	48	48 1/4	192	28 7/8	BO8i2248	7246	9383	9966	31.1 540
22 1/2	42	48 1/4	168	28 7/8	BO8i2242	6843	8859	9370	29.5 497
22 1/2	36	48 1/4	144	28 7/8	BO8i2236	6423	8315	8754	27.9 455

SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model Grommet M-outlet

TZ- - - / - - - - - -

OPTION

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (Structure) & Metal 2 (Caps): Specify the metal finish, [see p.61](#). (34 colors).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP), cable pole on both ends (EEP), at the centre (CP), two on center (CCP) or on one end and in the center (ECP).

Grommets: Add grommets on end panels & specify color: White (G12), Charcoal (G22), Frost (G32) or Black (G42), add \$84.

No Grommet, choose the NG Option. [See p.33](#).

Multi-outlet: Multi-outlet choice: UN (+\$395 ea.), WB / WN (+\$744 ea.), QB / QN (+\$744 ea.) or XB / XN (+\$480 ea.).

Position: Left (L), Center (C) and/or Right (R). **Example:** WBLR, [see p.34](#).

Open shared benching table - 1 sided - combined materials end panels

Open shared benching 1-sided table with combined materials end panels (metal / laminate).

18" high laminate modesty panel, with a full modesty available as an option.


There is a 2" opening on the surface on the visitor side. A center cap is available to reduce the opening, [see p.F03](#).

Metal finishing caps are installed on each end of the surface.


The metal finishing back allows for the installation of a privacy screen and electrical system, on the laminate modesty.

Optional multi-outlets on the center of the surface.

[See p.E02](#) for freestanding pedestals for 25 1/2" deep shared benching tables.



Dimensions				Code	L1	S1	Spec.		
A	B	C	D		T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb
31 1/2" DEEP									
28 1/2	72	31 1/2	28 7/8	BO1iX2872	2030	2594	3683	12.1	150
28 1/2	66	31 1/2	28 7/8	BO1iX2866	1987	2516	3516	11.5	140
28 1/2	60	31 1/2	28 7/8	BO1iX2860	1927	2424	3333	10.9	130
28 1/2	54	31 1/2	28 7/8	BO1iX2854	1842	2295	3113	10.3	120
28 1/2	48	31 1/2	28 7/8	BO1iX2848	1767	2184	2909	9.7	111
28 1/2	42	31 1/2	28 7/8	BO1iX2842	1713	2098	2735	9.0	101
28 1/2	36	31 1/2	28 7/8	BO1iX2836	1644	1990	2536	8.5	91
25 1/2" DEEP									
22 1/2	72	25 1/2	28 7/8	BO1iX2272	1964	2446	3321	10.8	135
22 1/2	66	25 1/2	28 7/8	BO1iX2266	1924	2379	3180	10.2	127
22 1/2	60	25 1/2	28 7/8	BO1iX2260	1869	2295	3024	9.7	118
22 1/2	54	25 1/2	28 7/8	BO1iX2254	1823	2220	2877	9.1	109
22 1/2	48	25 1/2	28 7/8	BO1iX2248	1706	2064	2649	8.5	100
22 1/2	42	25 1/2	28 7/8	BO1iX2242	1664	2001	2511	7.9	91
22 1/2	36	25 1/2	28 7/8	BO1iX2236	1599	1900	2338	7.4	82



SPECIFY							OPTIONS		
Code	L1/S1	Surface	Edge	Base	Metal 1	Metal 2	Cap Model	M-outlet	Modesty
TZ-			/				NP		

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (End panels, Structure & Finishing back) & Metal 2 (Caps): Specify the metal finish, [see p.61](#). (34 colors).

Multi-outlet: Multi-outlet choice: UN (+\$395 ea.), WB / WN (+\$744 ea.), QB / QN (+\$744 ea.) or XB / XN (+\$480 ea.).

Position: Left (L), Center (C) and/or Right (R). *Example: WBLR*, [see p.34](#).

Modesty: Option of full height modesty (FM), add \$50.

Open shared benching table - 2 sided - combined materials end panels

Open shared benching 2-sided table with 2 rectangular surfaces, with combined materials end panels (metal / laminate).
18" high laminate modesty panel.


There is a 3" opening between the surfaces. A center cap is available to reduce the opening, [see p.F03](#).

Metal finishing caps are installed on each end of the surfaces. The model of caps must be specified.


The laminate modesty allows for the installation of a privacy screen and electrical system.

Optional multi-outlets on the center of each surface.

[See p.E02](#) for freestanding pedestals for 22½" deep shared benching tables.



Dimensions				Code	L1	S1	Spec.		
A	B	C	D		T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb
28 ½" DEEP									
28 ½	72	60 ¼	28 ⅞	BO2iX2872	3099	3871	4960	13.3	247
28 ½	66	60 ¼	28 ⅞	BO2iX2866	3006	3751	4751	12.9	234
28 ½	60	60 ¼	28 ⅞	BO2iX2860	2898	3609	4519	12.3	222
28 ½	54	60 ¼	28 ⅞	BO2iX2854	2818	3504	4321	11.7	210
28 ½	48	60 ¼	28 ⅞	BO2iX2848	2730	3385	4111	11.3	198
28 ½	42	60 ¼	28 ⅞	BO2iX2842	2630	3258	3895	10.7	185
28 ½	36	60 ¼	28 ⅞	BO2iX2836	2529	3121	3666	10.1	173
22 ½" DEEP									
22 ½	72	48 ¼	28 ⅞	BO2iX2272	2842	3548	4424	11.1	208
22 ½	66	48 ¼	28 ⅞	BO2iX2266	2778	3425	4226	10.7	197
22 ½	60	48 ¼	28 ⅞	BO2iX2260	2645	3297	4026	10.3	186
22 ½	54	48 ¼	28 ⅞	BO2iX2254	2570	3197	3853	9.7	176
22 ½	48	48 ¼	28 ⅞	BO2iX2248	2513	3120	3704	9.3	165
22 ½	42	48 ¼	28 ⅞	BO2iX2242	2415	2987	3498	8.9	155
22 ½	36	48 ¼	28 ⅞	BO2iX2236	2311	2853	3290	8.5	144



SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model M-outlet
TZ - [] - [] - [] / [] - [] - [] - [] - [] - []

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface / Edge / Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (End panels & Structure) & Metal 2 (Caps): Specify the metal finish, [see p.61 \(34 colors\)](#).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP) or cable pole on both ends (EEP).

Multi-outlet: Multi-outlet choice: UN (+\$395 ea.), WB / WN (+\$744 ea.), QB / QN (+\$744 ea.) or XB / XN (+\$480 ea.).
Position: Left (L), Center (C) and/or Right (R). **Example:** WBLR, [see p.34](#).

OPTION

Open shared benching table - 2 sided - combined materials end panels

Open shared benching 2-sided table with 4 rectangular surfaces, with combined materials end panels (metal / laminate) on the ends and recessed open metal mid panel. 18" high laminate modesty panels.


There is a 3" opening between the surfaces. A center cap is available to reduce the opening, [see p.F03](#).

Metal finishing caps are installed on each end and in the center of the surfaces. The model of caps must be specified.


The laminate modesty allows for the installation of a privacy screen and electrical system.

Optional multi-outlets on the center of each surface.

[See p.E02](#) for freestanding pedestals for 22 1/2" deep shared benching tables.



Dimensions					Code	L1	S1	Spec.	
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
28 1/2" DEEP									
28 1/2	72	60 1/4	144	28 7/8	BO4iX2872	5135	6575	7664	23.6 429
28 1/2	66	60 1/4	132	28 7/8	BO4iX2866	4941	6333	7332	22.8 405
28 1/2	60	60 1/4	120	28 7/8	BO4iX2860	4734	6050	6958	21.6 380
28 1/2	54	60 1/4	108	28 7/8	BO4iX2854	4571	5838	6654	20.4 356
28 1/2	48	60 1/4	96	28 7/8	BO4iX2848	4398	5603	6329	19.6 331
28 1/2	42	60 1/4	84	28 7/8	BO4iX2842	4195	5348	5985	18.4 306
28 1/2	36	60 1/4	72	28 7/8	BO4iX2836	3990	5068	5613	17.2 282
22 1/2" DEEP									
22 1/2	72	48 1/4	144	28 7/8	BO4iX2272	4758	6084	6958	20.2 368
22 1/2	66	48 1/4	132	28 7/8	BO4iX2266	4626	5829	6631	19.4 347
22 1/2	60	48 1/4	120	28 7/8	BO4iX2260	4364	5582	6310	18.6 326
22 1/2	54	48 1/4	108	28 7/8	BO4iX2254	4214	5382	6039	17.4 305
22 1/2	48	48 1/4	96	28 7/8	BO4iX2248	4109	5223	5807	16.6 283
22 1/2	42	48 1/4	84	28 7/8	BO4iX2242	3908	4961	5472	15.8 262
22 1/2	36	48 1/4	72	28 7/8	BO4iX2236	3698	4689	5127	15.0 241



SPECIFY								OPTION	
Code	L1/S1	Surface	Edge	Base	Metal 1	Metal 2	Cap Model	M-outlet	
TZ-			/						

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1 = T.F.L. 1", S1 = H.P.L. 1").

Surface / Edge / Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (End panels & Structure) & Metal 2 (Caps): Specify the metal finish, [see p.61](#). (34 colors).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP), cable pole on both ends (EEP), at the centre (CP) or on one end and in the center (ECP).

Multi-outlet: Multi-outlet choice: UN (+\$395 ea.), WB / WN (+\$744 ea.), QB / QN (+\$744 ea.) or XB / XN (+\$480 ea.).
Position: Left (L), Center (C) and/or Right (R). **Example:** WBLR, [see p.34](#).

Open shared benching table - 2 sided - combined materials end panels

Open shared benching 2-sided table with 6 rectangular surfaces,
with combined materials end panels (metal / laminate) on the ends and recessed open metal mid panels.
18" high laminate modesty panels.


There is a 3" opening between the surfaces. A center cap is available to reduce the opening, [see p.F03](#).

Metal finishing caps are installed on each end and in the center of the surfaces. The model of caps must be specified.


The laminate modesty allows for the installation of a privacy screen and electrical system.

Optional multi-outlets on the center of each surface.

[See p.E02](#) for freestanding pedestals for 22 1/2" deep shared benching tables.



Dimensions					Code	L1	S1	Spec.	
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
28 1/2" DEEP									
28 1/2	72	60 1/4	216	28 7/8	BO6iX2872	7172	9277	10366	33.9 612
28 1/2	66	60 1/4	198	28 7/8	BO6iX2866	6878	8917	9916	32.7 575
28 1/2	60	60 1/4	180	28 7/8	BO6iX2860	6568	8489	9397	30.9 538
28 1/2	54	60 1/4	162	28 7/8	BO6iX2854	6326	8170	8987	29.1 501
28 1/2	48	60 1/4	144	28 7/8	BO6iX2848	6062	7820	8547	27.9 465
28 1/2	42	60 1/4	126	28 7/8	BO6iX2842	5760	7439	8073	26.1 428
28 1/2	36	60 1/4	108	28 7/8	BO6iX2836	5453	7020	7566	24.3 391
22 1/2" DEEP									
22 1/2	72	48 1/4	216	28 7/8	BO6iX2272	6677	8620	9495	29.3 529
22 1/2	66	48 1/4	198	28 7/8	BO6iX2266	6481	8238	9041	28.1 497
22 1/2	60	48 1/4	180	28 7/8	BO6iX2260	6084	7864	8592	26.9 465
22 1/2	54	48 1/4	162	28 7/8	BO6iX2254	5858	7567	8223	25.1 433
22 1/2	48	48 1/4	144	28 7/8	BO6iX2248	5702	7331	7914	23.9 402
22 1/2	42	48 1/4	126	28 7/8	BO6iX2242	5400	6938	7448	22.7 370
22 1/2	36	48 1/4	108	28 7/8	BO6iX2236	5086	6530	6967	21.5 338



SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model M-outlet
TZ - [] - [] - [] / [] - [] - [] - [] - [] - []

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface / Edge / Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (End panels & Structure) & Metal 2 (Caps): Specify the metal finish, [see p.61](#). (34 colors).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP), cable pole on both ends (EEP), at the centre (CP), two on center (CCP) or on one end and in the center (ECP).

Multi-outlet: Multi-outlet choice: UN (+\$395 ea.), WB / WN (+\$744 ea.), QB / QN (+\$744 ea.) or XB / XN (+\$480 ea.).

Position: Left (L), Center (C) and/or Right (R). *Example: WBLR, see p.34.*

OPTION

Open shared benching table - 2 sided - combined materials end panels

Open shared benching 2-sided table with 8 rectangular surfaces, with combined materials end panels (metal / laminate) on the ends, full open metal panel on center, and recessed open metal mid panels.

18" high laminate modesty panels.



There is a 3" opening between the surfaces. A center cap is available to reduce the opening, [see p.F03](#).

Metal finishing caps are installed on each end and in the center of the surfaces. The model of caps must be specified.

The laminate modesty allows for the installation of a privacy screen and electrical system.

Optional multi-outlets on the center of each surface.

[See p.E02](#) for freestanding pedestals for 22 1/2" deep shared benching tables.



Dimensions					Code	L1	S1	Spec.	
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
28 1/2" DEEP									
28 1/2	72	60 1/4	288	28 7/8	BO8iX2872	9734	12558	13649	44.6 814
28 1/2	66	60 1/4	264	28 7/8	BO8iX2866	9343	12075	13074	43.0 766
28 1/2	60	60 1/4	240	28 7/8	BO8iX2860	8931	11510	12419	40.6 716
28 1/2	54	60 1/4	216	28 7/8	BO8iX2854	8606	11084	11900	38.2 667
28 1/2	48	60 1/4	192	28 7/8	BO8iX2848	8254	10616	11342	36.6 618
28 1/2	42	60 1/4	168	28 7/8	BO8iX2842	7853	10108	10744	34.2 569
28 1/2	36	60 1/4	144	28 7/8	BO8iX2836	7443	9546	10091	31.8 520
22 1/2" DEEP									
22 1/2	72	48 1/4	288	28 7/8	BO8iX2272	9074	11682	12556	38.3 709
22 1/2	66	48 1/4	264	28 7/8	BO8iX2266	8811	11172	11973	36.7 667
22 1/2	60	48 1/4	240	28 7/8	BO8iX2260	8287	10675	11404	35.1 625
22 1/2	54	48 1/4	216	28 7/8	BO8iX2254	7985	10277	10934	32.7 582
22 1/2	48	48 1/4	192	28 7/8	BO8iX2248	7772	9962	10545	31.1 540
22 1/2	42	48 1/4	168	28 7/8	BO8iX2242	7372	9439	9950	29.5 497
22 1/2	36	48 1/4	144	28 7/8	BO8iX2236	6951	8893	9331	27.9 455

SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model M-outlet
 TZ- - - / - - - - - - - -

OPTION

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (End panels & Structure) & Metal 2 (Caps): Specify the metal finish, [see p.61. \(34 colors\)](#).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP), cable pole on both ends (EEP), at the centre (CP), two on center (CCP) or on one end and in the center (ECP).

Multi-outlet: Multi-outlet choice: UN (+\$395 ea.), WB / WN (+\$744 ea.), QB / QN (+\$744 ea.) or XB / XN (+\$480 ea.).

Position: Left (L), Center (C) and/or Right (R). **Example:** WBLR, [see p.34](#).

Open shared benching table - 1 sided - open metal end panels

Open shared benching 1-sided table with open metal end panels.

18" high laminate modesty panel, with a full modesty available as an option.


There is a 2" opening on the surface on the visitor side. A center cap is available to reduce the opening, [see p.F03](#).

Metal finishing caps are installed on each end of the surface.


The metal finishing back allows for the installation of a privacy screen and electrical system, on the laminate modesty.

Optional multi-outlets on the center of the surface.

[See p.E02](#) for freestanding pedestals for 25 1/2" deep shared benching tables.



Dimensions				Code	L1	S1	Spec.		
A	B	C	D		T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb
31 1/2" DEEP									
28 1/2	72	31 1/2	28 7/8	BO1iO2872	1899	2451	3543	12.1	143
28 1/2	66	31 1/2	28 7/8	BO1iO2866	1856	2373	3373	11.5	133
28 1/2	60	31 1/2	28 7/8	BO1iO2860	1799	2282	3191	10.9	123
28 1/2	54	31 1/2	28 7/8	BO1iO2854	1710	2153	2970	10.3	113
28 1/2	48	31 1/2	28 7/8	BO1iO2848	1636	2041	2768	9.7	103
28 1/2	42	31 1/2	28 7/8	BO1iO2842	1585	1955	2591	9.0	93
28 1/2	36	31 1/2	28 7/8	BO1iO2836	1513	1848	2394	8.5	83
25 1/2" DEEP									
22 1/2	72	25 1/2	28 7/8	BO1iO2272	1847	2320	3195	10.7	130
22 1/2	66	25 1/2	28 7/8	BO1iO2266	1807	2252	3054	10.2	121
22 1/2	60	25 1/2	28 7/8	BO1iO2260	1753	2167	2896	9.6	112
22 1/2	54	25 1/2	28 7/8	BO1iO2254	1707	2090	2747	9.1	103
22 1/2	48	25 1/2	28 7/8	BO1iO2248	1586	1936	2520	8.5	94
22 1/2	42	25 1/2	28 7/8	BO1iO2242	1550	1871	2382	7.9	85
22 1/2	36	25 1/2	28 7/8	BO1iO2236	1479	1771	2207	7.4	76



SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model M-outlet Modesty

TZ- [] - [] - [] / [] - [] - [] - [] - NP - [] - []

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (End panels & Structure) & Metal 2 (Caps): Specify the metal finish, [see p.61](#). (34 colors).

Multi-outlet: Multi-outlet choice: UN (+\$395 ea.), WB / WN (+\$744 ea.), QB / QN (+\$744 ea.) or XB / XN (+\$480 ea.).

Position: Left (L), Center (C) and/or Right (R). *Example: WBLR*, [see p.34](#).

Modesty: Option of full height modesty (FM), add \$50.

OPTIONS

Open shared benching table - 2 sided - open metal end panels

Open shared benching 2-sided table with 2 rectangular surfaces, with open metal end panels.

18" high laminate modesty panel.


There is a 3" opening between the surfaces. A center cap is available to reduce the opening, [see p.F03](#).

Metal finishing caps are installed on each end of the surfaces. The model of caps must be specified.


The laminate modesty allows for the installation of a privacy screen and electrical system.

Optional multi-outlets on the center of each surface.

[See p.E02](#) for freestanding pedestals for 22 1/2" deep shared benching tables.



Dimensions				Code	L1	S1	Spec.		
A	B	C	D		T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb
28 1/2" DEEP									
28 1/2	72	60 1/4	28 7/8	BO2iO2872	2688	3419	4509	13.3	222
28 1/2	66	60 1/4	28 7/8	BO2iO2866	2592	3300	4299	12.9	209
28 1/2	60	60 1/4	28 7/8	BO2iO2860	2487	3159	4067	12.3	197
28 1/2	54	60 1/4	28 7/8	BO2iO2854	2408	3051	3869	11.7	185
28 1/2	48	60 1/4	28 7/8	BO2iO2848	2318	2933	3660	11.3	173
28 1/2	42	60 1/4	28 7/8	BO2iO2842	2219	2808	3444	10.7	160
28 1/2	36	60 1/4	28 7/8	BO2iO2836	2117	2669	3214	10.1	148
22 1/2" DEEP									
22 1/2	72	48 1/4	28 7/8	BO2iO2272	2509	3184	4058	11.1	183
22 1/2	66	48 1/4	28 7/8	BO2iO2266	2442	3058	3860	10.7	172
22 1/2	60	48 1/4	28 7/8	BO2iO2260	2311	2932	3661	10.3	161
22 1/2	54	48 1/4	28 7/8	BO2iO2254	2237	2834	3491	9.7	151
22 1/2	48	48 1/4	28 7/8	BO2iO2248	2181	2753	3337	9.3	140
22 1/2	42	48 1/4	28 7/8	BO2iO2242	2085	2624	3133	8.9	130
22 1/2	36	48 1/4	28 7/8	BO2iO2236	1980	2487	2926	8.5	119



SPECIFY								OPTION	
Code	L1/S1	Surface	Edge	Base	Metal 1	Metal 2	Cap Model	M-outlet	
TZ-			/						
Code: Consult the product code above L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1"). Surface/Edge/Base: Refer to the different types of finishes, see p.58-59 . Metal 1 (End panels & Structure) & Metal 2 (Caps): Specify the metal finish, see p.61. (34 colors) . Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP) or cable pole on both ends (EEP). Multi-outlet: Multi-outlet choice: UN (+\$395 ea.), WB / WN (+\$744 ea.), QB / QN (+\$744 ea.) or XB / XN (+\$480 ea.). Position: Left (L), Center (C) and/or Right (R). Example: WBLR, see p.34 .									

Open shared benching table - 2 sided - open metal end panels

Open shared benching 2-sided table with 4 rectangular surfaces, with open metal end panels on the ends and recessed open metal mid panel.
18" high laminate modesty panels.


There is a 3" opening between the surfaces. A center cap is available to reduce the opening, [see p.F03](#).

Metal finishing caps are installed on each end and in the center of the surfaces. The model of caps must be specified.


The laminate modesty allows for the installation of a privacy screen and electrical system.

Optional multi-outlets on the center of each surface.

[See p.E02](#) for freestanding pedestals for 22 1/2" deep shared benching tables.



Dimensions					Code	L1	S1	Spec.	
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
28 1/2" DEEP									
28 1/2	72	60 1/4	144	28 7/8	BO4iO2872	4723	6121	7212	23.6 404
28 1/2	66	60 1/4	132	28 7/8	BO4iO2866	4528	5879	6879	22.8 380
28 1/2	60	60 1/4	120	28 7/8	BO4iO2860	4322	5597	6505	21.6 355
28 1/2	54	60 1/4	108	28 7/8	BO4iO2854	4161	5385	6203	20.4 331
28 1/2	48	60 1/4	96	28 7/8	BO4iO2848	3986	5150	5877	19.6 306
28 1/2	42	60 1/4	84	28 7/8	BO4iO2842	3786	4897	5533	18.4 281
28 1/2	36	60 1/4	72	28 7/8	BO4iO2836	3580	4615	5162	17.2 257
22 1/2" DEEP									
22 1/2	72	48 1/4	144	28 7/8	BO4iO2272	4427	5721	6595	20.2 343
22 1/2	66	48 1/4	132	28 7/8	BO4iO2266	4295	5463	6265	19.4 322
22 1/2	60	48 1/4	120	28 7/8	BO4iO2260	4030	5216	5945	18.6 301
22 1/2	54	48 1/4	108	28 7/8	BO4iO2254	3885	5018	5673	17.4 280
22 1/2	48	48 1/4	96	28 7/8	BO4iO2248	3776	4860	5444	16.6 258
22 1/2	42	48 1/4	84	28 7/8	BO4iO2242	3575	4598	5108	15.8 237
22 1/2	36	48 1/4	72	28 7/8	BO4iO2236	3364	4326	4763	15.0 216



SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model M-outlet
TZ- [] - [] - [] / [] - [] - [] - [] - [] - []

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (End panels & Structure) & Metal 2 (Caps): Specify the metal finish, [see p.61](#). (34 colors).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP), cable pole on both ends (EEP), at the centre (CP) or on one end and in the center (ECP).

Multi-outlet: Multi-outlet choice: UN (+\$395 ea.), WB / WN (+\$744 ea.), QB / QN (+\$744 ea.) or XB / XN (+\$480 ea.).

Position: Left (L), Center (C) and/or Right (R). *Example: WBLR, see p.34.*

OPTION

Open shared benching table - 2 sided - open metal end panels

Open shared benching 2-sided table with 6 rectangular surfaces, with open metal end panels on the ends and recessed open metal mid panels. 18" high laminate modesty panels.


There is a 3" opening between the surfaces. A center cap is available to reduce the opening, [see p.F03](#).

Metal finishing caps are installed on each end and in the center of the surfaces. The model of caps must be specified.

The laminate modesty allows for the installation of a privacy screen and electrical system.


Optional multi-outlets on the center of each surface.

[See p.E02](#) for freestanding pedestals for 22 1/2" deep shared benching tables.



Dimensions					Code	L1	S1	Spec.	
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
28 1/2" DEEP									
28 1/2	72	60 1/4	216	28 7/8	BO6iO2872	6760	8823	9915	33.9 587
28 1/2	66	60 1/4	198	28 7/8	BO6iO2866	6467	8463	9462	32.7 550
28 1/2	60	60 1/4	180	28 7/8	BO6iO2860	6157	8038	8947	30.9 513
28 1/2	54	60 1/4	162	28 7/8	BO6iO2854	5911	7719	8535	29.1 476
28 1/2	48	60 1/4	144	28 7/8	BO6iO2848	5650	7367	8093	27.9 440
28 1/2	42	60 1/4	126	28 7/8	BO6iO2842	5348	6986	7622	26.1 403
28 1/2	36	60 1/4	108	28 7/8	BO6iO2836	5043	6566	7111	24.3 366
22 1/2" DEEP									
22 1/2	72	48 1/4	216	28 7/8	BO6iO2272	6345	8255	9128	29.3 504
22 1/2	66	48 1/4	198	28 7/8	BO6iO2266	6148	7875	8677	28.1 472
22 1/2	60	48 1/4	180	28 7/8	BO6iO2260	5751	7498	8228	26.9 440
22 1/2	54	48 1/4	162	28 7/8	BO6iO2254	5526	7200	7856	25.1 408
22 1/2	48	48 1/4	144	28 7/8	BO6iO2248	5370	6966	7549	23.9 377
22 1/2	42	48 1/4	126	28 7/8	BO6iO2242	5067	6572	7082	22.7 345
22 1/2	36	48 1/4	108	28 7/8	BO6iO2236	4752	6165	6602	21.5 313

Multi-outlets



SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model M-outlet
 TZ- - - / - - - - -

OPTION

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (End panels & Structure) & Metal 2 (Caps): Specify the metal finish, [see p.61](#). (34 colors).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP), cable pole on both ends (EEP), at the centre (CP), two on center (CCP) or on one end and in the center (ECP).

Multi-outlet: Multi-outlet choice: UN (+\$395 ea.), WB / WN (+\$744 ea.), QB / QN (+\$744 ea.) or XB / XN (+\$480 ea.).

Position: Left (L), Center (C) and/or Right (R). Example: WBLR, [see p.34](#).

Open shared benching table - 2 sided - open metal end panels

Open shared benching 2-sided table with 8 rectangular surfaces,
with open metal end panels on the ends and on center, and recessed open metal mid panels.
18" high laminate modesty panels.



There is a 3" opening between the surfaces. A center cap is available to reduce the opening, [see p.F03](#).

Metal finishing caps are installed on each end and in the center of the surfaces. The model of caps must be specified.

The laminate desktop allows for the installation of a privacy screen and electrical system.

Optional multi-outlets on the center of each surface.

[See p.E02](#) for freestanding pedestals for 22 1/2" deep shared benching tables.



Dimensions					Code	L1	S1	Spec.	
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
28 1/2" DEEP									
28 1/2	72	60 1/4	288	28 7/8	BO8iO2872	9321	12105	13195	44.6 777
28 1/2	66	60 1/4	264	28 7/8	BO8iO2866	8933	11625	12624	43.0 728
28 1/2	60	60 1/4	240	28 7/8	BO8iO2860	8519	11058	11967	40.6 679
28 1/2	54	60 1/4	216	28 7/8	BO8iO2854	8193	10631	11448	38.2 630
28 1/2	48	60 1/4	192	28 7/8	BO8iO2848	7841	10163	10890	36.6 581
28 1/2	42	60 1/4	168	28 7/8	BO8iO2842	7441	9654	10289	34.2 531
28 1/2	36	60 1/4	144	28 7/8	BO8iO2836	7032	9097	9641	31.8 482
22 1/2" DEEP									
22 1/2	72	48 1/4	288	28 7/8	BO8iO2272	8741	11319	12194	38.3 672
22 1/2	66	48 1/4	264	28 7/8	BO8iO2266	8481	10808	11610	36.7 630
22 1/2	60	48 1/4	240	28 7/8	BO8iO2260	7953	10311	11040	35.1 587
22 1/2	54	48 1/4	216	28 7/8	BO8iO2254	7653	9912	10568	32.7 545
22 1/2	48	48 1/4	192	28 7/8	BO8iO2248	7440	9596	10181	31.1 502
22 1/2	42	48 1/4	168	28 7/8	BO8iO2242	7037	9073	9583	29.5 460
22 1/2	36	48 1/4	144	28 7/8	BO8iO2236	6617	8529	8965	27.9 455

SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model M-outlet
TZ- - - / - - - - -

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface / Edge / Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (End panels & Structure) & Metal 2 (Caps): Specify the metal finish, [see p.61](#). (34 colors).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP), cable pole on both ends (EEP), at the centre (CP), two on center (CCP) or on one end and in the center (ECP).

Multi-outlet: Multi-outlet choice: UN (+\$395 ea.), WB / WN (+\$744 ea.), QB / QN (+\$744 ea.) or XB / XN (+\$480 ea.).

Position: Left (L), Center (C) and/or Right (R). **Example:** WBLR, [see p.34](#).

OPTION





A
B
C
D
E
F
G
H
I
J
K

Shared benching tables with door



Shared benching tables with door

Shared benching table with door - 1 sided - full laminate end panels	B02
Shared benching tables with door - 2 sided - full laminate end panels	B03
Shared benching table with door - 1 sided - combined materials end panels	B04
Shared benching tables with door - 2 sided - combined materials end panels	B05
Shared benching table with door - 1 sided - open metal end panels	B06
Shared benching tables with door - 2 sided - open metal end panels	B07

Shared benching table with door - 1 sided - full laminate end panels

Shared benching 1-sided table with door with full laminate end panels. 18" high laminate modesty panel, with a full modesty available as an option. There is a 4¾" opening on the surface on the visitor side with a metal door, leaving a small opening.


A center cap is available to reduce the opening, [see p.F04](#).

Metal finishing caps are installed on each end of the surface.


The metal finishing back allows for the installation of a privacy screen and electrical system, on the laminate modesty.

Optional grommets available, one on each end panel.

[See p.E02](#) for freestanding pedestals for 25 ½" deep shared benching tables.



Dimensions				Code	L1	S1	Spec.		
A	B	C	D		T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb
31 ½" DEEP									
26	72	31 ½	28 7/8	BD1i2672	1807	2352	3347	9.1	164
26	66	31 ½	28 7/8	BD1i2666	1753	2265	3175	8.5	154
26	60	31 ½	28 7/8	BD1i2660	1693	2167	2996	7.9	144
26	54	31 ½	28 7/8	BD1i2654	1654	2089	2834	7.3	134
26	48	31 ½	28 7/8	BD1i2648	1531	1926	2589	6.6	125
26	42	31 ½	28 7/8	BD1i2642	1485	1848	2429	6.0	115
26	36	31 ½	28 7/8	BD1i2636	1414	1737	2234	5.4	105
25 ½" DEEP									
20	72	25 ½	28 7/8	BD1i2072	1735	2196	2973	8.3	145
20	66	25 ½	28 7/8	BD1i2066	1658	2088	2801	7.7	136
20	60	25 ½	28 7/8	BD1i2060	1629	2032	2679	7.2	127
20	54	25 ½	28 7/8	BD1i2054	1587	1962	2546	6.6	118
20	48	25 ½	28 7/8	BD1i2048	1470	1810	2329	6.0	109
20	42	25 ½	28 7/8	BD1i2042	1429	1740	2194	5.4	100
20	36	25 ½	28 7/8	BD1i2036	1359	1638	2026	4.9	92



SPECIFY									OPTION	
Code	L1/S1	Surface	Edge	Base	Metal 1	Metal 2	Cap Model	Grommet	Modesty	
TZ-			/				NP			

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (Structure & Finishing back) & Metal 2 (Caps & Doors): Specify the metal finish, [see p.61](#). (34 colors).

Grommets: Add grommets on end panels & specify color: White (G12), Charcoal (G22), Frost (G32) or Black (G42), add \$84.
No Grommet, choose the NG Option. [See p.33](#).

Modesty: Option of full height modesty (FM), add \$50.

Shared benching tables with doors - 2 sided - full laminate end panels

Shared benching 2-sided table with doors with 2 rectangular surfaces, with full laminate end panels.

18" high laminate modesty panel.


There is a 8 1/2" opening between the surfaces with a metal door facing each surface. A center cap is available to reduce the opening, [see p.F04](#).

Metal finishing caps are installed on each end of the surfaces. The model of caps must be specified.


The laminate modesty allows for the installation of a privacy screen and electrical system.

Optional grommets available, one on each end panel.

[See p.E02](#) for freestanding pedestals for 20" deep shared benching tables.



Dimensions				Code	L1	S1	Spec.		
A	B	C	D		T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb
26" DEEP									
26	72	60 1/4	28 7/8	BD2i2672	2662	3392	4386	13.3	247
26	66	60 1/4	28 7/8	BD2i2666	2562	3268	4179	12.9	234
26	60	60 1/4	28 7/8	BD2i2660	2457	3122	3950	12.3	222
26	54	60 1/4	28 7/8	BD2i2654	2296	2930	3674	11.7	210
26	48	60 1/4	28 7/8	BD2i2648	2205	2809	3472	11.3	198
26	42	60 1/4	28 7/8	BD2i2642	2099	2676	3257	10.7	185
26	36	60 1/4	28 7/8	BD2i2636	1994	2534	3030	10.1	173
20" DEEP									
20	72	48 1/4	28 7/8	BD2i2072	2450	3122	3899	11.1	208
20	66	48 1/4	28 7/8	BD2i2066	2383	2989	3701	10.7	197
20	60	48 1/4	28 7/8	BD2i2060	2246	2860	3508	10.3	186
20	54	48 1/4	28 7/8	BD2i2054	2093	2676	3260	9.7	176
20	48	48 1/4	28 7/8	BD2i2048	2037	2594	3113	9.3	165
20	42	48 1/4	28 7/8	BD2i2042	1933	2459	2913	8.9	155
20	36	48 1/4	28 7/8	BD2i2036	1824	2318	2706	8.5	144



SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model Grommet

TZ- - - / - - - - - -

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (Structure) & Metal 2 (Caps & Doors): Specify the metal finish, [see p.61](#). (34 colors).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP) or cable pole on both ends (EEP).

Grommets: Add grommets on end panels & specify color: White (G12), Charcoal (G22), Frost (G32) or Black (G42), add \$84.

No Grommet, choose the NG Option. [See p.33](#).

Shared benching tables with doors - 2 sided - full laminate end panels

Shared benching 2-sided table with doors with 4 rectangular surfaces, with full laminate end panels on the ends and recessed panel in the center. 18" high laminate modesty panels.


There is a 8½" opening between the surfaces with a metal door facing each surface. A center cap is available to reduce the opening, [see p.F04](#).

Metal finishing caps are installed on each end and in the center of the surfaces. The model of caps must be specified.


The laminate modesty allows for the installation of a privacy screen and electrical system.

Optional grommets available, one on each end panel.

[See p.E02](#) for freestanding pedestals for 20" deep shared benching tables.



Dimensions					Code	L1	S1	Spec.	
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
26" DEEP									
26	72	60 ¼	144	28 7/8	BD4i2672	5255	6704	7697	23.6 429
26	66	60 ¼	132	28 7/8	BD4i2666	5052	6453	7365	22.8 405
26	60	60 ¼	120	28 7/8	BD4i2660	4836	6164	6992	21.6 380
26	54	60 ¼	108	28 7/8	BD4i2654	4521	5781	6526	20.4 356
26	48	60 ¼	96	28 7/8	BD4i2648	4337	5536	6200	19.6 331
26	42	60 ¼	84	28 7/8	BD4i2642	4128	5274	5853	18.4 306
26	36	60 ¼	72	28 7/8	BD4i2636	3915	4986	5483	17.2 282
20" DEEP									
20	72	48 ¼	144	28 7/8	BD4i2072	4926	6266	7044	20.2 368
20	66	48 ¼	132	28 7/8	BD4i2066	4786	6003	6716	19.4 347
20	60	48 ¼	120	28 7/8	BD4i2060	4516	5745	6393	18.6 326
20	54	48 ¼	108	28 7/8	BD4i2054	4211	5378	5961	17.4 305
20	48	48 ¼	96	28 7/8	BD4i2048	4095	5211	5730	16.6 283
20	42	48 ¼	84	28 7/8	BD4i2042	3888	4941	5394	15.8 262
20	36	48 ¼	72	28 7/8	BD4i2036	3670	4658	5047	15.0 241



SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model Grommet
 TZ- [] - [] - [] / [] - [] - [] - [] - [] - []

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (Structure) & Metal 2 (Caps & Doors): Specify the metal finish, [see p.61. \(34 colors\)](#).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP), cable pole on both ends (EEP), at the centre (CP) or on one end and in the center (ECP).

Grommets: Add grommets on end panels & specify color: White (G12), Charcoal (G22), Frost (G32) or Black (G42), add \$84.

No Grommet, choose the NG Option. [See p.33](#).

Shared benching tables with doors - 2 sided - full laminate end panels

Shared benching 2-sided table with doors with 6 rectangular surfaces, with full laminate end panels on the ends and recessed panels in the center. 18" high laminate modesty panels.


There is a 8 1/2" opening between the surfaces with a metal door facing each surface. A center cap is available to reduce the opening, [see p.F04](#).

Metal finishing caps are installed on each end and in the center of the surfaces. The model of caps must be specified.


The laminate modesty allows for the installation of a privacy screen and electrical system.

Optional grommets available, one on each end panel.

[See p.E02](#) for freestanding pedestals for 20" deep shared benching tables.



Dimensions					Code	L1	S1	Spec.	
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
26" DEEP									
26	72	60 1/4	216	28 7/8	BD6i2672	7662	9817	10811	33.9 612
26	66	60 1/4	198	28 7/8	BD6i2666	7355	9440	10351	32.7 575
26	60	60 1/4	180	28 7/8	BD6i2660	7034	9002	9831	30.9 538
26	54	60 1/4	162	28 7/8	BD6i2654	6562	8432	9178	29.1 501
26	48	60 1/4	144	28 7/8	BD6i2648	6285	8066	8729	27.9 465
26	42	60 1/4	126	28 7/8	BD6i2642	5975	7671	8251	26.1 428
26	36	60 1/4	108	28 7/8	BD6i2636	5653	7234	7731	24.3 391
20" DEEP									
20	72	48 1/4	216	28 7/8	BD6i2072	7217	9213	9990	29.3 529
20	66	48 1/4	198	28 7/8	BD6i2066	7005	8816	9529	28.1 497
20	60	48 1/4	180	28 7/8	BD6i2060	6597	8430	9078	26.9 465
20	54	48 1/4	162	28 7/8	BD6i2054	6143	7878	8462	25.1 433
20	48	48 1/4	144	28 7/8	BD6i2048	5975	7630	8147	23.9 402
20	42	48 1/4	126	28 7/8	BD6i2042	5661	7224	7677	22.7 370
20	36	48 1/4	108	28 7/8	BD6i2036	5330	6798	7188	21.5 338



SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model Grommet
 TZ- [] - [] - [] / [] - [] - [] - [] - [] - []

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (Structure) & Metal 2 (Caps & Portes): Specify the metal finish, [see p.61](#). (34 colors).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP), cable pole on both ends (EEP), at the centre (CP), two on center (CCP) or on one end and in the center (ECP).

Grommets: Add grommets on end panels & specify color: White (G12), Charcoal (G22), Frost (G32) or Black (G42), add \$84.

No Grommet, choose the NG Option. [See p.33](#).

Shared benching tables with doors - 2 sided - full laminate end panels

Shared benching 2-sided table with doors with 8 rectangular surfaces, with full laminate end panels on the ends and center, and recessed panels in the center. 18" high laminate modesty panels.



There is a 8 1/2" opening between the surfaces with a metal door facing each surface. A center cap is available to reduce the opening, [see p.F04](#).

Metal finishing caps are installed on each end and in the center of the surfaces. The model of caps must be specified.

The laminate modesty allows for the installation of a privacy screen and electrical system.

Optional grommets available, one on each end panel.

[See p.E02](#) for freestanding pedestals for 20" deep shared benching tables.



Dimensions					Code	L1	S1	Spec.	
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
26" DEEP									
26	72	60 1/4	288	28 7/8	BD8i2672	10425	13319	14313	44.6 814
26	66	60 1/4	264	28 7/8	BD8i2666	10022	12819	13730	43.0 766
26	60	60 1/4	240	28 7/8	BD8i2660	9591	12234	13062	40.6 716
26	54	60 1/4	216	28 7/8	BD8i2654	8958	11471	12215	38.2 667
26	48	60 1/4	192	28 7/8	BD8i2648	8588	10982	11646	36.6 618
26	42	60 1/4	168	28 7/8	BD8i2642	8173	10456	11036	34.2 569
26	36	60 1/4	144	28 7/8	BD8i2636	7748	9879	10376	31.8 520
20" DEEP									
20	72	48 1/4	288	28 7/8	BD8i2072	9767	12441	13219	38.3 709
20	66	48 1/4	264	28 7/8	BD8i2066	9489	11914	12627	36.7 667
20	60	48 1/4	240	28 7/8	BD8i2060	8945	11400	12048	35.1 625
20	54	48 1/4	216	28 7/8	BD8i2054	8337	10664	11247	32.7 582
20	48	48 1/4	192	28 7/8	BD8i2048	8108	10331	10850	31.1 540
20	42	48 1/4	168	28 7/8	BD8i2042	7692	9789	10243	29.5 497
20	36	48 1/4	144	28 7/8	BD8i2036	7254	9228	9618	27.9 455

SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model Grommet
 TZ- - - / - - - - -

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (Structure) & Metal 2 (Caps & Portes): Specify the metal finish, [see p.61. \(34 colors\)](#).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP), cable pole on both ends (EEP), at the centre (CP), two on center (CCP) or on one end and in the center (ECP).

Grommets: Add grommets on end panels & specify color: White (G12), Charcoal (G22), Frost (G32) or Black (G42), add \$84.

No Grommet, choose the NG Option. [See p.33](#).

Shared benching table with door - 1 sided - combined materials end panels

Shared benching 1-sided table with door with combined materials end panels (metal / laminate).

18" high laminate modesty panel, with a full modesty available as an option.


There is a 4 ¾" opening on the surface on the visitor side with a metal door, leaving a small opening.

A center cap is available to reduce the opening, [see p.F04](#).

Metal finishing caps are installed on each end of the surface.

The metal finishing back allows for the installation of a privacy screen and electrical system, on the laminate modesty.

[See p.E02](#) for freestanding pedestals for 25½" deep shared benching tables.



Dimensions				Code	L1	S1	Spec.		
A	B	C	D		T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb
31 ½" DEEP									
26	72	31 ½	28 7/8	BD1iX2672	2163	2741	3735	12.2	149
26	66	31 ½	28 7/8	BD1iX2666	2111	2653	3564	11.6	139
26	60	31 ½	28 7/8	BD1iX2660	2050	2558	3387	11.0	129
26	54	31 ½	28 7/8	BD1iX2654	2009	2480	3224	10.4	120
26	48	31 ½	28 7/8	BD1iX2648	1887	2316	2979	9.8	110
26	42	31 ½	28 7/8	BD1iX2642	1843	2238	2817	9.1	100
26	36	31 ½	28 7/8	BD1iX2636	1770	2129	2626	8.5	90
25 ½" DEEP									
20	72	25 ½	28 7/8	BD1iX2072	2095	2595	3373	10.9	134
20	66	25 ½	28 7/8	BD1iX2066	2045	2516	3229	10.3	125
20	60	25 ½	28 7/8	BD1iX2060	1991	2430	3077	9.8	116
20	54	25 ½	28 7/8	BD1iX2054	1952	2363	2946	9.2	108
20	48	25 ½	28 7/8	BD1iX2048	1830	2206	2726	8.6	99
20	42	25 ½	28 7/8	BD1iX2042	1792	2139	2592	8.0	90
20	36	25 ½	28 7/8	BD1iX2036	1724	2037	2426	7.5	81

SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model Modesty

TZ - - - / - - - - - NP -

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1 = T.F.L. 1", S1 = H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (End panels, Structure & Finishing back) & Metal 2 (Caps & Doors): Specify the metal finish, [see p.61](#). (34 colors).

Modesty: Option of full height modesty (FM), add \$50.

Shared benching tables with doors - 2 sided - combined materials end panels

Shared benching 2-sided table with doors with 2 rectangular surfaces, with combined materials end panels (metal / laminate).

18" high laminate modesty panel.


There is a 8 ½" opening between the surfaces with a metal door facing each surface.

A center cap is available to reduce the opening, [see p.F04](#).

Metal finishing caps are installed on each end of the surfaces. The model of caps must be specified.

The laminate modesty panel allows for the installation of a privacy screen and electrical system.

[See p.E02](#) for freestanding pedestals for 20" deep shared benching tables.



Dimensions				Code	L1	S1	Spec.		
A	B	C	D		T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb
26" DEEP									
26	72	60 ¼	28 7/8	BD2iX2672	3256	4043	5037	13.3	247
26	66	60 ¼	28 7/8	BD2iX2666	3158	3917	4830	12.9	234
26	60	60 ¼	28 7/8	BD2iX2660	3048	3773	4601	12.3	222
26	54	60 ¼	28 7/8	BD2iX2654	2890	3582	4328	11.7	210
26	48	60 ¼	28 7/8	BD2iX2648	2796	3462	4124	11.3	198
26	42	60 ¼	28 7/8	BD2iX2642	2693	3328	3908	10.7	185
26	36	60 ¼	28 7/8	BD2iX2636	2586	3184	3681	10.1	173
20" DEEP									
20	72	48 ¼	28 7/8	BD2iX2072	2997	3720	4498	11.1	208
20	66	48 ¼	28 7/8	BD2iX2066	2930	3589	4300	10.7	197
20	60	48 ¼	28 7/8	BD2iX2060	2791	3462	4107	10.3	186
20	54	48 ¼	28 7/8	BD2iX2054	2637	3276	3860	9.7	176
20	48	48 ¼	28 7/8	BD2iX2048	2583	3194	3711	9.3	165
20	42	48 ¼	28 7/8	BD2iX2042	2478	3058	3512	8.9	155
20	36	48 ¼	28 7/8	BD2iX2036	2368	2917	3305	8.5	144

SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model

TZ- - - / - - - -

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1 = T.F.L. 1", S1 = H.P.L. 1").


Surface / Edge / Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (End panels & Structure) & Metal 2 (Caps & Doors): Specify the metal finish, [see p.61](#). (34 colors).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP) or cable pole on both ends (EEP).

Shared benching tables with doors - 2 sided - combined materials end panels

Shared benching 2-sided table with doors with 4 rectangular surfaces, with combined materials end panels (metal / laminate) on the ends and recessed open metal mid panel. 18" high laminate modesty panels. There is a 8 1/2" opening between the surfaces with a metal door facing each surface. A center cap is available to reduce the opening, see p.F04. Metal finishing caps are installed on each end and in the center of the surfaces. The model of caps must be specified. The laminate modesty allows for the installation of a privacy screen and electrical system. See p.E02 for freestanding pedestals for 20" deep shared benching tables.



Dimensions					Code	L1	S1	Spec.	
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
26" DEEP									
26	72	60 1/4	144	28 7/8	BD4iX2672	5768	7269	8263	23.6 429
26	66	60 1/4	132	28 7/8	BD4iX2666	5568	7020	7930	22.8 405
26	60	60 1/4	120	28 7/8	BD4iX2660	5351	6728	7557	21.6 380
26	54	60 1/4	108	28 7/8	BD4iX2654	5033	6345	7091	20.4 356
26	48	60 1/4	96	28 7/8	BD4iX2648	4851	6103	6766	19.6 331
26	42	60 1/4	84	28 7/8	BD4iX2642	4643	5838	6418	18.4 306
26	36	60 1/4	72	28 7/8	BD4iX2636	4429	5549	6046	17.2 282
20" DEEP									
20	72	48 1/4	144	28 7/8	BD4iX2072	5393	6780	7558	20.2 368
20	66	48 1/4	132	28 7/8	BD4iX2066	5254	6516	7228	19.4 347
20	60	48 1/4	120	28 7/8	BD4iX2060	4980	6258	6906	18.6 326
20	54	48 1/4	108	28 7/8	BD4iX2054	4676	5892	6476	17.4 305
20	48	48 1/4	96	28 7/8	BD4iX2048	4564	5724	6244	16.6 283
20	42	48 1/4	84	28 7/8	BD4iX2042	4354	5453	5906	15.8 262
20	36	48 1/4	72	28 7/8	BD4iX2036	4137	5172	5560	15.0 241

SPECIFY

Code

L1/S1

Surface

Edge

Base

Metal 1

Metal 2

Cap Model

TZ-

-

-

/

-

-

-

-

Code:

Consult the product code above

L1/S1:

Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface / Edge / Base:

Refer to the different types of finishes, see p.58-59.

Metal 1 (End panels & Structure) & Metal 2 (Caps & Doors):

Specify the metal finish, see p.61. (34 colors).

Finishing Caps:

Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP), cable pole on both ends (EEP), at the centre (CP) or on one end and in the center (ECP).

Shared benching tables with doors - 2 sided - combined materials end panels


Shared benching 2-sided table with doors with 6 rectangular surfaces, with combined materials end panels (metal / laminate) on the ends and recessed open metal mid panels. 18" high laminate modesty panels.

There is a 8 1/2" opening between the surfaces with a metal door facing each surface. A center cap is available to reduce the opening, [see p.F04](#).

Metal finishing caps are installed on each end and in the center of the surfaces. The model of caps must be specified.

The laminate modesty allows for the installation of a privacy screen and electrical system.

[See p.E02](#) for freestanding pedestals for 20" deep shared benching tables.



Dimensions					Code	L1	S1	Spec.	
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
26" DEEP									
26	72	60 1/4	216	28 7/8	BD6iX2672	8099	10295	11288	33.9 612
26	66	60 1/4	198	28 7/8	BD6iX2666	7792	9919	10830	32.7 575
26	60	60 1/4	180	28 7/8	BD6iX2660	7468	9480	10310	30.9 538
26	54	60 1/4	162	28 7/8	BD6iX2654	6998	8908	9653	29.1 501
26	48	60 1/4	144	28 7/8	BD6iX2648	6722	8543	9206	27.9 465
26	42	60 1/4	126	28 7/8	BD6iX2642	6407	8148	8729	26.1 428
26	36	60 1/4	108	28 7/8	BD6iX2636	6087	7714	8211	24.3 391
20" DEEP									
20	72	48 1/4	216	28 7/8	BD6iX2072	7605	9639	10416	29.3 529
20	66	48 1/4	198	28 7/8	BD6iX2066	7394	9240	9953	28.1 497
20	60	48 1/4	180	28 7/8	BD6iX2060	6985	8854	9501	26.9 465
20	54	48 1/4	162	28 7/8	BD6iX2054	6531	8303	8886	25.1 433
20	48	48 1/4	144	28 7/8	BD6iX2048	6360	8055	8574	23.9 402
20	42	48 1/4	126	28 7/8	BD6iX2042	6048	7647	8101	22.7 370
20	36	48 1/4	108	28 7/8	BD6iX2036	5718	7225	7613	21.5 338

SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model

TZ- - - / - - - - -

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1 = T.F.L. 1", S1 = H.P.L. 1").

Surface / Edge / Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (End panels & Structure) & Metal 2 (Caps & Doors): Specify the metal finish, [see p.61](#). (34 colors).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP), cable pole on both ends (EEP), at the centre (CP), two on center (CCP) or on one end and in the center (ECP).

Shared benching tables with doors - 2 sided - combined materials end panels


Shared benching 2-sided table with doors with 8 rectangular surfaces, with combined materials end panels (metal / laminate) on the ends, full open metal panel on center, and recessed open metal mid panels. 18" high laminate modesty panels.

There is a 8 1/2" opening between the surfaces with a metal door facing each surface. A center cap is available to reduce the opening, see p.F04.

Metal finishing caps are installed on each end and in the center of the surfaces. The model of caps must be specified.

The laminate modesty allows for the installation of a privacy screen and electrical system.

See p.E02 for freestanding pedestals for 20" deep shared benching tables.



Dimensions					Code	L1	S1	Spec.	
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
26" DEEP									
26	72	60 1/4	288	28 7/8	BD8iX2672	10953	13896	14891	44.6 814
26	66	60 1/4	264	28 7/8	BD8iX2666	10547	13398	14309	43.0 766
26	60	60 1/4	240	28 7/8	BD8iX2660	10118	12814	13642	40.6 716
26	54	60 1/4	216	28 7/8	BD8iX2654	9486	12048	12794	38.2 667
26	48	60 1/4	192	28 7/8	BD8iX2648	9118	11562	12225	36.6 618
26	42	60 1/4	168	28 7/8	BD8iX2642	8697	11035	11615	34.2 569
26	36	60 1/4	144	28 7/8	BD8iX2636	8273	10457	10954	31.8 520
20" DEEP									
20	72	48 1/4	288	28 7/8	BD8iX2072	10295	13023	13800	38.3 709
20	66	48 1/4	264	28 7/8	BD8iX2066	10016	12493	13206	36.7 667
20	60	48 1/4	240	28 7/8	BD8iX2060	9471	11981	12629	35.1 625
20	54	48 1/4	216	28 7/8	BD8iX2054	8863	11243	11827	32.7 582
20	48	48 1/4	192	28 7/8	BD8iX2048	8637	10909	11429	31.1 540
20	42	48 1/4	168	28 7/8	BD8iX2042	8219	10366	10820	29.5 497
20	36	48 1/4	144	28 7/8	BD8iX2036	7782	9804	10194	27.9 455

SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model
TZ- - - / - - - - -

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1 = T.F.L. 1", S1 = H.P.L. 1").

Surface / Edge / Base: Refer to the different types of finishes, see p.58-59.

Metal 1 (End panels & Structure) & Metal 2 (Caps & Doors): Specify the metal finish, see p.61. (34 colors).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP), cable pole on both ends (EEP), at the centre (CP), two on center (CCP) or on one end and in the center (ECP).

Shared benching table with door - 1 sided - open metal end panels

Shared benching 1-sided table with door with open metal end panels.

18" high laminate modesty panel, with a full modesty available as an option.


There is a 4 ¾" opening on the surface on the visitor side with a metal door, leaving a small opening.

A center cap is available to reduce the opening, [see p.F04](#).

Metal finishing caps are installed on each end of the surface.

The metal finishing back allows for the installation of a privacy screen and electrical system, on the laminate modesty.

[See p.E02](#) for freestanding pedestals for 25 ½" deep shared benching tables.



Dimensions				Code	L1	S1	Spec.		
A	B	C	D		T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb
31 ½" DEEP									
26	72	31 ½	28 7/8	BD1iO2672	2035	2599	3593	12.2	141
26	66	31 ½	28 7/8	BD1iO2666	1980	2509	3420	11.6	131
26	60	31 ½	28 7/8	BD1iO2660	1920	2417	3245	11.0	122
26	54	31 ½	28 7/8	BD1iO2654	1879	2338	3084	10.4	112
26	48	31 ½	28 7/8	BD1iO2648	1754	2174	2836	9.8	102
26	42	31 ½	28 7/8	BD1iO2642	1711	2094	2674	9.1	92
26	36	31 ½	28 7/8	BD1iO2636	1637	1985	2482	8.5	83
25 ½" DEEP									
20	72	25 ½	28 7/8	BD1iO2072	1981	2467	3245	10.9	128
20	66	25 ½	28 7/8	BD1iO2066	1929	2387	3099	10.3	120
20	60	25 ½	28 7/8	BD1iO2060	1874	2300	2946	9.8	111
20	54	25 ½	28 7/8	BD1iO2054	1833	2233	2817	9.2	102
20	48	25 ½	28 7/8	BD1iO2048	1713	2078	2597	8.6	93
20	42	25 ½	28 7/8	BD1iO2042	1675	2010	2464	8.0	84
20	36	25 ½	28 7/8	BD1iO2036	1607	1908	2296	7.5	75

SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model Modesty
 TZ- - - / - - - - NP -

OPTION

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1 = T.F.L. 1", S1 = H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (End panels, Structure & Finishing back) & Metal 2 (Caps & Door): Specify the metal finish, [see p.61](#). (34 colors).

Modesty: Option of full height modesty (FM), add \$50.


Shared benching table with doors - 2 sided - open metal end panels

Shared benching 2-sided table with doors with 2 rectangular surfaces, with open metal end panels.
18" high laminate modesty panel.

There is a 8 1/2" opening between the surfaces with a metal door facing each surface. A center cap is available to reduce the opening, [see p.F04](#).
Metal finishing caps are installed on each end of the surfaces. The model of caps must be specified.

The laminate modesty allows for the installation of a privacy screen and electrical system.

[See p.E02](#) for freestanding pedestals for 20" deep shared benching tables.



Dimensions				Code	L1	S1	Spec.		
A	B	C	D		T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb
26" DEEP									
26	72	60 1/4	28 7/8	BD2iO2672	2845	3591	4586	13.3	222
26	66	60 1/4	28 7/8	BD2iO2666	2744	3468	4380	12.9	209
26	60	60 1/4	28 7/8	BD2iO2660	2635	3322	4150	12.3	197
26	54	60 1/4	28 7/8	BD2iO2654	2478	3131	3876	11.7	185
26	48	60 1/4	28 7/8	BD2iO2648	2386	3008	3671	11.3	173
26	42	60 1/4	28 7/8	BD2iO2642	2282	2876	3455	10.7	160
26	36	60 1/4	28 7/8	BD2iO2636	2176	2733	3230	10.1	148
20" DEEP									
20	72	48 1/4	28 7/8	BD2iO2072	2663	3356	4133	13.3	222
20	66	48 1/4	28 7/8	BD2iO2066	2597	3223	3936	12.9	209
20	60	48 1/4	28 7/8	BD2iO2060	2460	3095	3743	12.3	197
20	54	48 1/4	28 7/8	BD2iO2054	2307	2913	3497	11.7	185
20	48	48 1/4	28 7/8	BD2iO2048	2251	2828	3348	11.3	173
20	42	48 1/4	28 7/8	BD2iO2042	2147	2694	3149	10.7	160
20	36	48 1/4	28 7/8	BD2iO2036	2037	2550	2940	10.1	148

SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model
TZ- - - / - - - -

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface / Edge / Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (End panels & Structure) & Metal 2 (Caps & Doors): Specify the metal finish, [see p.61](#). (34 colors).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP) or cable pole on both ends (EEP).

Shared benching table with doors - 2 sided - open metal end panels


Shared benching 2-sided table with doors with 4 rectangular surfaces, with open metal end panels on the ends and recessed open metal mid panel. 18" high laminate modesty panels.

There is a 8 ½" opening between the surfaces with a metal door facing each surface. A center cap is available to reduce the opening, [see p.F04](#).

Metal finishing caps are installed on each end and in the center of the surfaces. The model of caps must be specified.

The laminate modesty allows for the installation of a privacy screen and electrical system.

[See p.E02](#) for freestanding pedestals for 20" deep shared benching tables.



Dimensions					Code	L1	S1	Spec.	
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
26" DEEP									
26	72	60 ¼	144	28 7/8	BD4iO2672	5357	6816	7811	23.6 404
26	66	60 ¼	132	28 7/8	BD4iO2666	5155	6566	7478	22.8 380
26	60	60 ¼	120	28 7/8	BD4iO2660	4939	6274	7103	21.6 355
26	54	60 ¼	108	28 7/8	BD4iO2654	4623	5894	6640	20.4 331
26	48	60 ¼	96	28 7/8	BD4iO2648	4438	5650	6312	19.6 306
26	42	60 ¼	84	28 7/8	BD4iO2642	4232	5385	5965	18.4 281
26	36	60 ¼	72	28 7/8	BD4iO2636	4019	5097	5595	17.2 257
20" DEEP									
20	72	48 ¼	144	28 7/8	BD4iO2072	5059	6416	7193	20.2 343
20	66	48 ¼	132	28 7/8	BD4iO2066	4920	6150	6863	19.4 322
20	60	48 ¼	120	28 7/8	BD4iO2060	4647	5894	6541	18.6 301
20	54	48 ¼	108	28 7/8	BD4iO2054	4344	5523	6107	17.4 280
20	48	48 ¼	96	28 7/8	BD4iO2048	4232	5357	5876	16.6 258
20	42	48 ¼	84	28 7/8	BD4iO2042	4021	5088	5542	15.8 237
20	36	48 ¼	72	28 7/8	BD4iO2036	3801	4805	5194	15.0 216

SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model
 TZ- - - / - - - -

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1 = T.F.L. 1", S1 = H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (End panels & Structure) & Metal 2 (Caps & Doors): Specify the metal finish, [see p.61](#). (34 colors).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP), cable pole on both ends (EEP), at the centre (CP) or on one end and in the center (ECP).

Shared benching table with doors - 2 sided - open metal end panels


Shared benching 2-sided table with doors with 6 rectangular surfaces, with open metal end panels on the ends and recessed open metal mid panels. 18" high laminate modesty panels.

There is a 8 1/2" opening between the surfaces with a metal door facing each surface. A center cap is available to reduce the opening, [see p.F04](#).

Metal finishing caps are installed on each end and in the center of the surfaces. The model of caps must be specified.

The laminate modesty allows for the installation of a privacy screen and electrical system.

[See p.E02](#) for freestanding pedestals for 20" deep shared benching tables.



Dimensions					Code	L1	S1	Spec.	
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
26" DEEP									
26	72	60 1/4	216	28 7/8	BD6iO2672	7687	9843	10837	33.9 587
26	66	60 1/4	198	28 7/8	BD6iO2666	7380	9467	10378	32.7 550
26	60	60 1/4	180	28 7/8	BD6iO2660	7058	9027	9855	30.9 513
26	54	60 1/4	162	28 7/8	BD6iO2654	6585	8456	9201	29.1 476
26	48	60 1/4	144	28 7/8	BD6iO2648	6308	8093	8756	27.9 440
26	42	60 1/4	126	28 7/8	BD6iO2642	5996	7697	8277	26.1 403
26	36	60 1/4	108	28 7/8	BD6iO2636	5677	7261	7758	24.3 366
20" DEEP									
20	72	48 1/4	216	28 7/8	BD6iO2072	7273	9273	10051	29.3 504
20	66	48 1/4	198	28 7/8	BD6iO2066	7061	8876	9588	28.1 472
20	60	48 1/4	180	28 7/8	BD6iO2060	6652	8489	9137	26.9 440
20	54	48 1/4	162	28 7/8	BD6iO2054	6201	7940	8524	25.1 408
20	48	48 1/4	144	28 7/8	BD6iO2048	6028	7688	8207	23.9 377
20	42	48 1/4	126	28 7/8	BD6iO2042	5716	7283	7737	22.7 345
20	36	48 1/4	108	28 7/8	BD6iO2036	5384	6859	7248	21.5 313

SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model
TZ- - - / - - - - -

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1 = T.F.L. 1", S1 = H.P.L. 1").

Surface / Edge / Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (End panels & Structure) & Metal 2 (Caps & Doors): Specify the metal finish, [see p.61](#). (34 colors).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP), cable pole on both ends (EEP), at the centre (CP), two on center (CCP) or on one end and in the center (ECP).

Shared benching table with doors - 2 sided - open metal end panels


Shared benching 2-sided table with doors with 8 rectangular surfaces, with open metal end panels on the ends and on center, and recessed open metal mid panels. 18" high laminate modesty panels.

There is a 8 1/2" opening between the surfaces with a metal door facing each surface. A center cap is available to reduce the opening, [see p.F04](#).

Metal finishing caps are installed on each end and in the center of the surfaces. The model of caps must be specified.

The laminate modesty allows for the installation of a privacy screen and electrical system.

[See p.E02](#) for freestanding pedestals for 20" deep shared benching tables.



Dimensions					Code	L1	S1	Spec.	
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
26" DEEP									
26	72	60 1/4	288	28 7/8	BD8iO2672	10542	13445	14439	44.6 777
26	66	60 1/4	264	28 7/8	BD8iO2666	10137	12947	13858	43.0 728
26	60	60 1/4	240	28 7/8	BD8iO2660	9707	12362	13190	40.6 679
26	54	60 1/4	216	28 7/8	BD8iO2654	9073	11598	12344	38.2 630
26	48	60 1/4	192	28 7/8	BD8iO2648	8706	11112	11774	36.6 581
26	42	60 1/4	168	28 7/8	BD8iO2642	8289	10583	11163	34.2 531
26	36	60 1/4	144	28 7/8	BD8iO2636	7864	10007	10504	31.8 482
20" DEEP									
20	72	48 1/4	288	28 7/8	BD8iO2072	9962	12657	13435	38.3 672
20	66	48 1/4	264	28 7/8	BD8iO2066	9685	12129	12840	36.7 630
20	60	48 1/4	240	28 7/8	BD8iO2060	9142	11615	12261	35.1 587
20	54	48 1/4	216	28 7/8	BD8iO2054	8533	10878	11462	32.7 545
20	48	48 1/4	192	28 7/8	BD8iO2048	8304	10545	11063	31.1 502
20	42	48 1/4	168	28 7/8	BD8iO2042	7886	10005	10459	29.5 460
20	36	48 1/4	144	28 7/8	BD8iO2036	7450	9440	9828	27.9 418

SPECIFY

Code L1/S1 Surface Edge Base Metal 1 Metal 2 Cap Model
 TZ- - - / - - - -

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1 = T.F.L. 1", S1 = H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, [see p.58-59](#).

Metal 1 (End panels & Structure) & Metal 2 (Caps & Doors): Specify the metal finish, [see p.61](#). (34 colors).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), cable pole on the end (EP), cable pole on both ends (EEP), at the centre (CP), two on center (CCP) or on one end and in the center (ECP).





A
B
C
D
E
F
G
H
I
J
K

Closed shared benching tables



Shared closed benching tables

120° Shared closed benching table - full laminate end panels	C02
120° Shared closed benching table - combined materials end panels	C03
120° Shared closed benching table - combined materials end panels	C04





A
B
C
D
E
F
G
H
I
J
K

120° Shared closed benching tables - full laminate end panels

120° closed shared benching table with full laminate end panels.

18" high laminate modesty panel.


There is a ¼" opening between the surface that allows the installation of a privacy screen.

The laminate modesty allows for the installation of an electrical system.


Optional grommets available, one on each end panel.

Optional grommet(s) or multi-outlet available on the surfaces. Position will be identical on each surface.

See p.E02 for freestanding pedestals for 25 ½" deep shared benching tables.



Dimensions				Code	L1	S1	Spec.	
A	B	C	D		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
30" DEEP								
30	48	60 ¼	28 7/8	BC3V3048	5606	8071	8836	30.3 381
30	42	60 ¼	28 7/8	BC3V3042	5505	7944	8613	26.9 352
30	36	60 ¼	28 7/8	BC3V3036	5410	7811	8385	23.4 323
24" DEEP								
24	48	48 ¼	28 7/8	BC3V2448	5534	7961	8582	27.3 331
24	42	48 ¼	28 7/8	BC3V2442	5434	7828	8372	24.2 304
24	36	48 ¼	28 7/8	BC3V2436	5335	7700	8166	21.1 280



SPECIFY

Code L1/S1 Surface Edge Base Metal Grommet Grommet M-outlet

TZ- - - / - - - - - -

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1 = T.F.L. 1", S1 = H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, see p.58-59.

Metal (Structure): Specify the metal finish, see p.61. (34 colors).

Grommets (End panels): Add grommets on end panels & specify color: White (G13), Charcoal (G23), Frost (G33) or Black (G43), add \$126.

No Grommet, choose the NG Option, see p.33.

Grommets (Surfaces): Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$126 each.

Tables 36" and less in length have the option to add a grommet on center only. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$1185 ea.), WB / WN (+\$2232 ea.), QB / QN (+\$2232 ea.) or XB / XN (+\$1440 ea.).

Position: Left (L), Center (C) and/or Right (R). Example: WBLCR, see p.34.

120° Shared closed benching tables - combined materials end panels

120° closed shared benching table with combined materials end panels (metal / laminate).


18" high laminate modesty panel.

There is a 1/4" opening between the surface that allows the installation of a privacy screen.


The laminate modesty allows for the installation of an electrical system.

Optional grommet(s) or multi-outlet available on the surfaces. Position will be identical on each surface.

See p.E02 for freestanding pedestals for 25 1/2" deep shared benching tables.



Dimensions				Code	L1	S1	Spec.		
A	B	C	D		T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb
30" DEEP									
30	48	60 1/4	28 7/8	BC3VX3048	6391	9632	10397	30.3	381
30	42	60 1/4	28 7/8	BC3VX3042	6275	9471	10142	26.9	352
30	36	60 1/4	28 7/8	BC3VX3036	6163	9316	9890	23.4	323
24" DEEP									
24	48	48 1/4	28 7/8	BC3VX2448	5855	8757	9379	27.3	331
24	42	48 1/4	28 7/8	BC3VX2442	5752	8612	9155	24.2	304
24	36	48 1/4	28 7/8	BC3VX2436	5654	8468	8935	21.1	280



SPECIFY

OPTION

Code

L1/S1

Surface

Edge

Base

Metal

Grommet

M-outlet

TZ-

-

-

/

-

-

-

-

-

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1 = T.F.L. 1", S1 = H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, see p.58-59.

Metal (Structure & End panels): Specify the metal finish, see p.61. (34 colors).

Grommets: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$126 each. Tables 36" and less in length have the option to add a grommet on center only. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$1185 ea.), WB / WN (+\$2232 ea.), QB / QN (+\$2232 ea.) or XB / XN (+\$1440 ea.). Position: Left (L), Center (C) and/or Right (R). Example: WBLR, see p.34.

120° Shared closed benching tables - open metal end panels

120° closed shared benching table with open metal end panels.


18" high laminate modesty panel.

There is a 1/4" opening between the surface that allows the installation of a privacy screen.


The laminate modesty allows for the installation of an electrical system.

Optional grommet(s) or multi-outlet available on the surfaces. Position will be identical on each surface.

See p.E02 for freestanding pedestals for 25½" deep shared benching tables.



Dimensions				Code	L1	S1	Spec.	
A	B	C	D		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
30" DEEP								
30	48	60 ¼	28 7/8	BC3VO3048	5886	8879	9644	30.3 344
30	42	60 ¼	28 7/8	BC3VO3042	5780	8738	9407	26.9 315
30	36	60 ¼	28 7/8	BC3VO3036	5680	8592	9165	23.4 285
24" DEEP								
24	48	48 ¼	28 7/8	BC3VO2448	5811	8312	8934	27.3 331
24	42	48 ¼	28 7/8	BC3VO2442	5705	8180	8723	24.2 304
24	36	48 ¼	28 7/8	BC3VO2436	5601	8052	8519	21.1 280



SPECIFY

Code L1/S1 Surface Edge Base Metal Grommet M-outlet

TZ- - - / - - - -

OPTION

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface/Edge/Base: Refer to the different types of finishes, see p.58-59.

Metal (Structure & End panels): Specify the metal finish, see p.61. (34 colors).

Grommets: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$126 each.

Tables 36" and less in length have the option to add a grommet on center only. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$1185 ea.), WB / WN (+\$2232 ea.), QB / QN (+\$2232 ea.) or XB / XN (+\$1440 ea.).

Position: Left (L), Center (C) and/or Right (R). Example: WBLR, see p.34.





A
B
C
D
E
F
G
H
I
J
K

Extensions



Extensions

	Collaborative extension surface	D02
	collaborative extension table with "U" shaped metal leg	D03
	extension surface	D04
	extension open hutch	D05





A
B
C
D
E
F
G
H
I
J
K



Collaborative extension surface

Collaborative extension surface.

Installs on the extremity of the benching tables.

4 junction plates included.

Leg(s) for the end to be ordered separately.



Dimensions		Code	L1	S1	Spec.	
A	B		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
30" DEEP						
30	60 ¼	BCES3060	348	658	1054	3.4 48
30	48 ¼	BCES3048	311	542	860	2.7 40
24" DEEP						
24	60 ¼	BCES2460	311	542	860	2.8 40
24	48 ¼	BCES2448	281	489	744	2.3 31

SPECIFY

Code L1/S1 Surface Edge
TZ- - - /


Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (**L1** = T.F.L. 1", **S1** = H.P.L. 1").

Surface/Edge: Refer to the different types of finishes, [see p.58](#).

Collaborative extension table with "U" shaped metal leg

Collaborative extension table with "U" shaped metal leg.
Installs on the extremity of the benching tables.
1" x 3" metal leg with integrated levelers.
4 junction plates included.



Dimensions			Code	L1	S1	Spec.		
A	B	C		T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb
30" DEEP								
30	60 ¼	28 7⁄8	BCETU3060	875	1278	2239	4.1	64
30	48 ¼	28 7⁄8	BCETU3048	813	1148	1916	3.3	53
24" DEEP								
24	60 ¼	28 7⁄8	BCETU2460	831	1164	1946	3.8	55
24	48 ¼	28 7⁄8	BCETU2448	783	1063	1690	3.1	45

SPECIFY

Code

L1/S1

Surface

Edge

Metal

TZ-

-

-

/

-

Code:

 Consult the product code above

L1/S1:

 Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface/Edge:

 Refer to the different types of finishes, see p.58.

Metal:


 Specify the metal finish, see p.61 (34 colors).

Extension surface.


Installs on the extremity of the benching tables.

4 junction plates included.

Metal central support under the surface.



Dimensions		Code	L1	S1	Spec.	
A	B		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
14	60 ¼	BES1460	501	727	1182	1.4 22
14	48 ¼	BES1448	482	689	1053	1.1 18



SPECIFY

	Code	L1/S1	Surface	Edge	Metal
TZ-					

Code: Consult the product code above



L1/S1: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1").

Surface / Edge: Refer to the different types of finishes, [see p.58](#).

Metal: Specify the metal finish, **see p.61. (34 colors).**

Extension open hutch

Extension open hutch.
Installs on the extremity of the benching tables.
4 junction plates included.



Dimensions			Code	L1	S1	Spec.		
A	B	C		T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb
14	60 ¼	15	BEHO146015	1139	1454	1908	10.5	80
14	48 ¼	15	BEHO144815	1094	1370	1735	8.0	70

SPECIFY

Code L1/S1 Surface Edge Base
TZ- - - / -

Code: Consult the product code above
L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").
Surface/Edge/ Base: Refer to the different types of finishes, see p.58-59.

Pedestals



Pedestals

- Freestanding UUF pedestalE02
- Freestanding FF pedestalE03






A
B
C
D
E
F
G
H
I
J
K

Freestanding 25" high UUF pedestal for 24" deep shared benching tables

Freestanding 25" high **UUF** pedestal for 24" deep shared benching tables.
Pencil tray included in the 6" top drawer.
Available without lock, or with Noki or key lock (will lock all drawers).
Counterweight included for stability.Lateral filing bars (**AC-BL12**) sold separately, refer to the Accessories price list.



Dimensions			Code	Spec.		
A	B	C		T.F.L.	FENIX	Cu.Ft. lb
18	15 5/8	25	FPBUUF181625	980	1600	6.0 60

SPECIFY

OPTION

Code

Base

Front

Lock

Pull

TZ- - L - / - - CW -

Code:

Consult the product code above

Base / Front:

Refer to the different types of finishes, [see p.59](#).

Lock:


No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options. For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:

Pull options, specify type, add \$28 per drawer, [see p.62](#).

Freestanding 25" high FF pedestal for 24" deep shared benching tables

Freestanding 25" high **FF** pedestal for 24" deep shared benching tables.
Available without lock, or with Noki or key lock (will lock all drawers).
Counterweight included for stability.
Lateral filing bars (**AC-BL12**) sold separately, refer to the Accessories price list.



Dimensions			Code	Spec.			
A	B	C		T.F.L.	FENIX	Cu.Ft.	lb
18	15 5/8	25	FPBFF181625	980	1600	6.0	60

SPECIFY

OPTION

Code

Base

Front

Lock

Pull

TZ-

-

L

-

/

-

CW

-

Code:

 Consult the product code above

Base / Front:

 Refer to the different types of finishes, [see p.59](#).

Lock:

 No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options. For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:

 Pull options, specify type, add \$28 per drawer, [see p.62](#).

Cap & Accessories



Cap & Accessories

Center cap for 1-sided shared benching tables	F02
removable center cap for open shared benching table	F03
removable center cap for shared benching tables with doors	F04
office supply tray for shared benching tables	F05






A
B
C
D
E
F
G
H
I
J
K


Center cap for 1-sided shared benching tables (open or with door)

Center cap for 1-sided shared benching tables (open or with door).
To reduce the size of the opening on the surface, if no privacy screen is installed.
MUST be added on a shared benching with door, if no privacy screen is installed.
Attaches to the metal finishing back.




Dimensions			Code	Price	Spec.	
A	B	for use with surface			Cu.Ft.	lb
1	67	72"	PCBOD1C67	117	1.8	1
1	61	66"	PCBOD1C61	111	1.6	1
1	55	60"	PCBOD1C55	107	1.5	1
1	49	54"	PCBOD1C49	102	1.3	1
1	43	48"	PCBOD1C43	99	1.2	1
1	37	42"	PCBOD1C37	95	1.0	1
1	31	36"	PCBOD1C31	90	0.8	1

Open



With door




SPECIFY

Code Metal
AC- -

Code: Consult the product code above
Metal: Specify the metal finish, [see p.61](#). (34 colors).

Removable center cap for open shared benching tables

Removable center cap for open shared benching tables.
To reduce the size of the opening on the surface, if no privacy screen is installed.
Once installed, a space remains allowing access for cabling.



Dimensions			Code	Price	Spec.	
A	B	for use with surface			Cu.Ft.	lb
2	67	72"	PCBO2C67	111	0.3	3
2	61	66"	PCBO2C61	105	0.3	3
2	55	60"	PCBO2C55	101	0.3	3
2	49	54"	PCBO2C49	99	0.2	2
2	43	48"	PCBO2C43	95	0.2	2
2	37	42"	PCBO2C37	90	0.2	2
2	31	36"	PCBO2C31	83	0.2	2

SPECIFY

Code

Metal

AC-

-


Code: Consult the product code above

Metal: Specify the metal finish, [see p.61](#). (34 colors).

Removable center cap for shared benching tables with doors

Removable center cap for shared benching tables with doors.

MUST be added between the doors, if no privacy screen is installed.



Dimensions			Code	Price	Spec.	
A	B	for use with surface			Cu.Ft.	lb
1	67	72"	PCBD2C67	145	1.0	4
1	61	66"	PCBD2C61	142	0.9	4
1	55	60"	PCBD2C55	137	0.8	3
1	49	54"	PCBD2C49	134	0.7	3
1	43	48"	PCBD2C43	128	0.6	3
1	37	42"	PCBD2C37	126	0.6	2
1	31	36"	PCBD2C31	124	0.5	2

SPECIFY

Code

Metal

AC-


-

Code: Consult the product code above


Metal: Specify the metal finish, see p.61 (34 colors).

Office supply tray for shared benching tables (open or with doors)


Office supply tray for shared benching tables (open or with doors), for small office supplies such as: pencils, pens, eraser, scissors, etc.
Installed underneath shared benching table surfaces, it the space between the 2 surfaces.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
3	9	¾	BCPAP	48	0.3	1



Open tables
(BCO)



Tables with doors
(BCD)

SPECIFY

Code

Metal

AC-

-

Code: Consult the product code above

Metal: Specify the metal finish, [see p.61](#). (34 colors).

A photograph of a modern office cubicle. The cubicle features a grey felt partition and a white desk. A red brick wall is visible in the background. A small potted plant sits on the desk. The word "Electricity" is overlaid in white text on a grey rectangular background in the upper right corner.

Electricity





A
B
C
D
E
F
G
H
I
J
K

Electricity

Double-sided electrical system for shared benching tables	G02
cabling support for shared benching tables	G03
duplex outlet	G04
double usb outlet	G05
jumpers	G06
coupling	G06
junction box cover	G06
power feed cable	G07
fastener for jumper	G07
outlet support for shared benching tables	G07
cable pole for 2-sided shared benching tables	G08
cable pole for 1-sided shared benching tables	G09
cable pole divider	G11

A
B
C
D
E
F
G
H
I
J
K


Double-sided electrical system for shared benching tables

Double-sided electrical system for shared benching tables, with 1 electrical harness and 2 metal front covers.

Is installed on top of the modesty with screws.

Can accommodate 4-circuit system components.

4 openings for outlets (not included, order separately).



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
2 1/2	16	3	WCMB1603	345	0.4	7

SPECIFY

Code

Metal

AC-


-

Code: Consult the product code above

Metal: Specify the metal finish, [see p.61. \(34 colors\).](#)

Cabling support for shared benching tables

Cabling support for shared benching tables.
Is installed on top of the modesty with screws.
It doubles as a stiffener when a privacy screen is installed on the modesty.
Allows managements of electrical and communication cables, providing quick and easy access.



Dimensions			Code	Price	Spec.	
A	B	for use with surface			Cu.Ft.	lb
3 1/2	66	72"	WCMBC66	140	0.5	5
3 1/2	60	66"	WCMBC60	134	0.5	4
3 1/2	54	60"	WCMBC54	128	0.4	4
3 1/2	48	54"	WCMBC48	125	0.4	3
3 1/2	42	48"	WCMBC42	123	0.3	3
3 1/2	36	42"	WCMBC36	118	0.3	2
3 1/2	30	36"	WCMBC30	114	0.3	2

SPECIFY

Code

Metal

AC-


-

Code: Consult the product code above

Metal: Specify the metal finish, see p.61. (34 colors).

Duplex outlet

Duplex outlet.
Attaches to the power distribution harness.
For protection against induced voltage variations, circuit #4 is an isolated circuit with its own neutral and ground.



	Code	Price	Spec.	
			Cu.Ft.	lb
circuit #1	DO1	32	0.1	1
circuit #2	DO2	32	0.1	1
circuit #3	DO3	32	0.1	1
circuit #4 (dedicated)	DO4	32	0.1	1

SPECIFY

Code

Plastic

AC-


-

Code: Consult the product code above

Plastic: Specify the finish: White (B) or Black (N).

Double USB outlet

Double USB outlet.
Attaches to the power distribution harness.
For protection against induced voltage variations, circuit #4 is an isolated circuit with its own neutral and ground.



	Code	Price	Spec.	
			Cu.Ft.	lb
circuit #1	USB1	214	0.1	1
circuit #2	USB2	214	0.1	1
circuit #3	USB3	214	0.1	1
circuit #4 (dedicated)	USB4	214	0.1	1

SPECIFY

Code

Plastic

AC-


-

Code: Consult the product code above

Plastic: Specify the finish: White (B) or Black (N).

Jumpers

Jumper to allow the connection of power distribution harnesses together.
The FT-HR coupling (4 female) must of used to connect two jumpers (male) end to end.



Dimension	Code	Price	Spec.	
A			Cu.Ft.	lb
216	FT-EJS216	539	0.1	5
96	FT-EJS96	309	0.1	5
82	FT-EJS82	285	0.1	5
72	FT-EJS72	263	0.1	4
66	FT-EJS66	252	0.1	4
60	FT-EJS60	240	0.1	4
54	FT-EJS54	228	0.1	4
48	FT-EJS48	218	0.1	4
42	FT-EJS42	198	0.1	3
36	FT-EJS36	188	0.1	3
30	FT-EJS30	178	0.1	3
24	FT-EJS24	168	0.1	2

Coupling

Coupling (4 female) used to connect four jumpers (male) end to end.




Code	Price	Spec.	
		Cu.Ft.	lb
FT-HR	63	0.1	1

Junction box cover

Junction box cover with "Plug and Play" (female) outlet for FT-EJS jumper.

4 11/16" x 4 11/16".


The junction box (not included) may be wall-mounted to the height specified by the applicable building code, or on the ceiling.



Code	Price	Spec.	
		Cu.Ft.	lb
FT-ECWD	176	0.1	1

Power feed cable

Power feed cable.
Connects "Plug and Play" to a harness and connects to the power source with electrical hardware (not included) specified by the applicable building code.
Flexible oval metal conduit with cable feed for 4-circuit electrical system.



Dimension	Code	Price	Spec.	
A			Cu.Ft.	lb
216	FT-EC216	519	0.7	4
180	FT-EC180	459	0.6	3
72	FT-EC72	244	0.3	2

Fastener for jumper


Metal fastener, galvanized steel.
Pack of 5 fasteners.
To attach shielded cables (jumpers) under a surface, screws included.



Code	Price	Spec.	
		Cu.Ft.	lb
E2-EJB5	17	0.1	1

Outlet support for shared benching tables

Outlet support for shared benching tables.
Installed on top of the modesty panel.
Designed for movable outlets (**AC-ECM**) or a telecommunication plate (**E2-ERD**).
Size of opening: 2 ½" x 1 ⅜".
Black finish.



Code	Price	Spec.	
		Cu.Ft.	lb
E2-EDS	33	0.1	1



A

B

C

D

E

F

G

H


I

J


K

Cable pole for 2-sided shared benching tables

Cable pole for 2-sided shared benching tables.
Can be cut on-site if necessary.
An interior metal divider can be ordered separately if required.
Power feed to be ordered separately.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
1 1/2	3	120	CPB13120	500	1.5	11




SPECIFY

Code Metal
AC- -

Code: Consult the product code above
Metal: Specify the metal finish, [see p.61 \(34 colors\)](#).

Cable pole for 1-sided shared benching tables (full laminate end panels)

Cable pole for 1-sided shared benching tables (full laminate end panels).
Can be cut on-site if necessary.
The lower section of the cable pole includes 1 opening that is perfectly aligned with the grommet on the side of a shared benching table.
Included : screws to fix to the table, stopper for cover and a ceiling tile adapter (white).
An interior metal divider can be ordered separately if required.
Power feed to be ordered separately.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
3	3	120	CPC33120	550	2.0	13,5
1 ½	3	120	CPC13120	487	1.5	11

SPECIFY

Code

Metal

AC-


-

Code: Consult the product code above


Metal: Specify the metal finish, [see p.61 \(34 colors\)](#).

Cable pole for 1-sided shared benching tables (metal end panels)

Cable pole for 1-sided shared benching tables (metal end panels).
Can be cut on-site if necessary.
Included : screws to fix to the table, stopper for cover and a ceiling tile adapter (white).
An interior metal divider can be ordered separately if required.
Power feed to be ordered separately.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
3	3	120	CPSBM33120	493	2.0	13.5
1 ½	3	120	CPSBM13120	407	1.5	11



SPECIFY

Code

Metal

AC-


-

Code: Consult the product code above

Metal: Specify the metal finish, [see p.61 \(34 colors\)](#).


Cable pole divider

Metal divider for 3" x 3" cable pole.
Set of 2-48" lengths in order to separathe the power feed cable and communication cables.
Recycled paint finish #2021.
* Grey will vary depending on the proportions of the different recycled colors.



	Code	Price	Spec.	
			Cu.Ft.	lb
Set of 2 lengths of 48" .	AC-CPD33	113	0.4	5

Metal divider for 1 ½" x 3" cable pole
Set of 2-48" lengths in order to separathe the power feed cable and communication cables.
Recycled paint finish #2021.
* Grey will vary depending on the proportions of the different recycled colors.



	Code	Price	Spec.	
			Cu.Ft.	lb
Set of 2 lengths of 48" .	AC-CPD13	106	0.3	4

A modern office workstation featuring a white desk and a grey acoustic panel. The panel has a sign that reads "Ceci n'est pas seulement un bureau" and "amipex". On the desk are two computer monitors on adjustable arms, a keyboard, and a multi-line office phone. A red brick wall is visible in the background, and a red upholstered chair is in the foreground.

Reconfiguration surfaces

Reconfiguration surfaces

- Reconfiguration surfaces for open shared benching tables - 2-sidedH02
- reconfiguration surfaces for shared benching tables with doors - 2-sidedH03





A
B
C
D
E
F
G
H
I
J
K


Reconfiguration surfaces for open shared benching tables - 2-sided

Reconfiguration surfaces for open shared benching 2-sided table with 2 rectangular surfaces.


Includes 2 crosspieces and 2 supports for modesty panel.

One metal finishing cap is included. The model of cap must be specified.

Optional multi-outlets on the center of each surface.



Dimensions			Code	L1	S1	Spec.	
A	B	C		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
28 ½" DEEP							
28 ½	72	60 ¼	KSBO2i2872	1486	2341	3430	5.0 164
28 ½	66	60 ¼	KSBO2i2866	1422	2210	3210	4.6 151
28 ½	60	60 ¼	KSBO2i2860	1358	2080	2989	4.2 137
28 ½	54	60 ¼	KSBO2i2854	1276	1929	2747	3.7 124
28 ½	48	60 ¼	KSBO2i2848	1217	1810	2537	3.3 110
28 ½	42	60 ¼	KSBO2i2842	1124	1648	2284	2.9 97
28 ½	36	60 ¼	KSBO2i2836	1052	1511	2055	2.5 83
22 ½" DEEP							
22 ½	72	48 ¼	KSBO2i2272	1401	2099	2973	4.2 142
22 ½	66	48 ¼	KSBO2i2266	1342	1986	2788	3.9 130
22 ½	60	48 ¼	KSBO2i2260	1284	1878	2608	3.5 119
22 ½	54	48 ¼	KSBO2i2254	1207	1746	2403	3.2 107
22 ½	48	48 ¼	KSBO2i2248	1139	1623	2207	2.8 96
22 ½	42	48 ¼	KSBO2i2242	1070	1501	2010	2.5 84
22 ½	36	48 ¼	KSBO2i2236	1004	1385	1821	2.1 72



SPECIFY

Code L1/S1 Surface Edge Metal 1 Metal 2 Cap Model M-outlet
 TZ- - - / - - - -

OPTION

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface / Edge: Refer to the different types of finishes, [see p.58](#).

Metal 1 (Structure) & Metal 2 (Caps): Specify the metal finish, [see p.61](#). (34 colors).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole:
 without cable pole (NP), or the centre (CP).


Multi-outlet: Multi-outlet choice: UN (+\$395 ea.), WB / WN (+\$744 ea.), QB / QN (+\$744 ea.) or XB / XN (+\$480 ea.).
 Position: Left (L), Center (C) and/or Right (R). *Example: WBLR, see p.34.*

Reconfiguration surfaces for shared benching tables with doors - 2-sided

Reconfiguration surfaces for shared benching 2-sided table with doors, with 2 rectangular surfaces.

Includes 2 doors, 2 crosspieces and 2 supports for modesty panel.

One metal finishing cap is included. The model of cap must be specified.



Dimensions			Code	L1	S1	Spec.	
A	B	C		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
26" DEEP							
26	72	60 1/4	KSBD2i2672	1880	2699	3693	4.8 158
26	66	60 1/4	KSBD2i2666	1808	2566	3479	4.4 145
26	60	60 1/4	KSBD2i2660	1743	2442	3272	4.0 133
26	54	60 1/4	KSBD2i2654	1674	2312	3058	3.6 120
26	48	60 1/4	KSBD2i2648	1598	2176	2840	3.2 107
26	42	60 1/4	KSBD2i2642	1513	2034	2613	2.8 94
26	36	60 1/4	KSBD2i2636	1440	1899	2396	2.4 80
20" DEEP							
20	72	48 1/4	KSBD2i2072	1792	2456	3233	4.1 136
20	66	48 1/4	KSBD2i2066	1729	2346	3058	3.7 125
20	60	48 1/4	KSBD2i2060	1667	2239	2886	3.4 114
20	54	48 1/4	KSBD2i2054	1607	2129	2712	3.0 103
20	48	48 1/4	KSBD2i2048	1535	2010	2528	2.7 92
20	42	48 1/4	KSBD2i2042	1459	1884	2338	2.4 81
20	36	48 1/4	KSBD2i2036	1391	1771	2159	2.0 69

SPECIFY

Code L1/S1 Surface Edge Metal 1 Metal 2 Cap Model
 TZ- - - / - - -

Code: Consult the product code above

L1/S1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface / Edge: Refer to the different types of finishes, [see p.58](#).

Metal 1 (Structure) & Metal 2 (Caps & Doors): Specify the metal finish, [see p.61](#). (34 colors).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), or the centre (CP).



Support panels


Support panels

Reconfiguration laminate end panel	I02
reconfiguration laminate intermediate panel	I04
reconfiguration open metal end panel	I05
reconfiguration open metal intermediate panel	I07
reconfiguration combined materials end panel	I08




Reconfiguration laminate end panel for open shared benching tables - 2-sided


Reconfiguration laminate end panel for open shared benching 2-sided table.
Optional grommet available on the end panel.
One metal finishing cap is included. The model of cap must be specified.
The metal brackets are always in the charcoal finish (3064).



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
60 ¼	27 7⁄8	KBOLEP6028	484	4.9	53
48 ¼	27 7⁄8	KBOLEP4828	455	3.9	42



Grommet at left



Grommet at right

SPECIFY

Code

Base

Metal

Cap Model

Grommet

TZ- - L1 - - - -

Code: Consult the product code above

Base: Refer to the different types of finishes, [see p.59](#).


Metal: Specify the metal finish, [see p.61](#). (34 colors).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), or cable pole on the end (EP).

Grommets: Grommet option, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position: at left (...L), or at right (...R). Example: G1L. Add \$42. No Grommet, choose the NG Option.

Reconfiguration laminate end panel for shared benching tables with doors - 2-sided

Reconfiguration laminate end panel for shared benching 2-sided table with doors.
Optional grommet available on the end panel.
One metal finishing cap is included. The model of cap must be specified.
The metal brackets are always in the charcoal finish (3064).



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
60 1/4	27 7/8	KBDLEP6028	484	4.9	53
48 1/4	27 7/8	KBDLEP4828	455	3.9	42


SPECIFY

Code Base Metal Cap Model Grommet
TZ- - L1 - - -

Code: Consult the product code above
Base: Refer to the different types of finishes, [see p.59](#).
Metal: Specify the metal finish, [see p.61](#). (34 colors).
Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), or cable pole on the end (EP).
Grommets: Grommet option, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position: at left (...L), or at right (...R). Example: G1L. Add \$42. No Grommet, choose the NG Option.

Reconfiguration laminate intermediate panel for shared
benching tables - 2-sided

Reconfiguration laminate intermediate panel for shared benching 2-sided table.
Charcoal grommet included.
The metal part is always in the charcoal finish (3064).



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
60 1/4	27 7/8	KBLiP6028	639	4.9	53
48 1/4	27 7/8	KBLiP4828	611	3.9	42
32	27 7/8	KBLiP3228	496	2.3	28

SPECIFY

Code

Base

TZ-

-

L1-

Code:


Consult the product code above

Base:

Refer to the different types of finishes, [see p.59](#).

Reconfiguration open metal end panel for open shared benching tables - 2-sided

Reconfiguration open metal end panel for open shared benching 2-sided table.
One metal finishing cap is included. The model of cap must be specified.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
60 1/4	27 7/8	KBOOEP6028	516	4.9	22
48 1/4	27 7/8	KBOOEP4828	497	2.3	28

SPECIFY

Code Metal 1 Metal 2 Cap Model
TZ- - - -


Code: Consult the product code above

Metal 1 (End panel) & Metal 2 (Cap): Specify the metal finish, [see p.61. \(34 colors\)](#).

Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), or cable pole on the end (EP).

Reconfiguration open metal end panel for shared benching tables with doors - 2-sided

Reconfiguration open metal end panel for shared benching 2-sided table with doors.
One metal finishing cap is included. The model of cap must be specified.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
60 1/4	27 7/8	KBDOEP6028	546	4.9	22
48 1/4	27 7/8	KBDOEP4828	527	2.3	28


SPECIFY

Code Metal 1 Metal 2 Cap Model
TZ- - - -

Code: Consult the product code above
Metal 1 (End panel) & Metal 2 (Cap): Specify the metal finish, [see p.61. \(34 colors\)](#).
Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), or cable pole on the end (EP).

Reconfiguration open metal intermediate panel for shared benching tables - 2-sided

Reconfiguration open metal intermediate panel for shared benching 2-sided table.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
60 ¼	27 7⁄8	KBOiP6028	813	4.9	22
48 ¼	27 7⁄8	KBOiP4828	785	3.9	19
24	27 7⁄8	KBOiP2428	511	2.3	16


SPECIFY

Code Metal
TZ- -

Code: Consult the product code above
Metal: Specify the metal finish, [see p.61](#). (34 colors).

Reconfiguration combined materials end panel for open shared benching tables - 2-sided

Reconfiguration combined materials end panels (metal / laminate) for open shared benching 2-sided table.
One metal finishing cap is included. The model of cap must be specified.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
60 ¼	27 7⁄8	KBOXEP6028	680	4.9	53
48 ¼	27 7⁄8	KBOXEP4828	662	2.3	42

SPECIFY

Code

Base

Metal 1

Metal 2


Cap Model

TZ-----

Code: Consult the product code above
Base: Refer to the different types of finishes, [see p.59](#).
Metal 1 (End panel) & Metal 2 (Cap): Specify the metal finish, [see p.61](#). (34 colors).
Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), or cable pole on the end (EP).

Reconfiguration combined materials end panel for shared benching tables with doors - 2-sided

Reconfiguration combined materials end panels (metal / laminate) for shared benching 2-sided table with doors.
One metal finishing cap is included. The model of cap must be specified.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
60 1/4	27 7/8	KBDXEP6028	708	4.9	53
48 1/4	27 7/8	KBDXEP4828	691	2.3	42

SPECIFY

Code Base Metal 1 Metal 2 Cap Model
TZ- - - - -

Code: Consult the product code above
Base: Refer to the different types of finishes, [see p.59](#).
Metal 1 (End panel) & Metal 2 (Cap): Specify the metal finish, [see p.61](#). (34 colors).
Finishing Caps: Specify the model of the finishing caps by indicating the position(s) of an eventual cable pole: without cable pole (NP), or cable pole on the end (EP).

Reconfiguration modesty panels



Modesty panels

Reconfiguration modestie for shared benching tables

J02







A
B
C
D
E
F
G
H
I
J
K

Reconfiguration modestie for shared benching tables - 2-sided (with laminate panels)

Reconfiguration modesty for shared benching 2-sided table (with laminate panels).



Modesty Panel Position



Dimensions		Code	Price	Spec.	
for use with surface	B			Cu.Ft.	lb
POSITION A					
72	13	KBMLA7213	205	0.7	24
66	13	KBMLA6613	194	0.6	22
60	13	KBMLA6013	181	0.6	20
54	13	KBMLA5413	168	0.5	18
48	13	KBMLA4813	155	0.5	16
42	13	KBMLA4213	144	0.4	14
36	13	KBMLA3613	128	0.3	12
POSITION B					
72	13	KBMLB7213	205	0.7	24
66	13	KBMLB6613	194	0.6	22
60	13	KBMLB6013	181	0.6	20
54	13	KBMLB5413	168	0.5	18
48	13	KBMLB4813	155	0.5	16
42	13	KBMLB4213	144	0.4	14
36	13	KBMLB3613	128	0.3	12

SPECIFY

Code Base
TZ- - L -

Code: Consult the product code above

Base: Refer to the different types of finishes, [see p.59](#).

Reconfiguration modestie for shared benching tables - 2-sided
(with laminate panels) (cont'd)

Dimensions		Code	Price	Spec.	
for use with surface	B			Cu.Ft.	lb
POSITION C					
72	13	KBMLC7213	205	0.7	24
66	13	KBMLC6613	194	0.6	22
60	13	KBMLC6013	181	0.6	20
54	13	KBMLC5413	168	0.5	18
48	13	KBMLC4813	155	0.5	16
42	13	KBMLC4213	144	0.4	14
36	13	KBMLC3613	128	0.3	12

SPECIFY

Code

Base

TZ-

-


L-

Code: Consult the product code above


Base: Refer to the different types of finishes, see p.59.

Reconfiguration modesty for shared benching tables - 2-sided (with open metal panels or combined panels)

Reconfiguration modesty for shared benching 2-sided table (with open metal panels or combined panels).



Modesty Panel Position



Dimensions		Code	Price	Spec.	
for use with surface	B			Cu.Ft.	lb
POSITION A					
72	13	KBMMA7213	205	0.7	24
66	13	KBMMA6613	194	0.6	22
60	13	KBMMA6013	181	0.6	20
54	13	KBMMA5413	168	0.5	18
48	13	KBMMA4813	155	0.5	16
42	13	KBMMA4213	144	0.4	14
36	13	KBMMA3613	128	0.3	12
POSITION B					
72	13	KBMMB7213	205	0.7	24
66	13	KBMMB6613	194	0.6	22
60	13	KBMMB6013	181	0.6	20
54	13	KBMMB5413	168	0.5	18
48	13	KBMMB4813	155	0.5	16
42	13	KBMMB4213	144	0.4	14
36	13	KBMMB3613	128	0.3	12

SPECIFY

Code Base
TZ- - L -

Code: Consult the product code above

Base: Refer to the different types of finishes, [see p.59](#).

Reconfiguration modesty for shared benching tables - 2-sided
(with open metal panels or combined panels) (cont'd)

Dimensions		Code	Price	Spec.	
for use with surface	B			Cu.Ft.	lb
POSITION C					
72	13	KBMMC7213	205	0.7	24
66	13	KBMMC6613	194	0.6	22
60	13	KBMMC6013	181	0.6	20
54	13	KBMMC5413	168	0.5	18
48	13	KBMMC4813	155	0.5	16
42	13	KBMMC4213	144	0.4	14
36	13	KBMMC3613	128	0.3	12

SPECIFY

Code

Base

TZ-

-

L-

Code: Consult the product code above

Base: Refer to the different types of finishes, see p.59.

Privacy panels



Privacy panels


Laminate privacy panel	K02
glass privacy panel	K03
acrylic privacy panel	K04
felt privacy panel with rounded corners	K05
tackable fabric privacy panel with rounded corners	K06
metal lateral panel	K07

Laminate privacy panel

Laminate privacy panel for shared benching tables (open or with doors).

1¹/₁₆" thick.

Installs on the laminate modestie with the provided metal supports.



Dimensions			Code	L	S	Spec.	
A	B	for use with surface		T.F.L.	FENIX	Cu.Ft.	lb
25" HIGH							
67	24 1/2	72"	BPPL6725	566	2150	2.8	31
61	24 1/2	66"	BPPL6125	541	1985	2.6	29
55	24 1/2	60"	BPPL5525	524	1826	2.4	26
49	24 1/2	54"	BPPL4925	500	1661	2.2	23
43	24 1/2	48"	BPPL4325	478	1501	1.9	20
37	24 1/2	42"	BPPL3725	456	1337	1.8	18
31	24 1/2	36"	BPPL3125	435	1176	1.6	16
15" HIGH							
67	15 1/4	72"	BPPL6715	469	1297	2.0	22
61	15 1/4	66"	BPPL6115	466	1231	1.9	21
55	15 1/4	60"	BPPL5515	397	1110	1.7	19
49	15 1/4	54"	BPPL4915	394	1049	1.6	17
43	15 1/4	48"	BPPL4315	350	935	1.4	15
37	15 1/4	42"	BPPL3715	345	889	1.3	13
31	15 1/4	36"	BPPL3115	341	828	1.2	12
13" HIGH							
67	12 1/2	72"	BPPL6713	452	1160	1.8	19
61	12 1/2	66"	BPPL6113	448	1094	1.7	18
55	12 1/2	60"	BPPL5513	380	973	1.5	17
49	12 1/2	54"	BPPL4913	378	915	1.4	15
43	12 1/2	48"	BPPL4313	334	801	1.2	14
37	12 1/2	42"	BPPL3713	330	752	1.1	12
31	12 1/2	36"	BPPL3113	324	693	1.0	11

SPECIFY

Code L / S Base Metal
 TZ - - - -

Code: Consult the product code above


L / S: Specify the code identifying the type of finish (L= T.F.L. 1¹/₁₆", S= FENIX 1¹/₁₆").

Base: Finis Take Off, [see p.59](#).

Metal: Specify the metal finish, [see p.61 \(34 colors\)](#).

Glass privacy panel

Glass privacy panel for shared benching tables (open or with doors).
¼" thick.
Installs on a work surface with the provided metal supports.



Dimensions			Code	Gi	CL	Spec.	
A	B	for use with surface		Frosted	Clear	Cu.Ft.	lb
15" HIGH							
67	15 ¼	72"	BPPG6715	536	321	0.6	21
61	15 ¼	66"	BPPG6115	511	309	0.6	19
55	15 ¼	60"	BPPG5515	468	294	0.5	18
49	15 ¼	54"	BPPG4915	457	287	0.5	16
43	15 ¼	48"	BPPG4315	440	275	0.5	14

SPECIFY


Code Glass Metal
TZ- - -

Code: Consult the product code above
Glass: Glass finish Frosted (Gi) or Clear (CL).
Metal: Specify the metal finish, [see p.61 \(34 colors\)](#).

Acrylic privacy panel

Acrylic privacy panel for shared benching tables (open or with doors).
1/4" thick.

Installs on a work surface with the provided metal supports.



Dimensions			Code	Gi	CL	Spec.	
A	B	for use with surface		Frosted	Clear	Cu.Ft.	lb
25" HIGH							
67	24 1/2	72"	BPPA6725	807	665	0.6	13
61	24 1/2	66"	BPPA6125	761	631	0.5	12
55	24 1/2	60"	BPPA5525	674	557	0.5	11
49	24 1/2	54"	BPPA4925	590	487	0.5	9
43	24 1/2	48"	BPPA4325	545	455	0.4	8
37	24 1/2	42"	BPPA3725	501	422	0.4	7
31	24 1/2	36"	BPPA3125	459	393	0.3	6
15" HIGH							
67	15 1/4	72"	BPPA6715	604	510	0.4	9
61	15 1/4	66"	BPPA6115	573	495	0.4	8
55	15 1/4	60"	BPPA5515	509	439	0.4	7
49	15 1/4	54"	BPPA4915	440	379	0.3	6
43	15 1/4	48"	BPPA4315	420	360	0.3	6
37	15 1/4	42"	BPPA3715	389	342	0.3	5
31	15 1/4	36"	BPPA3115	361	322	0.3	4
13" HIGH							
67	12 1/2	72"	BPPA6713	545	470	0.4	7
61	12 1/2	66"	BPPA6113	524	456	0.4	7
55	12 1/2	60"	BPPA5513	423	362	0.3	6
49	12 1/2	54"	BPPA4913	404	350	0.3	5
43	12 1/2	48"	BPPA4313	379	336	0.3	5
37	12 1/2	42"	BPPA3713	358	317	0.3	4
31	12 1/2	36"	BPPA3113	338	303	0.2	3

SPECIFY

Code Acrylic Metal
TZ - - -


Code: Consult the product code above

Acrylic: Acrylic finish Frosted (**Gi**) or Clear (**CL**).

Metal: Specify the metal finish, [see p.61 \(34 colors\)](#).

Felt privacy panel with rounded corners

Felt privacy panel with rounded corners for shared benching tables (open or with doors).
3/4" thick.
Installs on a work surface with the provided metal supports.



Dimensions			Code	Price	Spec.	
A	B	for use with surface			Cu.Ft.	lb
25" HIGH						
67	24 ½	72"	BPPFA6725	819	1.6	6
61	24 ½	66"	BPPFA6125	793	1.4	6
55	24 ½	60"	BPPFA5525	641	1.4	5
49	24 ½	54"	BPPFA4925	609	1.1	5
43	24 ½	48"	BPPFA4325	576	1.1	4
37	24 ½	42"	BPPFA3725	545	1.1	3
31	24 ½	36"	BPPFA3125	510	0.8	3
15" HIGH						
67	15 ¼	72"	BPPFA6715	684	1.4	4
61	15 ¼	66"	BPPFA6115	678	1.1	4
55	15 ¼	60"	BPPFA5515	555	1.1	3
49	15 ¼	54"	BPPFA4915	523	1.0	3
43	15 ¼	48"	BPPFA4315	488	1.0	3
37	15 ¼	42"	BPPFA3715	462	1.0	2
31	15 ¼	36"	BPPFA3115	446	0.7	2
13" HIGH						
67	12 ½	72"	BPPFA6713	632	1.4	4
61	12 ½	66"	BPPFA6113	630	1.1	3
55	12 ½	60"	BPPFA5513	509	1.1	3
49	12 ½	54"	BPPFA4913	477	1.0	3
43	12 ½	48"	BPPFA4313	450	1.0	2
37	12 ½	42"	BPPFA3713	430	1.0	2
31	12 ½	36"	BPPFA3113	410	0.7	2

SPECIFY

Code Felt Metal

TZ- - -


Code: Consult the product code above
Felt: Specify your choice of felt: Dune (FE12), Mist FE11, Shadow FE03 or Storm FE36, see p.60.
Metal: Specify the metal finish, see p.61 (34 colors).

Tackable fabric privacy panel with rounded corners

Tackable fabric privacy panel with rounded corners for shared benching tables (open or with doors).

¾" thick.

Installs on a work surface with the provided metal supports.



Dimensions			Code	Price						Spec.	
A	B	for use with surface		Gr.A	Gr.1	COM/Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
25" HIGH											
67	24 ½	72"	BPPTA6725	1223	1298	1396	1479	1596	1698	1.6	6
61	24 ½	66"	BPPTA6125	1167	1235	1324	1401	1506	1599	1.4	6
55	24 ½	60"	BPPTA5525	972	1035	1116	1184	1279	1361	1.4	5
49	24 ½	54"	BPPTA4925	910	965	1038	1097	1184	1258	1.1	5
43	24 ½	48"	BPPTA4325	847	894	959	1011	1087	1151	1.1	4
37	24 ½	42"	BPPTA3725	785	827	882	927	992	1047	1.1	3
31	24 ½	36"	BPPTA3125	721	755	801	838	893	939	0.8	3
15" HIGH											
67	15 ¼	72"	BPPTA6715	972	1022	1088	1142	1220	1286	1.4	4
61	15 ¼	66"	BPPTA6115	948	995	1053	1103	1172	1234	1.1	4
55	15 ¼	60"	BPPTA5515	795	835	890	933	998	1052	1.1	3
49	15 ¼	54"	BPPTA4915	740	777	825	865	923	971	0.9	3
43	15 ¼	48"	BPPTA4315	684	717	758	794	844	885	0.9	3
37	15 ¼	42"	BPPTA3715	639	665	702	732	775	812	0.9	2
31	15 ¼	36"	BPPTA3115	602	624	655	681	716	752	0.7	2
13" HIGH											
67	12 ½	72"	BPPTA6713	885	928	983	1029	1096	1152	1.4	4
61	12 ½	66"	BPPTA6113	870	906	957	999	1060	1112	1.1	3
55	12 ½	60"	BPPTA5513	719	754	799	836	891	937	1.1	3
49	12 ½	54"	BPPTA4913	669	700	740	774	822	864	0.9	3
43	12 ½	48"	BPPTA4313	622	650	685	713	757	794	0.9	2
37	12 ½	42"	BPPTA3713	586	610	636	665	702	734	0.9	2
31	12 ½	36"	BPPTA3113	549	568	593	614	647	672	0.7	2

SPECIFY

Code Fabric Metal
 TZ- - -




Code: Consult the product code above

Fabric: Refer to current Artopex panel fabric card.

Metal: Specify the metal finish, [see p.61](#). (34 colors).

Metal lateral panel (flush with the front of the surface)

Metal lateral panel, flush with the front of the surface.
1/8" thick.
Installs between surfaces or at the end of a surface.
Optional grooves in screen to hang metal accessories. Lenght of the grooves: 15 1/2".



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
LEFT					
26	15 1/4	LPML2615	152	1.1	13
20	15 1/4	LPML2015	127	1.0	10
RIGHT					
26	15 1/4	LPMR2615	152	1.1	13
20	15 1/4	LPMR2015	127	1.0	10

SPECIFY

OPTION

Code

Metal

Grooves

TZ-

-

-




Code: Consult the product code above

Metal: Specify the metal finish, see p.61. (34 colors).

Grooves: Optional grooves in the panel (OO), no upcharge.

Extended metal lateral panel (exceeding 6" in front of the surface)

Metal lateral panel, exceeding 6" in front of the surface.
 ⅛" thick.
 Installs between surfaces or at the end of a surface.
 Optional grooves in screen to hang metal accessories. Lenght of the grooves: 15 ½".



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
LEFT					
26	15 ¼	LPMEL3215	177	1.4	16
20	15 ¼	LPMEL2615	153	1.1	13
RIGHT					
26	15 ¼	LPMER3215	177	1.4	16
20	15 ¼	LPMER2615	153	1.1	13

SPECIFY

OPTION

Code

Metal

Grooves

TZ-

-

-

Code:

Consult the product code above

Metal:

Specify the metal finish, [see p.61](#). (34 colors).

Grooves:

Optional grooves in the panel (OO), no upcharge.





A
B
C
D
E
F
G
H
I
J
K

Update summary

Update summary

January 20th 2025

PAGES	SECTION	PRODUCT	MODIFICATION
			Overall price increase of 3% (some exceptions).

i

A

B

C

D

E

F

G

H

I

J

K

Designing, manufacturing,
advising, planning and supporting:
that's the art that distinguishes
our purpose at Artopex.

ARTOPEX
Head Office
artopex.com

800 Vadnais Street
Granby, QC, Canada J2J 1A7
T 1 800 378 0189