

Take off

Adjustable tables



USA
price list

Effective January 31st, 2018


updated – January 20th, 2025
update summary – p.82



LAZER EDGE

artopex[®]

Interactive Buttons



Main Table of Contents.



Product Index.



The first page of the General Information section.



Go back to the page you previously viewed.



interactive links

index, page tabs & page references

– document optimized for dual pages view

Visual index	04
General information	10
Adjustable tables	42
Adjustable E-Motion tables	54
Pneumatic adjustable tables	58
Storage and tops	60
Complements	70

Visual index




Adjustable tables II

Rectangular tables

44


T3i2970
T3i2964
T3i2958
T3i2952
T3i2946
T3i2370
T3i2364
T3i2358
T3i2352
T3i2346



120° corner table with curved interior access

48


T3CV29585829
T3CV29525229
T3CV29464629
T3CV23585823
T3CV23525223
T3CV23464623



90° left extended corner tables with rounded corners and with curved interior access

52


T3COLA23297082
T3COLA23297070
T3COLA23295870
T3COLA23237082
T3COLA23237070
T3COLA23235870
T3COLA23234670
T3COLA23235858
T3COLA23234658



90° corner table with rectangular reversible surface

45


T3CR23297670
T3CR23297070
T3CR23296470
T3CR23237070
T3CR23236470
T3CR23235870



Rectangular tables with rounded corners

49


T3iA2970
T3iA2964
T3iA2958
T3iA2952
T3iA2946
T3iA2370
T3iA2364
T3iA2358
T3iA2352
T3iA2346



120° corner table with rounded corners curved interior access

53


T3CVA29585829
T3CVA29525229
T3CVA29464629
T3CVA23585823
T3CVA23525223
T3CVA23464623



90° right extended corner tables with curved interior access

46


T3COR23297082
T3COR23297070
T3COR23295870
T3COR23237082
T3COR23237070
T3COR23235870
T3COR23234670
T3COR23235858
T3COR23234658



90° corner table with rounded corners and with rectangular reversible surface

50


T3CRA23297670
T3CRA23297070
T3CRA23296470
T3CRA23237070
T3CRA23236470
T3CRA23235870



90° left extended corner tables with curved interior access

47


T3COL23297082
T3COL23297070
T3COL23295870
T3COL23237082
T3COL23237070
T3COL23235870
T3COL23234670
T3COL23235858
T3COL23234658



90° right extended corner tables with corners and with curved interior access

51

T3CORA23297082
T3CORA23297070
T3CORA23295870
T3CORA23237082
T3CORA23237070
T3CORA23235870
T3CORA23234670
T3CORA23235858
T3CORA23234658




E-Motions adjustable tables

Rectangular tables

55


TAE3Pi2970
TAE3Pi2964
TAE3Pi2958
TAE3Pi2952
TAE3Pi2946



TAE3Pi2370
TAE3Pi2364
TAE3Pi2358
TAE3Pi2352
TAE3Pi2346

Rectangular tables with rounded corners 56

TAE3PiA2970
TAE3PiA2964
TAE3PiA2958
TAE3PiA2952
TAE3PiA2946




TAE3PiA2370
TAE3PiA2364
TAE3PiA2358
TAE3PiA2352
TAE3PiA2346


Pneumatic tables

Pneumatic adjustable tables 59

POPUPS3030
POPUPS2424



POPUPSR3030
POPUPSR2424



POPUPR30




Storage

Bookcases without top with space at the back - 18 1/2" H.

62

BKNBA243618
BKNBA243018
BKNBA213618
BKNBA213018




Combined storage units without top - 18 1/2" H.

67

LDUFNA243618
LDUFNA243018
LDUFNA213618
LDUFNA213018


LUFDNA243618
LUFDNA243018
LUFDNA213618
LUFDNA213018



2 Door cabinets without top with space at the back - 18 1/2" H.

63


LDNBA243618
LDNBA243018
LDNBA213618
LDNBA213018



Bookcases without top - 18 1/2" H.

64

BKNA243618
BKNA243018
BKNA213618
BKNA213018




Tops with cutout for credenza

68

LTOPAL2472
LTOPAL2466
LTOPAL2460
LTOPAL2436


LTOPAL2172
LTOPAL2166
LTOPAL2160
LTOPAL2136



2 Door cabinets without top - 18 1/2" H.


65

LDNA243618
LDNA243018
LDNA213618
LDNA213018



LTOPAR2472
LTOPAR2466
LTOPAR2460
LTOPAR2436


LTOPAR2172
LTOPAR2166
LTOPAR2160
LTOPAR2136



2 Drawer storage units without top - 18 1/2" H.

66


LUFNA243618
LUFNA243018
LUFNA213618
LUFNA213018



Tops with cutout in center for storage unit

69

LTOPA2430
LTOPA2130




Complements

Box for adjustable leg

72


BOX1A290519



Set of boxes for adjustable legs with inserts for modesty panel

73


BOX2A290519



Laminate modesty panel for leg boxes

74


MBOXA1959
MBOXA1953
MBOXA1947
MBOXA1941
MBOXA1935



Laminate surface attached modesties

75

PPBOXA2258
PPBOXA2252
PPBOXA2246
PPBOXA2240
PPBOXA2234




PPBOXCA2243
PPBOXCA2237
PPBOXCA2231

PPBOXCA2240
PPBOXCA2234
PPBOXCA2228


Accessory bars on posts

76

VAPBS1266
VAPBS1260
VAPBS1254
VAPBS1248
VAPBS1242
VAPBS1236
VAPBS1230




VAPBD1266
VAPBD1260
VAPBD1254
VAPBD1248
VAPBD1242
VAPBD1236
VAPBD1230



Frosted acrylic screens

77


VRB66
VRB60
VRB54
VRB48
VRB42
VRB36
VRB30



Spacing brackets

78


AC-OSB



Casters for adjustable table bases

78


TL-CAS4



Short footing

79


AC-BUNF



"C" foot for laminate or metal recessed end panel

80

PIEC24
PIEC18



General informations



General information

height adjustable table sets	14
general characteristics	15
meeting table with pneumatic base adjustment system	17
table base with electrical adjustment	17
electric height adjustment	19
surface shapes and dimensions	20
grommets	22
multi-outlet	23
complements	25
storage	27
cable management	33
different types of finishes	37
codification example	41
configuration example	41

Adaptable and versatile models.

The adjustable table can evolve according to your needs by adding sections to gain more work surface.





Take Off adjustable tables work in open office configurations, in collaborative settings and in private offices.

They adapt to all tasks in any environment and their sleek, contemporary lines blend ingeniously with all Artopex collections.


This list includes tables from the Take Off collection with height adjustment, storage to hide an adjustable leg, box for adjustable leg, modesty and related accessories.

Height adjustable table sets

It is possible to add various accessories to hide the leg (s) of an adjustable table II model.

These complements are 19 ¾ high to clear the top of the structure of the adjustable tables when they are lowered (23 ½" above the surface).

The rectangular leg cover partially conceals the leg (s) of an adjustable table. The bookcase and storage cabinet come with a space in the back that also partially conceals the height adjustable table leg. It is possible to create a credenza by combining 2 storage units and adding a surface covering all of these storage units. Modesties are available, and installed in a fixed position on the leg covers or under the surface to follow the adjustable table motion.



General characteristics

Materials

Surfaces are made of 1" (25 mm) thick particuleboard panels in Thermally fused laminate (T.F.L.) or High pressure laminate (H.P.L.).

H.P.L. adds 1/16" (1.6 mm) to surface thickness. Edge is 1/16" (1.5 mm) thick ABS in matching or contrasting colors.

The cabinet of the storage units, the fronts and the modesty panels are made of 1 1/16" (17.5 mm) particuleboard panels. The outline of these panels (edge banding) is made of 3/32" PVC. (2.5mm) thick color matched with laminate.

Table surfaces, storage fronts & tops are also available in "FENIX" H.P.L.

Laminate finishes

The available finishes are divided into 2 categories:

- The "Surface" finish (applied on the surface of tables or storage).
- The "Edge banding" finish (surface contour).
- The "Base" finish (applied to the sides and back of the storage).
- The "Front" finish (applied to the front of drawers/doors of storage).

Refer to the product descriptions and finish chart for more information, [see p.37-38](#).

Metal finish

Legs and some metal components are available in a choice of finishes.

Please refer to the product description and finish choice chart for further details, [see p.39](#).

Wood grain direction

Surfaces

The wood grain runs parallel to the longest side of the surface.


Back, doors and fronts

The wood grain is positioned vertically on:

- the sides of the storage units
- the swinging doors

Horizontally on:

- the drawer fronts
- the back of the storage units
- modesties



General characteristics (cont'd)

Assembly and hardware

The adjustable tables are delivered knockdown with the base components packaged in multiple boxes with the necessary hardware included. Pre-drilled holes are provided to facilitate the positioning of the base for installation.

Storage does not require any assembly on delivery other than levelers and handles.

Doors

The doors have hinges which allow an opening of 110°.


Drawers

The drawers are equipped with progressive sliding slides with ball bearings having a total extension of 16". The load capacity is 100 lbs for the 6" and 12" drawers and 150 lbs for the side drawers of the die. All drawer slides meet the BIFMA standard.


Drawer Accessories

All storage including at least one 6" utility drawer has an included pencil tray that can be installed either in width or in length.

The file drawers have PVC profiles around their edges which can accommodate letter or legal size files. A filing bar (letter size) is included with all combination storage with file drawers (12"). Front-to-back filing bars must be ordered separately for the side file drawers. See price list Accessories for more details.



Pencil tray installed in width or length




Locks: Noki Electronic locks / Locks & keys

Storage units with doors or drawers have the option of adding a lock.

The option of key locks, locks with identical keys and Noki electronic locks is available for all these units. It is also possible to specify no lock. To be specified under the "Lock" column of the coding line.

Noki is a simple and efficient locking system.

- A unique combination per user, department or storage unit as required (more than 9,000 combinations).
- A forgotten code, an absent user... use the master key or an authorized person may obtain a master code from Artopex.
- After four attempts to open with a wrong code, a brief alarm sounds.
- Powered by batteries (included), easy access to change batteries.



Meeting table with pneumatic base adjustment system

The adjustable meeting tables have a metal base with a White, Silver or Black finish.

The cross base is 26 1/2" wide. 4 1/2" long levelers or 4 2" wide casters can be installed and are included in the hardware bag.

The central column is a circular tube, 3" dia. The 15 1/4" adjustment range allows you to reach a minimum height of 27 1/4" with levelers or 29" with casters and a maximum height of 42 1/2" with levelers or 44 1/2" with casters.

The maximum recommended load is 8 kg (17,6 lbs) for proper operation of the adjustment system.



Table base with electrical adjustment

Both the **Adjustable Table II** and the **E-motion** adjustable table series are available with 3-section T-bases with electric height adjustment.



Leg with 3 sections

Base with "T" legs

Adjustable tables II

This table series is available in a choice of shapes with square or rounded corners.



Rayon 1 3/8" (35mm)

Rounded corners

E-Motion adjustable tables

This table series is only available in a rectangular shape with square or rounded corners.



Rayon 1 3/8" (35mm)

Rounded corners

Electric height adjustable tables

Cable ties

Cable ties are supplied with the bases to secure cables under the surface.

Castors

A set of four 2" H. black plastic castors (2 with brake and 2 without) can be ordered. They will replace the levelers, to be installed on site.


Surface dimensions

Surfaces are 1" shorter in depth and 2" shorter in width than freestanding Take Off tables. The 1" clearance created when the table is surrounded by partitions, dividing screens or panel systems prevents fingers from being pinched when the mechanism is activated.




IMPORTANT:

For security reasons: ensure a minimum clearance of 1" on all sides of the table when placed with freestanding furniture.



IMPORTANT:

For safety reasons: A minimum gap of 3" between the underside of the hutch and the top of the adjustable table is recommended when it is at its maximum height.




Electric height adjustable tables

Adjustable Tables II



- Available with 2 legs for rectangular tables and 3 legs for corner or return tables.
- Structure: independent legs with stiffener.
- Digital display keypad with 3 customized heights.




- Electric height adjustment: 24 ½" to 50" high, includes 1" surface.
- "T" legs – rectangular column 3 sections 80 x 50mm.
- Leg length: 23 ½" for 23" deep surface and 27 ½" for 29" deep surface.
- Short ½" adjustment levelers for stability and included longer levelers for 1" adjustment.
- Available base colors: Black, White and Silver.
- Operating speed: 38mm (1 ½") per second.
- Collision sensor.
- Power cord: 107".
- Noise level: 42 dB.
- Load capacity (including surface weight):
 - 2-leg set: 320 lbs
 - 3-leg set: 385 lbs
- Complies with ANSI / BIFMA standards, UL (CAN-US) certified.

E-Motion adjustable tables





- Available with 2 legs for rectangular table.
- Structure: 2 legs joined by an extendable central structure (min. 41 ⅜", max. 73 ⅞").
- Digital display keypad with 4 customized heights..




- Electric height adjustment: 23 ⅞" to 48 ¾" high, includes 1" surface.
- "T" legs – rectangular column 3 sections 70 x 70mm.
- Leg length: 23 ½" for 23" & 29" deep surfaces.
- Short ½" adjustment levelers for stability.
- Available base colors: Black, White.
- Operating speed: 32mm (1 ¼") per second.
- Collision sensor.
- Power cord: 109".
- Noise level: 45 dB.
- Load capacity (including surface weight): 285 lbs.
- Complies with ANSI / BIFMA, UL certified (CAN-US), UL962.

Base position under the surface


Adjustable Tables II




Standard position




Position with clearance for lateral screens



E-Motion adjustable tables



Standard position



Position with clearance for lateral screens





Table WIDTH = width indicated in price list.

Interior clearance - vertical



The vertical clearance indicates the **free space under the structural beams of the adjustable table II** when the table is at its minimum height.

To ensure that the adjustable table is compatible with a mobile pedestal, a credenza or any other storage unit, refer to product heights as indicated in the price list.

Minimum interior clearance for leg cover kit




Adjustable Tables II



STORAGE CABINET
MAXIMUM
HEIGHT 19"

Adjustable E-Motion tables



Grommets


Adjustable table surfaces do not come standard with grommets, but you can add them under the (Grommet) section.

Grommets are also available on the sides of storage units.




IMPORTANT:

The grommets of these storage units cannot align with those of the freestanding Take Off price list. If the use of a column is required, it should be cut at the bottom to line up the openings.




It is also possible to add a grommet on the left (L) and / or on the right (R) on the tops with cutout for credenza or storage.

The finish must be specified: White (G1), Charcoal (G2), Frost (G3) or Black (G4) plastic. The grommet with the Artopex logo has a cover with two openings.



- Cover with two openings
- Opening to receive smaller wires (cell phone, USB plug, etc.)
- Opening to receive wires and cables of larger diameter (monitor, computer, lamp, etc.)




Dimensions of the interior space when the cover is removed

Multi-outlet (options)

Up to three recessed multi-outlet can be ordered on the surface of an adjustable table in the "Options" section (M-Outlet). The cutout for the multi-outlet is prepared at the factory, but the housing box must be fitted at the time of installation.


Recessed multi-outlet (UN) 1-circuit with conventional wall outlet connection - Black

- 6 $\frac{3}{8}$ " x 3 $\frac{1}{4}$ " on the surface.
- 2 grounded electrical outlets with 12A breakers.
- 2 cutouts for telecom adapter.
- 1 retractable cover that allows it to be closed when not in use.
- Power cord: 108" (9').
- Electrical component(s) certified to U.S. and Canadian electrical standards.
- Black finish.




Dean multi-outlet with conventional wall outlet connection (WB) white, (WN) black

- 6 $\frac{5}{8}$ " x 2 $\frac{5}{16}$ " on the surface.
- 2 x 15A electrical outlets.
- 1 USB-A 18W, 5V, 1.5 amp. for recharging.
- 1 USB-C 25W, 20V, 1.25 amp. for recharging.
- Power cord: 120" (10').
- Electrical component(s) certified to applicable U.S. and Canadian electrical standards.




Multi-outlet with conventional wall outlet connection (XB) white, (XN) black

- 6 $\frac{5}{8}$ " x 2 $\frac{3}{4}$ " on the surface.
- 2 prises électriques 120V AC, 12A.
- 1 USB-A 18W, 5V, 1.5 amp. for recharging.
- 1 USB-C 25W, 20V, 1.25 amp. for recharging.
- Power cord: 118" (9'10").
- Electrical component(s) certified to applicable U.S. and Canadian electrical standards.






IMPORTANT:



The module will be visible under the table. It can be concealed by adding a Take Off modesty panel (sold separately).






Grommet and multi-outlet positions






Reversible






120°





Extended on the right



Extended on the left




Top with credenza cutout (grommet option only)



IMPORTANT:
Grommets and multi-outlets cannot be specified at the same position.

ATTENTION:
It's not possible to specify a multi-outlet above a credenza.



Storage

Bookcases and cabinet type storage (30" and 36" W.) are available with a space at the back. This space can accommodate a 27 ½" leg (29" D. table). A removable back allows the adjustable leg to be easily positioned inside the storage. When removed, this back allows easy access to the outlet and wiring when the storage is against a wall. When the back of the storage is exposed, the removable facade conceals the leg and all the wiring. A 30" W. top with a cutout at the center can be used with a 30" W. storage with a table.

Bookcase storage, featuring 2 doors, 2 drawers as well as 60", 66" and 72" tops with a left or right cutout are also available to create personalized credenza. LTOP surfaces from Take Off freestanding price list can be used if no cutting is required.

Two storage categories are available:

- Storage units without top with space at the back for the adjustable leg: bookcase or 2-door cabinet
- Storage without compatible top used to create a credenza.

Storage has no kick plate. The facades are situated approximately 1" from the ground.


Grommet on the left and / or right sides are available as an option.

Top with cutout for storage and credenza




Top with cutout in the center for 30" storage and on the left or right for 36" storage and 60", 66", 72" credenza serving as a clearance for the column of the leg of an adjustable table II model 29" D. only.

The cutout must be above a storage with space at the back (BKNBA or LDNBA).

Left and right grommets available as an option.



Storage (cont'd)



Complements


Leg Cover

The rectangular shaped leg cover conceals the leg (s) of an adjustable table for a more executive look.

The leg cover is 19 3/4" high to clear the top of the frame of the adjustable tables when they are lowered to the lowest (23 1/8" above the surface).

The leg cover is only compatible with 29" deep tables. When installed, a 1/2" clearance is provided on the side to the edge of the table.

A removable door on the outside allows easy installation of the leg of an adjustable table and an opening on the top ensures proper movement of the column.



Laminate modesties for leg boxes


The modesty is fixed between two leg covers provided with the provided assembly screws.

It is the same height as the leg covers, 19 3/4" H. and recessed by 6".

Laminate modesties for surface

Modesty attaches itself below the surface and will follow the surface motion. It is 22" high. For a perfect fit between two leg covers or one leg cover and a credenza (21 or 24" D.), refer to the price list to choose the right size.

When used alone, the surface modesty can be installed to the desired depth, with a greater or lesser recess or without a recess. When paired with a modesty for leg covers, it must be installed at a minimum distance of 1" in front of the leg cover to clear the supports.



ATTENTION

The modesty under the surface is not compatible with the 2-door cabinet. It will prevent one of the doors from opening. Instead, use the bookcase upside down with space in the back.


Complements (cont'd)

Accessory bar on posts


- Stronger than the Take Off single or double (VAPB_) accessory bars, this bar is designed for the installation of a flat screen arm-support and / or Artopex accessories. One functional side only.
- Metal accessory bar 12" H. x 1" thick with: 1 hanging section 4" H. (single) or 8" H. (double).
- Installs with screw clamps to a 1", 1 1/2" or 2" thick work surface.
- Accessory bar and posts are Silver finish with Black plastic finishing caps.
- Assembly screws are visible at the back of the accessory bar.

In general, the bar length is intended to allow for a 2 1/4" clearance on each side.


Length	For use with table (length):			
Bar	Rect. / dual-depth	Rect. corner	90° corner	120° corner
65 1/2"	70"	70-76"	70-82"	
59 1/2"	64"	64"		
53 1/2"	58"	58"	58"	58"
47 1/2"	52"			52"
41 1/2"	46"		46"	46"
35 1/2"				
29 1/2"				



Single accessory bars




- 2 supporting posts: 29 1/2" to 53 1/2" L.
1 flat screen arm-support can be attached.



- 3 supporting posts: 59 1/2" L. and more.
2 flat screen arm-supports can be attached.

Double accessory bars



- 2 supporting posts: 29 1/2" to 53 1/2" L.
1 flat screen arm-support can be attached.




- 3 supporting posts: 59 1/2" L. and more.
2 flat screen arm-supports can be attached.

Complements (cont'd)

IMPORTANT MODESTY PANEL AND ACCESSORY BAR




In order for the screw clamps to function under the surface, the accessory bar with posts can only be installed on an adjustable table with a recessed modesty panel.



8" H. frosted screens

Rectangular frosted (on one side) acrylic screen of the same length installs on the top of an accessory bar with posts (single or double) and attaches to the back with fastening clips.



Single accessory bar on posts with frosted screen

Complements (cont'd)


Take Off privacy panels, modesty panels and accessory bars

Privacy panels and modesty panels (laminated, frosted) as well as single or double-height accessory bars from the Take Off Freestanding collection can be installed on the adjustable tables.

The maximum length for an Take Off privacy or modesty panel or for an accessory bar on a adjustable table is 4" less than the length of the surface.

Screen	Rect.	Rect. corner	90° corner	120° corner
72"		76"	82"	
66"	70"	70"	70"	
60"	64"	64"		
54"	58"	58"	58"	58"
48"	56"			52"
42"	46"		46"	46"

Rectangular tables




Complements (cont'd)

Spacing brackets


The spacing brackets allow for the installation of ergonomic accessories under the surface of an adjustable table, or under any other surface equipped with structural beams. The brackets lower the installation plate of the accessory by 2 ¼" H. Brackets are made of metal with a black finish.

The spacing brackets install onto the keyboard tray or CPU support with bolts (included) then to the surface with screws.



Short footing for adjustable table II

The corner foot can be replaced with a short footing only on the Adjustable Table II series.



IMPORTANT:


The short footing can only replace a corner foot on corner tables with curved interior access: **TEE3PCO** and **TEE3PCV**.

Complements (cont'd)




"C" foot for recessed end panel

The "C" foot, made of painted metal must be installed on a laminate or metal half-leg. The foot is reversible and therefore works as much on the left leg (**CL table**) as for the right leg (**LC table**).




Wood screws for the laminate legs and self-drilling screws for the metal legs are supplied with each leg.




The 18" leg will be ideal on tables 18, 21 and 24" deep.




The 24" leg will be ideal on tables 24 and 30" deep.



Allows a table with half-leg to be stabilized when used as a return with a height adjustable table.
For example.



Laminate recessed end panel



Metal recessed end panel



IMPORTANT:

It is not possible to use 2 "C" feet on tables with 2 half-legs (**CC table**).

Cable management (items sold separately)

Components allow for the routing of cables under the surface of the Take Off adjustable table II.

Flexible braided sleeve


(see Accessory price list)

- To contain and route cables
- 1 ¼" diameter x 72" long.
- Provides cable management from the surface to the floor.
- Black polyester



Metal cable tray



Metal cable tray, with a silver finish, installs under a work surface, and allows for the routing of cabling. Cable access via both ends and sides. Opening can accommodate moveable outlets (AC-ECM, AC-ECMK), telecommunication outlets (AC-ERF, E2-ERD), or can accommodate 1-circuit electrical system, see Accessory price list.



Extendable wire manager

(see the Accessory price list)



- Installs under a surface with screws.
- 3 ½" diameter spiral extends up to 84" H.
- The floor base has a 6" diameter.
- Provides routing of wiring from surface to floor.
- Plastic, Black finish.



Configuration examples with electrical connection and cable management

Electrical unit - Air line


The electrical unit allows for cable management and can accommodate 4-circuit or 1-circuit system components.



The power cord is routed from under the electrical unit.

Axel Beam

Axel Beam with cable track option, allows the routing of wiring from the surface of the adjustable table to the electrical outlet of the Axel panel.




Configuration examples with electrical connection and cable management (cont'd)



Axel

Adjustable tables II can be integrated to Axel workstation layouts.

The removable credenza back allows access to the electrical and data outlets of the Axel panel with a few exceptions as shown below.



Configuration examples with electrical connection and cable management (cont'd)



The different types of finishes

Surfaces

T.F.L. & H.P.L.

DOLOMITE FINISH

-  Charcoal **F**
-  Frost **A**
-  White **BW**

SUEDE FINISH

-  Cayenne Maple **CM**
-  Cherry **CH**
-  Honey **HO***

SUPERMAT FINISH

-  Chestnut **CG**
-  Lago **LA**
-  Maritime Maple **EM**
-  Moka **PM**
-  Tobacco Cherry **TC**
-  Willow Grey **WG**

AURA FINISH

-  Carbon **CB**
-  Dalia **DA**
-  Galaxy **GX**
-  Ginger Root **GG**
-  Sea Salt **SM**
-  Sesame **SE**

KARISMA FINISH

-  First Class **ST**
-  Free Spirit **EL**
-  Sheer Beauty **BN**

* Honey: Suede finish for T.F.L. and Dolomite finish for the H.P.L.

FENIX H.P.L.

-  Bianco Kos **BK**
-  Grigio Londra **GL**
-  Grigio Bromo **GB**
-  Nero Ingo **FN**

Edges

Regular

-  Baltic Birch Plywood **MR**
-  Black **N**
-  Carbon **CB**
-  Cayenne Maple **CM**
-  Charcoal **F**
-  Cherry **CH**
-  Chestnut **CG**
-  Dalia **DA**
-  First Class **ST**
-  Free spirit **EL**
-  Frost **A**
-  Galaxy **GX**
-  Ginger Root **GG**
-  Honey **HO**
-  Lago **LA**
-  Maritime Maple **EM**
-  Moka **PM**
-  Sea Salt **SM**
-  Sesame **SE**
-  Sheer beauty **BN**
-  Tobacco Cherry **TC**
-  White **BW**
-  Willow Grey **WG**

FENIX

-  Bianco kos **BK**
-  Grigio londra **GL**
-  Grigio bromo **GB**
-  Nero ingo **FN**

The different types of finishes

Bases

T.F.L.

Dolomite finish

-  Black **N**
-  Charcoal **F**
-  Frost **A**
-  White **BW**

SUEDE FINISH

-  Cayenne Maple **CM**
-  Cherry **CH**
-  Honey **HO**

SUPERMAT FINISH

-  Chestnut **CG**
-  Lago **LA**
-  Maritime Maple **EM**
-  Willow Grey **WG**
-  Moka **PM**
-  Willow Grey **WG**

AURA FINISH

-  Carbon **CB**
-  Dalia **DA**
-  Galaxy **GX**
-  Ginger Root **GG**
-  Sea Salt **SM**
-  Sesame **SE**

KARISMA FINISH

-  First Class **ST**
-  Free Spirit **EL**
-  Sheer Beauty **BN**

Fronts

T.F.L.

DOLOMITE FINISH

-  Black **N**
-  Charcoal **F**
-  Frost **A**
-  White **BW**

SUEDE FINISH

-  Cayenne Maple **CM**
-  Cherry **CH**
-  Honey **HO**

SUPERMAT FINISH

-  Chestnut **CG**
-  Lago **LA**
-  Maritime Maple **EM**
-  Willow Grey **WG**
-  Moka **PM**
-  Willow Grey **WG**

AURA FINISH

-  Carbon **CB**
-  Dalia **DA**
-  Galaxy **GX**
-  Ginger Root **GG**
-  Sea Salt **SM**
-  Sesame **SE**

KARISMA FINISH

-  First Class **ST**
-  Free Spirit **EL**
-  Sheer Beauty **BN**

FENIX H.P.L.

-  Bianco Kos **BK**
-  Grigio Londra **GL**
-  Grigio Bromo **GB**
-  Nero Ingo **FN**

The different types of finishes

Metal

4 neutrals

-  Black **3067**
-  Charcoal **3064**
-  Polar White **3002**
-  Silver **3090**

Pneumatic mechanism base

-  Black **9067**
-  Silver **9090**
-  White **9002**

34 colors

- | | | | |
|---|--|---|---|
|  Abyss 3113 |  Cherry 3111 |  Grigio Londra 3486 * |  Shadow 3101 |
|  Amber 3108 |  China Blue 3048 |  Lemon 3104 |  Silver 3090 |
|  Antique White 3004 |  Eggshell 3005 |  Mimosa 3114 |  Smoothie 3109 |
|  Ashen 3370 |  Espresso 3076 |  Moka 3075 |  Source 3106 |
|  Bianco Kos 3488 * |  Fossil 3102 |  Navy 3050 |  Suede 3023 |
|  Black 3067 |  Frost 3065 |  Nero Ingo 3487 * |  Tangerine 3020 |
|  Cactus 310 5 |  Grenadine 3044 |  Polar White 3002 |  Warm Grey 3061 |
|  Champagne 3311 |  Grey 3063 |  Poppy 3110 | |
|  Charcoal 3064 |  Grigio Bromo 3485 * |  Sand 3009 | |

* Hypermats metallic colors

The different styles of pulls

Pulls



J - Satin Chrome



X - Aluminum



DN - Nickel DECO



YN - Brushed Nickel



YA - Antique Nickel



YB - Brushed Bronze



TN - Nickel TECHNO



MB - Matte Black TECHNO



WT - White TECHNO



ML - "L" Matte Black




WL - "L" White

Codification example

Rectangular table - electric height-adjustable

dimension: 23" x 58"



L1: Top 1" (T.F.L.)
Surface: Galaxy (T.F.L.)
Edge band: Galaxy
Grommet option: White (G1) Left (L)
Multi-outlet option: on the right (UNR)

Ordering code: **TZ-T3i2358-L1-GX/GX-G1L-UNR**


S SPECIFY

	Code		L1 / S1		Surface		Edge		Grommet		Multi-outlet
TZ -	T3i2358	-	L1	-	GX	/	GX	-	G1L	-	UNR

O OPTION

2 Door cabinets without top - 18 3/4" H.

dimension: 21" x 30"




Base: Sesame
Front: White
Grommet: Black (G42) Left and right

Ordering code: **TZ-L-LDNA213018-SE/BW-LX-G42**

S SPECIFY

	Code		Base		Front		Lock		Grommet		
TZ -	LDNA213018	-	L	-	SE	/	BW	-	LN	-	G42

Configuration example



TZ-T3i2970
TZ-BOX1A290520
TZ-BKNBA213018
TZ-LUFNA213018
TZ-LTOPAL2160
TZ-PPBOXCA2343

Rectangular table
Box for adjustable leg
Bookcase without top
2 Drawer storage unit without top
Top with left cutout
Laminate surface attached modesty

Price list



Electrical tables

rectangular tables	44
90° corner tables with rectangular reversible surface	45
90° right extended corner tables with curved interior access	46
120° corner tables with curved interior access	48
rectangular tables with rounded corners	49
90° corner tables with rounded corners with rectangular reversible surface	50
90° right extended corner tables with rounded corners with curved interior access	51
120° corner tables with rounded corners with curved interior access	53

Rectangular tables


Rectangular table with electric height adjustment. Adjustment range: 24 ½" to 50" H.

The control pad is programmable and installs on the front, left or right.


Base with "T" legs with levelers, White, Silver or Black finish. Assembly required.

Standard grommet or multi-outlet options available.

ADJUSTABLE TABLES



			Price					
Dimensions			Code	L1	S1	Spec.		
A	B	C		T.F.L.	H.P.L.	FENIX	Cu. Ft	lb
29	70	27½	T3i2970	2212	2700	3809	4.4	112
29	64	27½	T3i2964	2190	2647	3666	4.2	107
29	58	27½	T3i2958	2163	2589	3518	4.0	102
29	52	27½	T3i2952	2139	2535	3373	3.8	97
29	46	27½	T3i2946	2000	2358	3106	3.6	90
23	70	23½	T3i2370	2175	2591	3490	4.0	102
23	64	23½	T3i2364	2156	2548	3372	3.8	97
23	58	23½	T3i2358	2124	2492	3243	3.6	93
23	52	23½	T3i2352	2102	2445	3125	3.4	89
23	46	23½	T3i2346	1965	2277	2883	3.2	83



Grommet and multi-outlets positions

S SPECIFY

Code L1/S1 Surface Edge Metal Grommet M-Outlet

TZ - - - / - - -

O OPTION

S Code: Consult the above price list.

L1 / S1 : Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface / Edge: Specify Take Off finishes for the surface and edge, [see p.37](#).

Metal: Specify the leg finish: Black (9067), Silver (9090) or White (9002).

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). **Example: G1LCR.** Add \$42 each.

No Grommet, choose the **NG** Option, [see p.24](#).

O Multi-outlet: Option of "standard" multi-outlet (White **WB...** or Black **WN...**) at left ...L, centered ...C and/or at right ...R (+\$744 each) or (White **XB...** or Black **XN...**) at left ...L, centered ...C and/or at right ...R (+\$480 each) or (**UN...**) at left ...L, centered ...C and/or at right ...R, (+\$395 each), [see p.24](#).


90° corner tables with rectangular reversible surface

90° corner table with rectangular surface with electric height adjustment. Adjustment range: 24 1/2" to 50" H.


The control pad is programmable and installs on the front, left or right.

Base with "T" legs with levelers, White, Silver or Black finish. Assembly required.

Standard grommet or multi-outlet options available.



						Price				
Dimensions					Code	L1	S1	Spec.		
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu. Ft	lb
23	29	76	70	47	T3CR23297670	3414	4165	5372	6.7	171
23	29	70	70	41	T3CR23297070	3392	4115	5312	6.6	167
23	29	64	70	35	T3CR23296470	3363	4064	5249	6.4	163
23	23	70	70	47	T3CR23237070	3377	4057	5205	6.3	160
23	23	64	70	41	T3CR23236470	3356	4011	5144	6.1	156
23	23	58	70	35	T3CR23235870	3324	3953	5083	5.9	152



Grommet and multi-outlet positions

S SPECIFY

TZ - - - / - - - - - - -

O OPTIONS

S Code: Consult the above price list.

L1 / S1 : Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface / Edge: Specify Take Off finishes for the surface and edge, [see p.37](#).

Metal: Specify the leg finish: Black (9067), Silver (9090) or White (9002).

Grommet main surface: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). **Example: G1LCR.** Add \$42 each. No Grommet, choose the NG Option, [see p.24](#).

Grommet return surface: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) in the center (...E), add \$42 each. No Grommet, choose the NG Option, [see p.24](#).

O Multi-outlet main surface: Option of "standard" multi-outlet (White WB... or Black WN...) at left ...L, centered ...C and/or at right ...R (+\$744 each) or (White XB... or Black XN...) at left ...L, centered ...C and/or at right ...R (+\$480 each) or (UN...) at left ...L, centered ...C and/or at right ...R, (+\$395 each), [see p.24](#).

Multi-outlet return surface: Option of "Standard" multi-outlet (White WB... or Black WN...) centered ...E (+744 each) or (White XB... or Black XN...) centered ...E (+\$480 each) or (UN...) in the center ...E, (+\$395 each), [see p.24](#).


90° right extended corner tables with curved interior access

90° corner table with curved interior access with electric height adjustment. Adjustment range: 24 1/2" to 50" H.


The control pad is programmable and installs on the front, left or right.

Base with "T" legs with levelers, White, Silver or Black finish. Assembly required.

Standard grommet or multi-outlet options available.




46" AND 58" RETURN



70" RETURN

						Price				
Dimensions					Code	L1	S1	Spec.		
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu. Ft	lb
23	29	70	82	2	T3COR23297082	3659	4587	6554	8.1	179
23	29	70	70	2	T3COR23297070	3596	4430	6372	7.5	168
23	29	58	70	1	T3COR23295870	3368	4226	6152	7.8	160
23	23	70	82	2	T3COR23237082	3617	4536	6504	8.1	170
23	23	70	70	2	T3COR23237070	3551	4385	6326	7.5	162
23	23	58	70	1	T3COR23235870	3324	4179	6107	7.8	153
23	23	46	70	1	T3COR23234670	3173	3889	5417	6.8	144
23	23	58	58	1	T3COR23235858	3237	3975	5681	7.0	145
23	23	46	58	1	T3COR23234658	3094	3718	5070	6.1	136

E: Number of sections



Grommet and multi-outlet positions

S SPECIFY

Code L1/S1 Surface Edge Metal Grom. P Grom. R M-Outlet P M-Outlet R

TZ - - - / - - - - - -

S Code: Consult the above price list.

L1 / S1 : Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface / Edge: Specify Take Off finishes for the surface and edge, [see p.37](#).

Metal: Specify the leg finish: Black (9067), Silver (9090) or White (9002).

Grommet main surface: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). **Example: G1LCR.** Add \$42 each. No Grommet, choose the **NG** Option, [see p.24](#).

Grommet return surface: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) in the center (...E), add \$42 each. No Grommet, choose the **NG** Option, [see p.24](#).

Multi-outlet main surface: Option of "standard" multi-outlet (White WB... or Black WN...) at left ...L, centered ...C and/or at right ...R (+\$744 each) or (White XB... or Black XN...) at left ...L, centered ...C and/or at right ...R (+\$480 each) or (UN...) at left ...L, centered ...C and/or at right ...R, (+\$395 each), [see p.24](#).

Multi-outlet return surface: Option of "Standard" multi-outlet (White WB... or Black WN...) centered ...E (+744 each) or (White XB... or Black XN...) centered ...E (+\$480 each) or (UN...) in the center ...E, (+\$395 each), [see p.24](#).


90° left extended corner tables with curved interior access

90° corner table with curved interior access with electric height adjustment. Adjustment range: 24 1/2" to 50" H.

The control pad is programmable and installs on the front, left or right.


Base with "T" legs with levelers, White, Silver or Black finish. Assembly required.

Standard grommet or multi-outlet options available.



						Price				
Dimensions					Code	L1	S1	Spec.		
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu. Ft	lb
23	29	70	82	2	T3COL23297082	3659	4587	6554	8.1	179
23	29	70	70	2	T3COL23297070	3596	4430	6372	7.5	168
23	29	58	70	1	T3COL23295870	3368	4226	6152	7.8	160
23	23	70	82	2	T3COL23237082	3617	4536	6504	8.1	170
23	23	70	70	2	T3COL23237070	3551	4385	6326	7.5	162
23	23	58	70	1	T3COL23235870	3324	4179	6107	7.8	153
23	23	46	70	1	T3COL23234670	3173	3889	5417	6.8	144
23	23	58	58	1	T3COL23235858	3237	3975	5681	7.0	145
23	23	46	58	1	T3COL23234658	3094	3718	5070	6.1	136

E: Number of sections



Grommet and multi-outlet positions

S SPECIFY

Code L1/S1 Surface Edge Metal Grom. P Grom. R M-Outlet P M-Outlet R
TZ - - - / - - - - - -

O OPTIONS

S Code: Consult the above price list.

L1 / S1 : Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface / Edge: Specify Take Off finishes for the surface and edge, [see p.37](#).

Metal: Specify the leg finish: Black (9067), Silver (9090) or White (9002).

Grommet main surface: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). **Example: G1LCR.** Add \$42 each.

No Grommet, choose the NG Option, [see p.24](#).

Grommet return surface: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) in the center (...E),

add \$42 each. No Grommet, choose the NG Option, [see p.24](#).

O Multi-outlet main surface: Option of "standard" multi-outlet (White WB... or Black WN...) at left ...L, centered ...C and/or at right ...R (+\$744 each) or (White XB... or Black XN...) at left ...L, centered ...C and/or at right ...R (+\$480 each) or (UN...) at left ...L, centered ...C and/or at right ...R, (+\$395 each), [see p.24](#).

Multi-outlet return surface: Option of "Standard" multi-outlet (White WB... or Black WN...) centered ...E (+744 each) or (White XB... or Black XN...) centered ...E (+\$480 each) or (UN...) in the center ...E, (+\$395 each), [see p.24](#).


120° corner tables with curved interior access

120° corner table with curved interior access with electric height adjustment. Adjustment range: 24 ½" to 50" H.


The control pad is programmable and installs on the front, left or right.

Base with "T" legs with levelers, White, Silver or Black finish. Assembly required.

Standard multi-outlet options available.



				Price					
Dimensions				Code	L1	S1	Spec.		
A	B	C	D		T.F.L.	H.P.L.	FENIX	Cu. Ft	lb
29	58	58	29	T3CV29585829	3326	4394	6620	9.4	161
29	52	52	29	T3CV29525229	3239	4168	6059	8.4	152
29	46	46	29	T3CV29464629	3014	3810	5392	7.4	140
23	58	58	23	T3CV23585823	3279	4263	6282	8.7	148
23	52	52	23	T3CV23525223	3196	4053	5759	7.9	140
23	46	46	23	T3CV23464623	2978	3707	5209	7.9	131



Grommet and multi-outlet positions

S SPECIFY

TZ - Code - L1/S1 - Surface / Edge - Metal - Grommet - M-Outlet

O OPTION

S Code: Consult the above price list.

L1 / S1 : Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface / Edge: Specify Take Off finishes for the surface and edge, [see p.37](#).

Metal: Specify the leg finish: Black (9067), Silver (9090) or White (9002).

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). **Example: G1LCR.** Add \$42 each.


No Grommet, choose the **NG** Option, [see p.24](#).

O Multi-outlet: Option of "standard" multi-outlet (White **WB...** or Black **WN...**) at left ...L, centered ...C and/or at right ...R (+\$744 each) or (White **XB...** or Black **XN...**) at left ...L, centered ...C and/or at right ...R (+\$480 each) or (**UN...**) at left ...L, centered ...C and/or at right ...R, (+\$395 each), [see p.24](#).


Rectangular tables with rounded corners



Rectangular table with rounded corners and with electric height adjustment. Adjustment range: 24 ½" to 50" H.
The control pad is programmable and installs on the front, left or right.
Base with "T" legs with levelers, White, Silver or Black finish. Assembly required.
Standard multi-outlet options available.



			Price					
Dimensions			Code	L1	S1	Spec.		
A	B	C		T.F.L.	H.P.L.	FENIX	Cu. Ft	lb
29	70	27½	T3iA2970	2255	2741	3849	4.4	112
29	64	27½	T3iA2964	2234	2688	3707	4.2	107
29	58	27½	T3iA2958	2208	2629	3558	4.0	102
29	52	27½	T3iA2952	2185	2575	3416	3.8	97
29	46	27½	T3iA2946	2046	2401	3151	3.6	90
23	70	23½	T3iA2370	2219	2631	3530	4.0	102
23	64	23½	T3iA2364	2198	2589	3414	3.8	97
23	58	23½	T3iA2358	2169	2532	3286	3.6	93
23	52	23½	T3iA2352	2148	2485	3169	3.4	89
23	46	23½	T3iA2346	2012	2319	2926	3.2	83



Grommet and multi-outlets positions

S SPECIFY

Code L1/S1 Surface Edge Metal Grommet M-Outlet
TZ - - - / - - -

O OPTION

S Code: Consult the above price list.

L1 / S1 : Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface / Edge: Specify Take Off finishes for the surface and edge, [see p.37](#).

Metal: Specify the leg finish: Black (9067), Silver (9090) or White (9002).

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). **Example: G1LCR.** Add \$42 each.
No Grommet, choose the **NG** Option, [see p.24](#).

O Multi-outlet: Option of "standard" multi-outlet (White **WB...** or Black **WN...**) at left ...L, centered ...C and/or at right ...R (+\$744 each) or (White **XB...** or Black **XN...**) at left ...L, centered ...C and/or at right ...R (+\$480 each) or (**UN...**) at left ...L, centered ...C and/or at right ...R, (+\$395 each), [see p.24](#).

90° corner tables with rounded corners and with rectangular reversible surface



NEW

90° corner table with rectangular surface with rounded corners and with electric height adjustment. Adjustment range: 24 1/2" to 50" H.


The control pad is programmable and installs on the front, left or right.

Base with "T" legs with levelers, White, Silver or Black finish. Assembly required.

Standard multi-outlet options available.



						Price				
Dimensions					Code	L1	S1		Spec.	
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu. Ft	lb
23	29	76	70	47	T3CRA23297670	3504	4247	5455	6.7	171
23	29	70	70	41	T3CRA23297070	3481	4199	5396	6.6	167
23	29	64	70	35	T3CRA23296470	3454	4147	5334	6.4	163
23	23	70	70	47	T3CRA23237070	3468	4139	5290	6.3	160
23	23	64	70	41	T3CRA23236470	3446	4094	5228	6.1	156
23	23	58	70	35	T3CRA23235870	3416	4038	5168	5.9	152



Grommet and multi-outlet positions

S SPECIFY

Code L1/S1 Surface Edge Metal Grom. P Grom. R M-Outlet P M-Outlet R

TZ - - - / - - - - - -

S Code: Consult the above price list.

L1 / S1 : Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface / Edge: Specify Take Off finishes for the surface and edge, [see p.37](#).

Metal: Specify the leg finish: Black (9067), Silver (9090) or White (9002).

Grommet main surface: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). **Example: G1LCR.** Add \$42 each. No Grommet, choose the **NG** Option, [see p.24](#).

Grommet return surface: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) in the center (...E), add \$42 each. No Grommet, choose the **NG** Option, [see p.24](#).

Multi-outlet main surface: Option of "standard" multi-outlet (White WB... or Black WN...) at left ...L, centered ...C and/or at right ...R (+\$744 each) or (White XB... or Black XN...) at left ...L, centered ...C and/or at right ...R (+\$480 each) or (UN...) at left ...L, centered ...C and/or at right ...R, (+\$395 each), [see p.24](#).

Multi-outlet return surface: Option of "Standard" multi-outlet (White WB... or Black WN...) centered ...E (+744 each) or (White XB... or Black XN...) centered ...E (+\$480 each) or (UN...) in the center ...E, (+\$395 each), [see p.24](#).

90° right extended corner tables with rounded corners and with curved interior access


NEW

90° corner table with curved interior access with rounded corners and with electric height adjustment. Adjustment range: 24 ½" to 50" H.


The control pad is programmable and installs on the front, left or right.

Base with "T" legs with levelers, White, Silver or Black finish. Assembly required.

Standard multi-outlet options available.





46" AND 58" RETURN



70" RETURN

					Price				
Dimensions					Code	L1	S1	Spec.	
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu. Ft lb
23	29	70	82	2	T3CORA23297082	3749	4669	6638	8.1 179
23	29	70	70	2	T3CORA23297070	3683	4514	6454	7.5 168
23	29	58	70	1	T3CORA23295870	3411	4265	6192	7.8 160
23	23	70	82	2	T3CORA23237082	3704	4619	6588	8.1 170
23	23	70	70	2	T3CORA23237070	3641	4467	6410	7.5 162
23	23	58	70	1	T3CORA23235870	3416	4263	6192	7.8 153
23	23	46	70	1	T3CORA23234670	3266	3972	5505	6.8 144
23	23	58	58	1	T3CORA23235858	3330	4059	5768	7.0 145
23	23	46	58	1	T3CORA23234658	3188	3804	5159	6.1 136

E: Number of sections



Grommet and multi-outlet positions

S SPECIFY

Code L1/S1 Surface Edge Metal Grom. P Grom. R M-Outlet P M-Outlet R

TZ - - - / - - - - - -

O OPTIONS

S Code: Consult the above price list.

L1 / S1 : Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface / Edge: Specify Take Off finishes for the surface and edge, [see p.37](#).

Metal: Specify the leg finish: Black (9067), Silver (9090) or White (9002).

Grommet main surface: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). **Example: G1LCR.** Add \$42 each. No Grommet, choose the NG Option, [see p.24](#).

Grommet return surface: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) in the center (...E), add \$42 each. No Grommet, choose the NG Option, [see p.24](#).

O Multi-outlet main surface: Option of "standard" multi-outlet (White WB... or Black WN...) at left ...L, centered ...C and/or at right ...R (+\$744 each) or (White XB... or Black XN...) at left ...L, centered ...C and/or at right ...R (+\$480 each) or (UN...) at left ...L, centered ...C and/or at right ...R, (+\$395 each), [see p.24](#).

Multi-outlet return surface: Option of "Standard" multi-outlet (White WB... or Black WN...) centered ...E (+744 each) or (White XB... or Black XN...) centered ...E (+\$480 each) or (UN...) in the center ...E, (+\$395 each), [see p.24](#).

90° left extended corner tables with rounded corners and with curved interior access


NEW

90° corner table with curved interior access with rounded corners and with electric height adjustment. Adjustment range: 24 1/2" to 50" H.


The control pad is programmable and installs on the front, left or right.

Base with "T" legs with levelers, White, Silver or Black finish. Assembly required.

Standard multi-outlet options available.




46" AND 58" RETURN



70" RETURN

						Price				
Dimensions					Code	L1	S1	Spec.		
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	Cu. Ft	lb
23	29	70	82	2	T3COLA23297082	3749	4669	6638	8.1	179
23	29	70	70	2	T3COLA23297070	3683	4514	6454	7.5	168
23	29	58	70	1	T3COLA23295870	3411	4265	6192	7.8	160
23	23	70	82	2	T3COLA23237082	3704	4619	6588	8.1	170
23	23	70	70	2	T3COLA23237070	3641	4467	6410	7.5	162
23	23	58	70	1	T3COLA23235870	3416	4263	6192	7.8	153
23	23	46	70	1	T3COLA23234670	3266	3972	5505	6.8	144
23	23	58	58	1	T3COLA23235858	3330	4059	5768	7.0	145
23	23	46	58	1	T3COLA23234658	3188	3804	5159	6.1	136

E: Number of sections



Grommet and multi-outlet positions

S SPECIFY

Code L1/S1 Surface Edge Metal Grom. P Grom. R M-Outlet P M-Outlet R

TZ - - - / - - - - - -

S Code: Consult the above price list.

L1 / S1 : Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface / Edge: Specify Take Off finishes for the surface and edge, [see p.37](#).

Metal: Specify the leg finish: Black (9067), Silver (9090) or White (9002).

Grommet main surface: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). **Example: G1LCR.** Add \$42 each. No Grommet, choose the **NG** Option, [see p.24](#).

Grommet return surface: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) in the center (...E), add \$42 each. No Grommet, choose the **NG** Option, [see p.24](#).

Multi-outlet main surface: Option of "standard" multi-outlet (White WB... or Black WN...) at left ...L, centered ...C and/or at right ...R (+\$744 each) or (White XB... or Black XN...) at left ...L, centered ...C and/or at right ...R (+\$480 each) or (UN...) at left ...L, centered ...C and/or at right ...R, (+\$395 each), [see p.24](#).

Multi-outlet return surface: Option of "Standard" multi-outlet (White WB... or Black WN...) centered ...E (+744 each) or (White XB... or Black XN...) centered ...E (+\$480 each) or (UN...) in the center ...E, (+\$395 each), [see p.24](#).

120° corner tables with rounded corners and with curved interior access


NEW

120° corner table with curved interior access with rounded corners and with electric height adjustment. Adjustment range: 24 1/2" to 50" H.


The control pad is programmable and installs on the front, left or right.

Base with "T" legs with levelers, White, Silver or Black finish. Assembly required.

Standard multi-outlet options available.



				Price					
Dimensions				Code	L1	S1	Spec.		
A	B	C	D		T.F.L.	H.P.L.	FENIX	Cu. Ft	lb
29	58	58	29	T3CVA29585829	3414	4476	6701	9.4	161
29	52	52	29	T3CVA29525229	3329	4250	6144	8.4	152
29	46	46	29	T3CVA29464629	3106	3895	5479	7.4	140
23	58	58	23	T3CVA23585823	3368	4344	6365	8.7	148
23	52	52	23	T3CVA23525223	3286	4134	5846	7.9	140
23	46	46	23	T3CVA23464623	3071	3791	5295	7.9	131



Grommet and multi-outlet positions

S SPECIFY

Code L1/S1 Surface Edge Metal Grommet M-Outlet

TZ - - - / - - -

O OPTION

S Code: Consult the above price list.

L1 / S1 : Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface / Edge: Specify Take Off finishes for the surface and edge, [see p.37](#).

Metal: Specify the leg finish: Black (9067), Silver (9090) or White (9002).

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). **Example: G1LCR.** Add \$42 each.

No Grommet, choose the NG Option, [see p.24](#).

O Multi-outlet: Option of "standard" multi-outlet (White WB... or Black WN...) at left ...L, centered ...C and/or at right ...R (+\$744 each) or (White XB... or Black XN...) at left ...L, centered ...C and/or at right ...R (+\$480 each) or (UN...) at left ...L, centered ...C and/or at right ...R, (+\$395 each), [see p.24](#).

E-Motion Tables




E-Motion Rectangular table




E-Motion Adjustable table with electric height adjustment. Adjustment range: 23 1/8" to 48 3/4" H.

Control pad is programmable and mounts on the front, left or right.

Base with "T" legs with glides, black or white metal finish. Assembly required.



			Price					
Dimensions			Code	L1	S1	Spec.		
A	B	C		T.F.L.	H.P.L.	FENIX	Cu. Ft	lb
29	70	23½	TAE3Pi2970	1605	2082	3191	4.4	112
29	64	23½	TAE3Pi2964	1533	1978	2997	4.2	107
29	58	23½	TAE3Pi2958	1513	1927	2855	4.0	102
29	52	23½	TAE3Pi2952	1495	1879	2717	3.8	97
29	46	23½	TAE3Pi2946	1476	1824	2573	3.6	90
23	70	23½	TAE3Pi2370	1510	1914	2813	4.0	102
23	64	23½	TAE3Pi2364	1494	1875	2699	3.8	97
23	58	23½	TAE3Pi2358	1478	1832	2585	3.6	93
23	52	23½	TAE3Pi2352	1463	1792	2474	3.4	89
23	46	23½	TAE3Pi2346	1446	1748	2355	3.2	83



Grommet and multi-outlet positions

E-MOTION TABLES

S SPECIFY

Code L1/S1 Surface Edge Metal Grommet M-Outlet

TZ - - - / - 23 - - -

O OPTION

S Code: Consult the above price list.

L1 / S1 : Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface / Edge: Specify Take Off finishes for the surface and edge, [see p.37](#).

Metal: Specify the leg finish: Black (9067) or White (9002).

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). **Example: G1LCR.** Add \$42 each. No Grommet, choose the NG Option, [see p.24](#).

O Multi-outlet: Option of "standard" multi-outlet (White WB... or Black WN...) at left ...L, centered ...C and/or at right ...R (+\$744 each) or (White XB... or Black XN...) at left ...L, centered ...C and/or at right ...R (+\$480 each) or (UN...) at left ...L, centered ...C and/or at right ...R, (+\$395 each), [see p.24](#).


E-Motion rectangular table with rounded corners

NEW

E-Motion adjustable table with rounded corners and with electric height adjustment. Adjustment range: 23 1/8" to 48 3/4" H.

Control pad is programmable and mounts on the front, left or right.

Base with "T" legs with glides, black or white metal finish. Assembly required.



			Price					
Dimensions			Code	L1	S1	Spec.		
A	B	C		T.F.L.	H.P.L.	FENIX	Cu. Ft	lb
29	70	23 1/2	TAE3PiA2970	1648	2122	3230	4.4	112
29	64	23 1/2	TAE3PiA2964	1577	2017	3039	4.2	107
29	58	23 1/2	TAE3PiA2958	1558	1968	2897	4.0	102
29	52	23 1/2	TAE3PiA2952	1540	1919	2760	3.8	97
29	46	23 1/2	TAE3PiA2946	1522	1865	2617	3.6	90
23	70	23 1/2	TAE3PiA2370	1554	1953	2853	4.0	102
23	64	23 1/2	TAE3PiA2364	1538	1916	2742	3.8	97
23	58	23 1/2	TAE3PiA2358	1523	1874	2627	3.6	93
23	52	23 1/2	TAE3PiA2352	1508	1834	2517	3.4	89
23	46	23 1/2	TAE3PiA2346	1493	1790	2397	3.2	83

L C R

Grommet and multi-outlet positions

S SPECIFY

TZ - Code - L1/S1 - Surface / Edge - 23 - Metal - Grommet - M-Outlet

S Code: Consult the above price list.

L1 / S1 : Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Surface / Edge: Specify Take Off finishes for the surface and edge, [see p.37](#).

Metal: Specify the leg finish: Black (9067) or White (9002).

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). **Example: G1LCR.** Add \$42 each.

No Grommet, choose the **NG** Option, [see p.24](#).


Multi-outlet: Option of "standard" multi-outlet (White **WB...** or Black **WN...**) at left ...L, centered ...C and/or at right ...R (+\$744 each) or (White **XB...** or Black **XN...**) at left ...L, centered ...C and/or at right ...R (+\$480 each) or (**UN...**) at left ...L, centered ...C and/or at right ...R, (+\$395 each), [see p.24](#).

Pneumatic adjustable tables




Adjustable meeting tables

Square or round table with pneumatic height adjustment.
Adjustment range:
With leveler: 27 ¼" to 42 ½" (including a 1" surface)
With casters: 29" to 44 ¼" (including a 1" surface)
Metal base in a choice of White, black or silver, 4 casters and 4 levelers included.



SQUARE SURFACE



SQUARE SURFACE
WITH ROUNDED
CORNERS



ROUND SURFACE

			Price				
Dimensions		Code	L1	S1		Spec.	
A	B		T.F.L.	H.P.L.	FENIX	Cu. Ft	lb
SQUARE SURFACE							
30	30	POPUPS3030	964	1170	1650	4.3	43
24	24	POPUPS2424	930	1085	1519	3.8	34
SQUARE SURFACE WITH ROUNDED CORNERS							
30	30	POPUPSR3030	1052	1266	1746	4.3	43
24	24	POPUPSR2424	1023	1184	1654	3.8	34
ROUND SURFACE							
30		POPUPR30	1036	1244	1756	4.3	43

S SPECIFY

Code L1 / S1 Surface Edge Metal
TZ - - - / -

S Code: Consult the above price list.
L1 / S1 : Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1").
Surface / Edge: Specify Take Off finishes for the surface and edge, [see p.37](#).
Metal: Specify the leg finish: Black (**9067**), Silver (**9090**) or White (**9002**).

Storage & tops




Storage and tops



bookcases without tops with space at the back	62
2 door cabinets without tops with space at the back	63
bookcases without top	64
2 door cabinets without top	65
2 drawer storage units without top	66
combined storage units without top	67
tops with cutout for credenzas	68

Bookcases without top with space at the back - 18 3/4" H.

Bookcase without top with space at the back to hide the leg of an 29" D. adjustable table.
Removable back.
1 adjustable shelf.
Left and right grommet available as an option.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
24	36	18 ¾	BKNBA243618	1123	11.2	80
24	30	18 ¾	BKNBA243018	1068	9.4	69
21	36	18 ¾	BKNBA213618	1085	9.8	73
21	30	18 ¾	BKNBA213018	1041	8.2	63



S	SPECIFY	OPTION
	Code	Base
TZ -		-
	L	-
		-

S **Code:** Consult the above price list.
Base: Specify Take Off finishes for the base, [see p.38](#).
Grommet: Grommet options, at left and right, choose a color: White (**G12**), Charcoal (**G22**), Frost (**G32**) or Black (**G42**).
Add \$84. No Grommet, choose the **NG** Option. [see p.24](#).

2 Door cabinets without top with space at the back - 18 3/4" H.


2 door cabinet without top with space at the back to hide the leg of a 29" D. adjustable table.

Removable back.

1 adjustable shelf.



Left and right grommet available as an option.

Available without lock, with Noki lock or key lock. Will lock both doors.



Dimensions			Code	Price		Spec.	
A	B	C		T.F.L.	FENIX	Cu.Ft.	lb
24	36	18 3/4	LDNBA243618	1484	2156	11.6	93
24	30	18 3/4	LDNBA243018	1421	1983	9.8	80
21	36	18 3/4	LDNBA213618	1449	2118	10.3	86
21	30	18 3/4	LDNBA213018	1393	1955	8.6	74

ATTENTION:
Not compatible with PPBOXCA modesties.



S

SPECIFY

Code

Base

Front

Lock

Pull

Grommet

TZ -

-

L

-

/

-

-

-

S

Code:

Consult the above price list.

Base:

Specify Take Off finishes for the base, see p.38.

Front:

Specify Take Off finishes for the front, see p.38.

Lock:

No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options. For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:


Pull included, specify type, see p.40.

Grommet:


Grommet options, at left and right, choose a color: White (G12), Charcoal (G22), Frost (G32) or Black (G42).
Add \$84 No Grommet, choose the NG Option. see p.24.

Bookcases without top - 18 3/4" H.

Bookcase without top.
1 adjustable shelf.
Left and right grommet available as an option.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
24	36	18 ¾	BKNA243618	1036	11.2	78
24	30	18 ¾	BKNA243018	987	9.4	67
21	36	18 ¾	BKNA213618	1002	9.8	71
21	30	18 ¾	BKNA213018	956	8.2	61




S SPECIFY

Code Base Grommet
TZ - - L - -


S Code: Consult the above price list.
Base: Specify Take Off finishes for the base, [see p.38](#).
Grommet: Grommet options, at left and right, choose a color: White (**G12**), Charcoal (**G22**), Frost (**G32**) or Black (**G42**).
Add \$84. No Grommet, choose the **NG** Option. [see p.24](#).

2 door cabinets without top - 18 3/4" H.

2 door cabinets without top.
1 adjustable shelf.
Left and right grommet available as an option.
Available without lock, with Noki lock or key lock. Will lock both doors.



Dimensions			Code	Price		Spec.	
A	B	C		T.F.L.	FENIX	Cu.Ft.	lb
24	36	18 3/4	LDNA243618	1348	2016	11.6	91
24	30	18 3/4	LDNA243018	1287	1847	9.8	78
21	36	18 3/4	LDNA213618	1321	1988	10.3	84
21	30	18 3/4	LDNA213018	1262	1821	8.6	72




S SPECIFY

TZ - - L - / - - -


- S Code:** Consult the above price list.
Base: Specify Take Off finishes for the base, [see p.38](#).
Front: Specify Take Off finishes for the front, [see p.38](#).
Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options. For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.
Pull: Pull included, specify type, [see p.40](#).
Grommet: Grommet options, at left and right, choose a color: White (**G12**), Charcoal (**G22**), Frost (**G32**) or Black (**G42**).
Add \$84 No Grommet, choose the **NG** Option. [see p.24](#).

2 drawer storage units without top - 18 3/4" H.

Storage with 1 utility drawer and 1 file drawer.
Pencil tray included in the 6" top drawer.
Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, refer to the Accessories price list.
Left and right grommet available as an option.
Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.



Dimensions			Code	Price		Spec.	
A	B	C		T.F.L.	FENIX	Cu.Ft.	lb
24	36	18 3/4	LUFNA243618	1465	2135	11.6	77
24	30	18 3/4	LUFNA243018	1405	1968	9.8	70
21	36	18 3/4	LUFNA213618	1455	2124	10.3	75
21	30	18 3/4	LUFNA213018	1396	1960	8.6	68



S

SPECIFY

Code

TZ -

-

L

-

Base

/

Front

-

Lock

-

Pull

-

Grommet

-

C-Weight

S

OPTION

S

Code:

Consult the above price list.

Base:

Specify Take Off finishes for the base, see p.38.

Front:

Specify Take Off finishes for the front, see p.38.

Lock:

No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options. For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:

Pull included, specify type, see p.40.

Grommet:

Grommet options, at left and right, choose a color: White (G12), Charcoal (G22), Frost (G32) or Black (G42).
Add \$84. No Grommet, choose the NG Option. see p.24.


O

Counter-weight:


For the counter-weight option, add (CW), add \$137.

Combined storage units without top - 18 3/4" H.

Combined storage unit without top with 1 - 6" drawer, 1 file drawer and 1 door.
1 adjustable shelf in door section.
Pencil tray included in the 6" top drawer.
Left and right grommet available as an option.
Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.



Dimensions			Code	Price		Spec.	
A	B	C		T.F.L.	FENIX	Cu.Ft.	lb
DOOR AT LEFT							
24	36	18 3/4	LDUFNA243618	1808	2484	11.6	99
24	30	18 3/4	LDUFNA243018	1755	2324	9.8	88
21	36	18 3/4	LDUFNA213618	1782	2459	10.3	93
21	30	18 3/4	LDUFNA213018	1733	2302	8.6	83
DOOR AT RIGHT							
24	36	18 3/4	LUFDNA243618	1808	2484	11.6	99
24	30	18 3/4	LUFDNA243018	1755	2324	9.8	88
21	36	18 3/4	LUFDNA213618	1782	2459	9.8	93
21	30	18 3/4	LUFDNA213018	1733	2302	8.6	83



S SPECIFY

Code Base Front Lock Pull Grommet

TZ - - L - / - - -

- S Code:** Consult the above price list.
- Base:** Specify Take Off finishes for the base, [see p.38](#).
- Front:** Specify Take Off finishes for the front, [see p.38](#).
- Lock:** No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options. For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.
- Pull:** Pull included, specify type, [see p.40](#).
- Grommet:** Grommet options, at left and right, choose a color: White (**G12**), Charcoal (**G22**), Frost (**G32**) or Black (**G42**).
Add \$84. No Grommet, choose the **NG** Option. [see p.24](#).



Tops with cutout for credenza

Top for storage units with cutout at left or at right.

The cutouts will allow clearance of the leg column of a 29" D. adjustable table model only.

The cutouts must be located above a storage unit with space at the back (BKNBA or LDNBA).

Left and right grommet available as an option.



		Price				
Dimensions		Code	L1	S1	Spec.	
A	B		T.F.L.	H.P.L.	FENIX	Cu.Ft. lb
CUTOUT ON THE LEFT						
24	72	LTOPAL2472	360	701	1690	2.6 47
24	66	LTOPAL2466	347	674	1605	2.4 43
24	60	LTOPAL2460	330	649	1535	2.2 39
24	36	LTOPAL2436	250	534	1142	1.3 24
21	72	LTOPAL2172	341	667	1555	2.3 41
21	66	LTOPAL2166	325	642	1479	2.1 38
21	60	LTOPAL2160	311	619	1414	1.9 34
21	36	LTOPAL2136	237	514	1092	1.1 21
CUTOUT ON THE RIGHT						
24	72	LTOPAR2472	360	701	1690	2.6 47
24	66	LTOPAR2466	347	674	1605	2.4 43
24	60	LTOPAR2460	330	649	1535	2.2 39
24	36	LTOPAR2436	250	534	1142	1.3 24
21	72	LTOPAR2172	341	667	1555	2.3 41
21	66	LTOPAR2166	325	642	1479	2.1 38
21	60	LTOPAR2160	311	619	1414	1.9 34
21	36	LTOPAR2136	237	514	1092	1.1 21

S SPECIFY

TZ - Code - L1 / S1 - Surface / Edge - Cutout - Grommet

S Code: Consult the above price list.

L1 / S1 : Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1").

Base: Specify Take Off finishes for the base, [see p.37](#).

Edge: Specify Take Off finishes for the edge, [see p.37](#).


Cutout: Specify the cutout edge finish: White (BW), Frost (A) or Black (N). Take Off finishes, [see p.37](#).

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), and/or at right (...R). *Example: G1LR.* Add \$42 each.

No Grommet, choose the NG Option, [see p.24](#).

Tops with cutout in center for storage unit

Top for storage unit with cutout in center.
The cutouts will allow clearance of the leg column of a 29" D. adjustable table model only.
The cutouts must be located above a storage unit with space at the back (BKNBA or LDNBA).
Left and right grommet available as an option.



		Price			
Dimensions		Code	L1	S1	Spec.
A	B		T.F.L.	H.P.L.	FENIX Cu.Ft. lb
24	30	LTOPA2430	234	510	1061 1.1 20
21	30	LTOPA2130	223	492	1008 0.9 17

S SPECIFY

TZ - - - / - -

- S Code:** Consult the above price list.
L1 / S1 : Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1").
Base: Specify Take Off finishes for the base, [see p.37](#).
Edge: Specify Take Off finishes for the edge, [see p.37](#).
Cutout: Specify the cutout edge finish: White (**BW**), Frost (**A**) or Black (**N**). Take Off finishes, [see p.37](#).
Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**) and choose a position(s): at left (...**L**), and/or at right (...**R**). *Example: G1LR.* Add \$42 each.
No Grommet, choose the **NG** Option, [see p.24](#).

Complements




Complements

box for height adjustable leg	72
laminate modesties for leg boxes	73
laminate modesties for surface	74
accessory bars on post	76
frosted acrylic screens for accessory bars on posts	77
spacing brackets	78
casters for adjustable table bases	78
short footing for adjustable tables II	79
"C" foot for laminate or metal recessed end panel	80

Box for adjustable leg

Box made of laminate.
Removable outer panel to hide the leg of a 29" D. adjustable table only.
The pre-drilled exterior holes must be used beneath the surface.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
29	5	19 ¾	BOX1A290519	755	2.5	26

S

SPECIFY

Code

TZ -

-

L

-

Base

-

Cutout

S

Code: Consult the above price list.

Base: Specify Take Off finishes for the base, see p.38.


Cutout: Specify the cutout edge finish : White (BW), Frost (A) or Black (N). Take Off finishes, see p.37.

Set of boxes for adjustable legs with inserts for modesty panels

Set of two boxes in laminate with metal inserts to install a MBOXA modesty.

Removable outer panel to hide the leg of an adjustable table model.

The pre-drilled exterior holes must be used beneath the surface.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
29	5	19 ¾	BOX2A290519	1510	5.0	52

S SPECIFY

Code

TZ -

-

L

-

Base

-

Cutout



S Code: Consult the above price list.

Base: Specify Take Off finishes for the base, [see p.38](#).

Cutout: Specify the cutout edge finish : White (**BW**), Frost (**A**) or Black (**N**). Take Off finishes, [see p.37](#).

Laminate modesties for leg boxes

Rectangular laminate modesty screen, 11⁄16" thick.
Installs on the inside faces of BOX2A290519 boxes.
Hardware included.



Dimensions			Code	Price		Spec.	
A	B	D		T.F.L.	FENIX	Cu.Ft.	lb
19 3⁄4	58 3⁄4	70	MBOXA1959	284	1484	1.7	21
19 3⁄4	52 3⁄4	64	MBOXA1953	270	1348	1.5	19
19 3⁄4	46 3⁄4	58	MBOXA1947	259	1226	1.3	17
19 3⁄4	40 3⁄4	52	MBOXA1941	244	1095	1.2	15
19 3⁄4	34 3⁄4	46	MBOXA1935	232	992	1.0	13

D: Length of the host surface.

S SPECIFY

Code L / S Base
TZ - - -

S Code: Consult the above price list.
L/S: Specify the code identifying the type of finish (L= T.F.L. 11⁄16", S= FENIX 11⁄16").
Base: Specify Take Off finishes for the base, see p.38.



Laminate modesties for surface

Rectangular laminate modesty screen, $\frac{1}{16}$ " thick.


Installs under a work surface with the corresponding metal supports, finish must be specified.

The PPBOXA modesty panel is designed to work with the fixed modesty panel (MBOXA) corresponding to the same surface width when the BOX2A290519 is specified. The surface modesty will be outside the MBOXA modesty. PPBOXCA modesty panels are designed to fit tables with a BOX1A290519 leg cover on one side.


PPBOXCA modesties are designed to adapt to tables with a BOX1A290519 box on one side and a 21 or 24" D. credenza on the other side.



21" P.



24" P.



Dimensions				Code	Price		Spec.	
A	B	C	D		T.F.L.	FENIX	Cu.Ft.	lb
BETWEEN 2 BOXES								
22	57 ¾	3	70	PPBOXA2258	351	1708	1.8	24
22	51 ¾	2	64	PPBOXA2252	338	1554	1.6	21
22	45 ¾	2	58	PPBOXA2246	316	1405	1.4	19
22	39 ¾	2	52	PPBOXA2240	303	1259	1.2	17
22	33 ¾	2	46	PPBOXA2234	282	1132	1.0	14
BETWEEN ONE BOX AND ONE 21" D. CREDENZA								
22	43 ⅞	2	70	PPBOXCA2243	311	1337	1.3	18
22	37 ⅞	2	64	PPBOXCA2237	298	1223	1.1	16
22	31 ⅞	2	58	PPBOXCA2231	276	1086	1.0	13
BETWEEN ONE BOX AND ONE 24" D. CREDENZA								
22	40 ⅞	2	70	PPBOXCA2240	305	1260	1.2	17
22	34 ⅞	2	64	PPBOXCA2234	284	1133	1.0	14
22	28 ⅞	2	58	PPBOXCA2228	270	1002	0.9	12

C: Number of supports included.

D: Length of the host surface.



Attention:

Not compatible with the 2 door cabinets without tops with space at the back LDNBA.

S SPECIFY

Code L / S Base Metal
TZ - - - -

S Code: Consult the above price list.

L/S: Specify the code identifying the type of finish (L= T.F.L. $\frac{1}{16}$ ", S= FENIX $\frac{1}{16}$ ").

Base: Specify Take Off finishes for the base, see p.38.

Metal: Specify the finish, see p.39.

Accessory bars on posts

Single or double accessory bar on supporting posts whose finish must be specified. The bar has one functional side. Black covers on the posts.


Designed for use with a flat screen arm-support, [see p.28](#). Can also hold Artopex accessories, see the Accessories price list.

Accessory bars 59 1/2" and up have an additional central post. Some screws are noticeable on the back of the bars.

Installs with screw clamps to a 1" or 1 1/2" thick work surface.

The modesty panel must be recessed under the surface of the table to provide space for the accessory bar screw clamps.

The chart below indicates the maximum length of the accessory bar that can be installed on a height-adjustable table.



Dimensions			To use with table (length):			Code	Price	Spec.	
A	B	C	Rect. / 2 deep	Curved	Corner			Cu.Ft.	lb
12	65 1/2	3	70"	71"		VAPBS1266	777	2.1	13
12	59 1/2	3	64"	65"		VAPBS1260	762	2.0	12
12	53 1/2	2	58"	59"		VAPBS1254	525	1.9	10
12	47 1/2	2	52"	53"		VAPBS1248	513	1.8	9
12	41 1/2	2	46"	47"	46"	VAPBS1242	506	1.8	8
12	35 1/2	2	40"		40"	VAPBS1236	501	1.7	7
12	29 1/2	2	34"			VAPBS1230	477	1.7	6
12	65 1/2	3	70"	71"		VAPBD1266	1018	2.4	18
12	59 1/2	3	64"	65"		VAPBD1260	969	2.3	17
12	53 1/2	2	58"	59"		VAPBD1254	681	2.2	14
12	47 1/2	2	52"	53"		VAPBD1248	664	2.1	13
12	41 1/2	2	46"	47"	46"	VAPBD1242	648	2.1	12
12	35 1/2	2	40"		40"	VAPBD1236	632	1.9	11
12	29 1/2	2	34"			VAPBD1230	586	1.9	10

C: Number of posts


S SPECIFY

Code Metal
AC - -

S **Code:** Consult the above price list.
Metal: Specify the finish, [see p.39](#).

Frosted acrylic screens for accessory bars on posts

8" H. rectangular frosted (on one side) acrylic screen, 1/4" thick.
The screen installs on top of the accessory bar (same length), with posts (single or double) and attaches to the back, [see p.29](#).
The supports are made of metal whose finish must be specified.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
8	65½	4	VRB66	482	0.5	7
8	59½	4	VRB60	470	0.4	6
8	53½	3	VRB54	404	0.4	5
8	47½	3	VRB48	393	0.4	5
8	41½	3	VRB42	376	0.3	4
8	35½	2	VRB36	312	0.3	3
8	29½	2	VRB30	295	0.2	3

C: Number of supports included

S SPECIFY

Code Metal
AC - -

S Code: Consult the above price list.
Metal: Specify the finish, [see p.39](#).


Spacing brackets

Metal spacing brackets, Black finish.

Ergonomic accessories can be installed (keyboard tray, CPU support) under the surface of an adjustable table or under any other surface equipped with structural beams.

The brackets lower the installation plate for the accessories by 2 ¼".

Attaches to the keyboard tray or CPU support with bolts (included) then to the surface with screws, [see p.31](#).




Dimensions	Code	Price	Spec.	
A			Cu.Ft.	lb
2¼	AC-OSB	107	0.5	2

Casters for adjustable table bases

Set of 4 casters, 2 with brakes. Installs on base of the adjustable tables and E-motion tables.

Black finish.


Adds 2" to the table height, [see p.18](#).



	Code	Price	Spec.	
			Cu.Ft.	lb
4 casters	TL-CAS4	75	0.2	1

Short footing



Short footing for corner leg.
Replaces standard footing.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
5½	2¾	AC-BUNF	27	0.1	1



IMPORTANT:
Does not work with E-Motion adjustable table.




S SPECIFY

Code Metal
AC - -

S **Code:** Consult the above price list.
Metal: Specify the leg finish: Silver (**9090**), White (**9002**) or Black (**9067**).


"C" foot for laminate or metal recessed end panel

Metal "C" foot to be added to a laminate or metal recessed end panel.
To create a stable and freestanding table with recessed leg.
Compatible with LC or CL end panels, not with CC end panels.
18" foot is to be used on 18, 21 and 24" D. surfaces and 24" foot on 24 and 30" D. surfaces.
Wood screws for laminate and self-tapping screws for metal included.




Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
24	2 3/16	24-30	PIEC24	102	0.3	7
18	2 3/16	18-21-24	PIEC18	99	0.2	6

C: Depth of the table.



T.F.L. legs



Metal legs

S SPECIFY

Code Metal
AC - -

S Code: Consult the above price list.
Metal: Specify the finish, see p.39.

Update summary

Update summary

January 20th 2025

PAGES	SECTION	PRODUCT	MODIFICATION
			Overall price increase of 3% (some exceptions).
p.60	Storage & Top	Storage	Storage dimensions and codes have changed.
p.70	Complements	Box, set of boxes and modesty	Dimensions and codes have changed.

January 22th 2024

PAGES	SECTION	PRODUCT	MODIFICATION
			General price increases.
			The multi-outlets XB-XN-QB-QN now have a USB A and USB C outlet.

Designing, manufacturing,
advising, planning and supporting:
that's the art that distinguishes
our purpose at Artopex.

ARTOPEX
Head Office
artopex.com

800 Vadnais Street
Granby, QC, Canada J2J 1A7
T 1 800 378 0189